AUTHOR INDEX

VOLUME 67, 1991

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

AANTAA, R., JAAKOLA, M.-L., KALLIO, A., KANTO, J., SCHEININ, M. and VUORINEN, J. A comparison of dexmedetomidine, an alpha$_2$-adrenoceptor agonist, and midazolam as i.m. premedication for minor gynaecological surgery 402–409
ABDULATIF, M. *see* NAGUIB, M. 320–322
ABSOOD, A. *see* NAGUIB, M. 320–322
ADAMS, A. K. Tracheal intubation with the patient in the sitting position, (*C*) 804
ADAMS, A. P. *see* KING, T. A., (*C*) 225
ADNET, P. *see* KRIVOSIC-HORBER, R., (*C*) 221
AITKEN, H. A., TODD, J. G. and KENNY, G. N. C. Comparison of the Finapres and direct arterial pressure monitoring during profound hypotensive anaesthesia 36–40
AITKEN, H. A. *see* BURNS, J. W. 235–238
AITKENHEAD, A. R. *see* LIU, D. W. H., (*ARS*) 208–209P; LIU, W. H. D. 768–771
AKHTAR, T. M., KERR, W. J. and KENNY, G. N. C. Comparison of laryngeal mask airway with tracheal intubation for intraocular surgery, (*ARS*) 215P
AKHTAR, T. M., RIDLEY, S. and BEST, C. J. Unusual presentation of acute upper airway obstruction caused by an anterior mediastinal mass 632–634
ALAHUHTA, S., RÄSÄNEN, J., JOUPPILA, R., JOUPPILA, P. and HOLLMÉN, A. I. Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation 678–682
AL-MUHANDIS, W. M., LAURETTI, G. R. and PLEUVRY, B. J. Modification by drugs used in anaesthesia of CNS stimulation induced in mice by laudanosine and strychnine 608–613
AL-SHAIKH, B. Desaturation during total knee replacement, (*C*) 502
AMAR, D., SHAMOON, H., FRISHMAN, W. H., LAZAR, E. J. and SALAMA, M. D. Effects of labetalol on perioperative stress markers and isoflurane requirements 296–301
AMOROSO, P., WILSON, S. R., PONTÉ, J. C., GINSBURG, R. and MOXHAM, J. Effect of inhaled salbutamol on resting oxygen consumption, (*ARS*) 210P
AMOROSO, P. *see* WILSON, S. R., (*ARS*) 216–217P
ANDERTON, J. M. The prone position for the surgical patient: a historical review of the principles and hazards 452–463
ANDREWS, P. J. D., DEARDEN, N. M. and MILLER, J. D. Comparison of thiopentone and propofol at two rates of administration in patients with severe head injury, (*ARS*) 212P; Jugular bulb cannulation: description of a cannulation technique and validation of a new continuous monitor 553–558
ANKER-MØLLER, E. *see* ARENDT-NIELSEN, L., (*C*) 227
APFELBAUM, J. L. *see* LICHTOR, J. L. 579–584
ARENDT-NIELSEN, L. and ANKER-MØLLER, E. Analgesia with subhypnotic doses of thiopentone and propofol, (*C*) 227
ARGIRAS, E. *see* PALAZZO, M. G. A. 759–763
ARIEFF, A. I. Indications for use of bicarbonate in patients with metabolic acidosis 165–177
ARINO, P. *see* CRONEN, M. C. 480–482
ARMSTRONG, C. *see* PATTERSON, K. W., (*ARS*) 213–214P
ARMSTRONG, P. J., MORRISON, L. M., NOBLE, D., SINCLAIR, W. A., TIPLADY, B. and WILDSMITH, J. A. W. Effects of i.v. lignocaine on psychological performance and subjective state in healthy volunteers 532–538
ARNDT, J. O. *see* KLEMENT, W. 281–284; (*C*) 507
ASBURY, A. J. Systolic arterial pressure as a monitor of depth of anaesthesia, (*C*) 506
ASBURY, A. J. *see* O'DONNELL, C. A., (*ARS*) 658–659P; O'DONNELL, N. G., (*ARS*) 661P
ASHTON, W. B., JAMES, M. F. M., JANICKI, P. and UYS, P. C. Attenuation of the pressor response to tracheal intubation by magnesium sulphate with and without alfentanil in hypertensive proteinuric patients undergoing Caesarean section 741–747
AUKBURG, S. J. *see* TOBIAS, M. D. 332–334
AUSTIN, T. R. Intra-arterial regional analgesia, (*C*) 803

BADER, A. M. *see* CAMANN, W. R. 565–568
BALDWIN, A. M. *see* KLUGER, M. T., (*ARS*) 656–657P
BALL, C. *see* WILSON, S. R., (*ARS*) 216–217P
BALLESTEROS, M. *see* BOLDT, J. 595–602
BANNISTER, P. *see* CARLI, F. 729–734
BARASH, P. G. *see* STOELTING, R. K., (*R*) 229
BARKAI, A. I. *see* YOUNG, W. L. 440–446
BARKER, P., MURPHY, P., LANGTON, J. A. and ROWBOTHAM, D. J. Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway, (*ARS*) 660P
BARKER, P. *see* LANGTON, J., (*ARS*) 648–649P; MURPHY, P. J., (*ARS*) 660–661P
BARNARD, M. *see* WEBSTER, J. 467–469
BARNES, P. J. *see* CRYSTAL, R. G., (*R*) 230
BARSAN, W. G., JASTREMSKI, M. S. and SYVERUD, S. A., (editors) *Emergency Drug Therapy*, 1st Edn, (*R*) 508–509
BARTLETT, S. *see* CARLI, F. 729–734
BASBAUM, A. I. and BESSON, J.-M., (editors) *Towards a New Pharmacotherapy of Pain*, (*R*) 805
BAXTER, M. J. *see* NOLAN, K. M., (*ARS*) 650–651P
BEALE, R. J. *see* FAIRFIELD, J. E. 618–620
BECKER, P. *see* VAN HEERDEN, P. V. 470–472
BEECH, M. J. *see* POMFRETT, C. J. D., (*ARS*) 646–647P
BEEMER, G. H. and BJORKSTEN, A. R. Determinants of antagonism of non-depolarizing neuromuscular block, (*C*) 362
BEEMER, G. H., BJORKSTEN, A. R. and CRANKSHAW, D. P. Pharmacokinetics of atracurium, (*C*) 129–130
BELL, D. *see* MCCLOY, R., (*C*) 504
BELL, J. *see* EVANS, R. D., (*ARS*) 217P
BELLHOUSE, P. Predicting difficult intubation, (*C*) 505; Unexpected, difficult laryngoscopy, (*C*) 501
BEN-DAVID, B. *see* LEE, E., (*C*) 130

BERRISFORD, R. G. *see* ENTWISTLE, M. D. 704–711
BERRY, A. *see* SNEYD, J. R., (*ARS*) 659–660P
BERTAN, V. *see* TEKKOK, I. H. 112–115
BERTHOUD, M. C., PEACOCK, J. E. and REILLY, C. S. Comparison of infusion rates of thiopentone for induction of anaesthesia in elderly patients, (*ARS*) 645P; Effectiveness of preoxygenation in morbidly obese patients 464–466
BESSON, J.-M. *see* BASBAUM, A. I., (*R*) 805
BEST, C. J. *see* AKHTAR, T. M. 632–634
BEYDON, L., ISABEY, D., BOUSSIGNAC, G., BONNET, F., DUVALDESTIN, P. and HARF, A. Pressure support ventilation using a new tracheal gas injection tube 795–800
BISNAIRE, D. *see* DAVIES, K. R. 58–63
BISSONNETTE, B. *see* YENTIS, S. M. 779–780
BJORKSTEN, A. R. *see* BEEMER, G. H., (*C*) 129–130; (*C*) 362
BLACK, A. M. S. and KOEHLI, N. Post-Post-Tetanic Facilitation Fade (PPTFF), (*ARS*) 220P
BLAKE, G. J. P. *see* YOUNG, J. D., (*ARS*) 209P
BLOGG, C. E. *see* URE, R. W., (*ARS*) 657–658P
BOER, F., BOVILL, J. G., ROS, P. and VAN OMMEN, H. Effect of thiopentone, etomidate and propofol on systemic vascular resistance during cardiopulmonary bypass 69–72
BOGLE, R. G. *see* PETROS, A. J., (*ARS*) 645–646P
BOLDT, J., ZICKMANN, B., HEROLD, C., BALLESTEROS, M., DAPPER, F. and HEMPELMANN, G. Influence of hypertonic volume replacement on the microcirculation in cardiac surgery 595–602
BOLSIN, S. *see* RAFTERY, S., (*ARS*) 651–652P
BOLTE, M. *see* KIETZMANN, D. 269–276
BONNET, F. *see* BEYDON, L. 795–800; DELAUNAY, L. 397–401
DE BONO, D. P. and ROSE, E. L. Silent myocardial ischaemia in preoperative patients: what does it mean, and what should be done about it? (*E*) 367–368
BOOKER, P. D. *see* WENSTONE, R. 591–594
BORGEAT, A. *see* WILDER-SMITH, O., (*C*) 226–227
BOUCHIER-HAYES, D. *see* RYAN, T., (*ARS*) 204–205P
BOUGHNER, D. R. *see* DAVIES, K. R. 58–63
BOUSSIGNAC, G. *see* BEYDON, L. 795–800
BOVILL, J. G. *see* BOER, F. 69–72
BOYS, R. J. *see* COLEMAN, S. A. 257–261
BRACEY, B. J. *see* GOLDHILL, D. R. 289–295
BRAUDE, N., VYVYAN, H. A. L. and JORDAN, M. J. Intraoperative assessment of atracurium-induced neuromuscular block using double burst stimulation 574–578
BRECKON, D. A. *see* JESSOP, J. 524–531
BRIMACOMBE, J. Training in fibreoptic laryngoscopy, (*C*) 503
BRISTOW, A. Transfer of patients by helicopter, (*C*) 127
BROCK-UTNE, J. G. and JAFFE, R. A. Tracheal intubation with the patient in a sitting position, (*C*) 225–226
BROOKES, S. T. *see* DEVLIN, J. C., (*ARS*) 651P
BROOME, I. J., HARRIS, R. and REILLY, C. S. Response time of finger and ear pulse oximeter probes during hypoxaemic events occurring during anaesthesia, (*ARS*) 207P
BROWN, D. T. *see* READ, J. R. M., (*ARS*) 216P
BROWN, R. A. and SWANSON BECK, J. *Medical Statistics on Microcomputers*, 1st Edn, (*R*) 132–133
BROWN, R. W. and HEATH, M. L. Resuscitation training for the operating department, (*ARS*) 219–220P
BROWNE, B. *see* RAFTERY, S., (*ARS*) 218P
BROWNE, G. P. R., LEA, K., WOOD, P. and KOX, W. J. Haemodynamic and oxygen transport effects of isoflurane as sedation in ventilated patients in the intensive care unit, (*ARS*) 652P
BROWNRIDGE, P. Spinal anaesthesia in obstetrics, (*C*) 663
DEBRUIJN, N. P. and CLEMENTS, F. M., (editors) *Intraoperative Use of Echocardiography* (A Society of Cardiovascular Anesthesiologists Monograph), (*R*) 668–669
BUCHAN, A. S. and SHARWOOD-SMITH, G. H. *Handbook of Obstetric Anaesthesia*, (*R*) 509
BULLINGHAM, R. E. S. *see* BURNS, J. W. 235–238
BURNS, J. W., AITKEN, H. A., BULLINGHAM, R. E. S., MCARDLE, C. S. and KENNY, G. N. C. Double-blind comparison of the morphine sparing effect of continuous and intermittent i.m. administration of ketorolac 235–238
BURRIN, J. M. *see* DESBOROUGH, J. P. 390–396

CALVO, M. B. *see* PEDRAZ, J. L. 310–316
CAMANN, W. R., HORTVET, L. A., HUGHES, N., BADER, A. M. and DATTA, S. Maternal temperature regulation during extradural analgesia for labour 565–568
CAMPANELLA, C. *see* WORSLEY, M. H. 116–119
CAMPBELL, I. T. *see* DEVLIN, J. C., (*ARS*) 651P
CAMPBELL, J. M. *see* WENSTONE, R. 591–594
CAMPBELL, J. R. Determinants of antagonism of non-depolarizing neuromuscular block, (*C*) 362
CAMPBELL, W. and WATTERS, C. Venous sequelae after i.v. diclofenac, (*C*) 803
CARABINE, U. A., MILLIGAN, K. R. and MOORE, J. Preanaesthetic medication: comparison of three drug groups, (*ARS*) 659P
CARABINE, U. A., WRIGHT, P. M. C. and MOORE, J. Preanaesthetic medication with clonidine: a dose–response study 79–83
CARLI, F., WEBSTER, J., PEARSON, M., PEARSON, J., BARTLETT, S., BANNISTER, P. and HALLIDAY, D. Protein metabolism after abdominal surgery: effect of 24-h extradural block with local anaesthetic 729–734
CARLI, F. *see* CORMACK, R. R., (*C*) 501–502; WEBSTER, J. 467–469
CARP, H. *see* MILLIGAN, H. R., (*C*) 131
CARRIE, L. E. S. First use of combined spinal–extradural anaesthesia, (*C*) 667
CARTER, M. *see* SMITH, C. 262–268
CASEY, K. R. *see* REEDER, M. K. 326–328
CASEY, P. B. *see* PATTERSON, K. W. 108–111
CASHMAN, J. N. *see* FENNER, S. G. 483–487; (*C*) 665
CASOLARO, V. *see* STELLATO, C. 751–758
CATALTEPE, O. *see* TEKKOK, I. H. 112–115
CHAKRABARTI, M. K. *see* HACKMAN, C. H. 346–352
CHAN, K. *see* GIN, T. 49–53
CHARLESWORTH, C. H. *see* MARSH, A. M. 517–523
CHARTERS, P. *see* MARKS, R. R. D., (*ARS*) 654P
CHERNIACK, N. S. *see* CRYSTAL, R. G., (*R*) 230
CHONDRELI, S. *see* FASSOULAKI, A. 437–439
CHUI, P. T. *see* SHORT, T. G. 539–545
CHUNG, R. and SONI, N. C. Work of ventilating heat and moisture exchangers, (*ARS*) 647–648P
CHUNG, R. A. and GOODWIN, A. M. Transient ischaemic attack after spinal anaesthesia 635–637
CHURCH, J. Opioid receptors—the role of the sigma receptor? (*C*) 361–362
CICCARELLI, A. *see* STELLATO, C. 751–758
CLARKE, R. S. J. *see* MCCLUNE, S., (*ARS*) 215–216P; MCLOUGHLIN, C. 764–767
CLEMENTS, F. M. *see* DEBRUIJN, N. P., (*R*) 668–669
CLUTTON-BROCK, T. *see* STOKES, D. N. 26–35
COCKS, D. A. *see* LAURENCE, A. S., (*ARS*) 202–203P
COHEN, R. D. Roles of the liver and kidney in acid–base regulation and its disorders 154–164
COLD, G. E. *see* KNUDSEN, L. 277–280
COLE, J. *see* WATSON, D., (*ARS*) 656P
COLEMAN, S. A., MCCRORY, J. W., VALLIS, C. J. and BOYS, R. J. Inhalation induction of anaesthesia with isoflurane: effect of added carbon dioxide 257–261

COLUMB, M. O. Inappropriate heparinization with a cell saver, (*C*) 223
COLVIN, J. R. *see* SKIPSEY, I. G., (*ARS*) 218–219P
CONACHER, I. D. *see* SHAW, I. H. 772–778
COOK, L. B. Unsuspected extradural catheterization in an interscalene block 473–475
COOLEY, J. M. *see* SEVERN, A. M., (*ARS*) 650P
COONEY, C. and GALLAGHER, H. Spinal needles, (*C*) 360–361
COOPER, P. and MEDDINGS, J. B. Malignant hyperthermia: a generalized abnormality of membrane fluidity? (*ARS*) 201–202P
COOPER, R. *see* MCCARTHY, G., (*ARS*) 652–653P
CORMACK, R. R., CARLI, F. and WILLIAMS, K. N. Unexpected, difficult laryngoscopy, (*C*) 501–502
COUTO DA SILVA, J. M. Systolic arterial pressure as a monitor of depth of anaesthesia, (*C*) 506
CRANKSHAW, D. P. *see* BEEMER, G. H., (*C*) 129–130
CRONEN, M. C., CRONEN, P. W., ARINO, P. and ELLIS, K. Delayed pneumothorax after subclavian vein catheterization and positive pressure ventilation 480–482
CRONEN, P. W. *see* CRONEN, M. C. 480–482
CRYSTAL, R. G., WEST, J. B., BARNES, P. J., CHERNIACK, N. S. and WEIBAL, E. R., (editors) *The Lung—Scientific Foundations*, (*R*) 230
CUNNINGHAM, A. J. *see* PATTERSON, K. W. 108–111; RYAN, T., (*ARS*) 204–205P
CYNA, A. M., KULKARNI, V., TUNSTALL, M. E., HUTCHISON, J. M. S. and MALLARD, J. R. AURA: a new respiratory monitor and apnoea alarm for spontaneously breathing patients 341–345

DANSKIN, F. H. *see* MCLINTIC, A. J. 683–689
DAPPER, F. *see* BOLDT, J. 595–602
DAROWSKI, M. J. *see* KUSHIMO, O. T. 781–783
DATTA, S. *see* CAMANN, W. R. 565–568
DAVIES, K. R., GELB, A. W., MANNINEN, P. H., BOUGHNER, D. R. and BISNAIRE, D. Cardiac function in aneurysmal subarachnoid haemorrhage: a study of electrocardiographic and echocardiographic abnormalities 58–63
DAVIES, M. J. *see* MURPHY, P. G., (*ARS*) 649–650P
DAVIS, C. L. Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, (*C*) 362–363
DAVIS, P. D. *see* PARBROOK, G. D., (*R*) 230
DAWLATLY, A. A. *see* NAGUIB, M. 559–564
DEARDEN, N. M. *see* ANDREWS, P. J. D., (*ARS*) 212P; 553–558
DEBEY, R. K. *see* HEINING, M. P. D. 120–126
DELAUNAY, L., BONNET, F. and DUVALDESTIN, P. Clonidine decreases postoperative oxygen consumption in patients recovering from general anaesthesia 397–401
DEMELLO, W. F. Transfer of patients by helicopter, (*C*) 127
DENNISON, A. R. *see* WATSON, D., (*ARS*) 656P
DESBOROUGH, J. P., HALL, G. M., HART, G. R. and BURRIN, J. M. Midazolam modifies pancreatic and anterior pituitary hormone secretion during upper abdominal surgery 390–396
DEVLIN, J. C., BROOKES, S. T., SAMUELS, T., GREEN, C. and CAMPBELL, I. T. Measurement of energy expenditure in critical illness using ^{13}C labelled bicarbonate, (*ARS*) 651P
DODSON, M. E. Picolax bowel preparation, (*C*) 664
DOHRN, C. *see* LICHTOR, J. L. 579–584
DOMINGUEZ-GIL, A. *see* PEDRAZ, J. L. 310–316
DONATI, F. Atracurium and suxamethonium, (*C*) 502
DORAN, B. R. H. *see* SNEYD, J. R., (*ARS*) 647P
DORRINGTON, K. L. *see* RATCLIFFE, F. M., (*ARS*) 203–204P; YOUNG, J. D., (*ARS*) 209P
DRITSAS, A. *see* FAIRFIELD, J. E. 618–620
DRUMMOND, G. B., MCGOWAN, S. and DUFFY, N. D. A rapid method to assess chest wall shape and volume change, (*ARS*) 204P
DRUMMOND, G. B. *see* MARAN, N. J., (*ARS*) 648P; RAY, D. C. 84–99; READ, J. R. M., (*ARS*) 216P; RUTHERFORD, J. S., (*ARS*) 647P; SWANN, D. G., (*ARS*) 644P
DUFFY, N. D. *see* DRUMMOND, G. B., (*ARS*) 204P
DUNDEE, J. W. and MAHDI, A. A. L. Relationship of postoperative and cancer chemotherapy sickness, (*ARS*) 214P
DUNNET, J. M., HOLLAND, D. E. and PRYS-ROBERTS, C. Dose requirements to suppress consciousness by continuous infusion of propofol in young adults, (*ARS*) 214–215P
DURKIN, M. *see* YOUNG, W. L. 440–446
DUVALDESTIN, P. *see* BEYDON, L. 795–800; DELAUNAY, L. 397–401
DWYER, S. J. *see* URE, R. W., (*ARS*) 657–658P

EDMONDSON, C. *see* MCLAUCHLAN, G. A., (*ARS*) 211P
EDWARDS, D. *see* SNEYD, J. R., (*ARS*) 647P
ELDOR, J. First use of combined spinal–extradural anaesthesia, (*C*) 666
EL GAMMAL, M. *see* NAGUIB, M. 559–564
ELLIOTT, P. *see* MCCARTHY, G., (*ARS*) 652–653P
ELLIOTT, R. H. *see* SANDHAR, B. K., (*ARS*) 213P
ELLIS, F. R. *see* HOPKINS, P. M., (*ARS*) 202P
ELLIS, K. *see* CRONEN, M. C. 480–482
EMMOTT, R. S. *see* GOLDHILL, D. R. 289–295
ENEVER, G., RAFTERY, S. and PRYS-ROBERTS, C. Hyperventilation and blood concentrations of propofol during total i.v. anaesthesia, (*ARS*) 217–218P
ENEVER, G. *see* RAFTERY, S., (*ARS*) 218P
ENTWISTLE, M. D., ROE, P. G., SAPSFORD, D. J., BERRISFORD, R. G. and JONES, J. G. Patterns of oxygenation after thoracotomy 704–711
ERDMANN, E. and REUSCHEL-JANETSCHEK, E. Calcium for resuscitation? 178–184
EVANS, R. D., PATEL, S., SEAR, J. W., BELL, J., LODGE, J., HAHN, C. E. W. and SADLER, P. J. Anaesthetic–plasma interactions: a study using nuclear magnetic resonance spectroscopy (MRS), (*ARS*) 217P
EVANS, W. D. *see* YEE, M. K. 426–431

FACEY, P. E. *see* YEE, M. K. 426–431
FAIRFIELD, J. E., DRITSAS, A. and BEALE, R. J. Haemodynamic effects of propofol: induction with 2.5 mg kg^{-1} 618–620
FARQUHAR, I. K. *see* WATSON, D., (*ARS*) 656P
FASSOULAKI, A., SARANTOPOULOS, C. and CHONDRELI, S. Systemic fentanyl enhances the spread of spinal analgesia produced by lignocaine 437–439
FAULDER, G. C. *see* MAZUMDAR, B. 432–436
FAUVEL, N. J. and FELDMAN, S. A. Atracurium and suxamethonium, (*C*) 502
FAUVEL, N. J. *see* FELDMAN, S. A., (*ARS*) 206P; GUPTA, V. L., (*ARS*) 211P
FEIGENWINTER, P. *see* ZBINDEN, A. M. 492–499
FELDMAN, S. A. and FAUVEL, N. J. Potentiation and antagonism of vecuronium by decamethonium in man, (*ARS*) 206P
FELDMAN, S. A. *see* FAUVEL, N. J., (*C*) 502; GUPTA, V. L., (*ARS*) 211P
FENNER, S. G. and CASHMAN, J. N. Anaesthesia and bone marrow aplasia, (*C*) 665
FENNER, S. G., MAHONEY, A. and CASHMAN, J. N. Repair

of traumatic transection of the thoracic aorta: esmolol for intraoperative control of arterial pressure 483–487
FERNANDO, R. and JONES, H. M. Comparison of plain and alkalinized local anaesthetic mixtures of lignocaine and bupivacaine for elective extradural Caesarean section 699–703
FIEBIG, M. *see* LYNCH, J. 690–693
FINFER, S. R. Interference with pacemaker function, (*C*) 664–665: Management of labour and delivery in patients with intracranial neoplasms 784–787
FLETCHER, R. *see* MALMROS, C., (*ARS*) 655P
FLYNN, P. J. *see* GOLDHILL, D. R. 289–295
FOËX, P. *see* JEWKES, C. 788–794; MUIR, A. D. 373–377; REEDER, M. K. 626–631
FRISHMAN, W. H. *see* AMAR, D. 296–301
FROST, E. A. M. and GOLDINER, P. L., (editors) *Postanaesthetic Care*, (*R*) 133
FUJIMORI, R. *see* NAITO, Y. 387–389
FURNESS, P. *see* JESSOP, J. 524–531

GALLAGHER, H. *see* COONEY, C., (*C*) 360–361
GALLAGHER, T. J. *see* STOELTING, R. K., (*R*) 229
GALLETLY, D. C. *see* PARR, S. M. 447–451
GANDOLFI, A. J. *see* HASTINGS, K. L. 722–728
GASCON, A. R. *see* PEDRAZ, J. L. 310–316
GELB, A. W. *see* DAVIES, K. R. 58–63
GELLER, E. *see* MCCLOY, R., (*C*) 504
GENT, J. P. *see* GOODCHILD, C. S., (*ARS*) 201P
GILL, N., WRIGHT, B. and REILLY, C. S. Relationship between perioperative ischaemic and hypoxic events in patients with cardiovascular disease, (*ARS*) 649P
GILMAN, A. G., RALL, T. W., NIES, A. S. and TAYLOR, P., (editors) *Goodman & Gilman's The Pharmacological Basis of Therapeutics*, 8th Edn, (*R*) 133
GILSANZ, F. Intra-arterial regional analgesia, (*C*) 803–804
GIN, T., YAU, G., JONG, W., TAN, P., LEUNG, R. K. W. and CHAN, K. Disposition of propofol at Caesarean section and in the postpartum period 49–53
GINSBURG, R. *see* AMOROSO, P., (*ARS*) 210P
GO, G. *see* SHARROCK, N. E. 694–698
GOLDHILL, D. R., WHITEHEAD, J. P., EMMOTT, R. S., GRIFFITH, A. P., BRACEY, B. J. and FLYNN, P. J. Neuromuscular and clinical effects of mivacurium chloride in healthy adult patients during nitrous oxide–enflurane anaesthesia 289–295
GOLDHILL, D. R. *see* NOLAN, K. M., (*ARS*) 650–651P
GOLDINER, P. L. *see* FROST, E. A. M., (*R*) 133
GOLDMAN, M. D. *see* REEDER, M. K. 326–328; 626–631
GOODCHILD, C. S., GUO, Z. and GENT, J. P. Spinally mediated antinociceptive effects of xylazine, an alpha-2 adrenoceptor agonist: interaction with spinal cord opioid pathways, (*ARS*) 201P
GOODIE, D. B. and RIGG, D. L. Controlled hypotension for cerebral aneurysm surgery in the presence of severe aortic coarctation 329–331
GOODWIN, A. M. *see* CHUNG, R. A. 635–637
GOPINATH, R. Venous sequelae after i.v. diclofenac, (*C*) 803
GOTO, R. *see* MIKAWA, K. 410–415; 416–420
GRACE, A. *see* WHEATLEY, R. G., (*ARS*) 208P
GRANDE, C. *see* STERNE, J. K., (*R*) 508
GRAVENSTEIN, J. S. *Gas Monitoring and Pulse Oximetry*, (*R*) 230
GREEN, C. *see* DEVLIN, J. C., (*ARS*) 651P
GRICE, G. A. G. *see* MARKS, R. R. D., (*ARS*) 654P
GRIFFITH, A. P. *see* GOLDHILL, D. R. 289–295
GRIFFITHS, D. *see* NORTHWOOD, D. 7–12
GRIFFITHS, D. E. *see* JESSOP, J. 524–531
GRONERT, G. A. Myotonias and susceptibility to malignant hyperthermia, (*C*) 221
GROVE, A. J. *see* MACPHERSON, R. D. 546–552
GUO, Z. *see* GOODCHILD, C. S., (*ARS*) 201P
GUPTA, V. L., FAUVEL, N. J. and FELDMAN, S. A. Investigation of fade in suxamethonium-induced phase II block in the isolated rat diaphragm, (*ARS*) 211P
GWINNUTT, C. L., WALKER, R. W. M. and MEAKIN, G. Antagonism of intense atracurium-induced neuromuscular block in children 13–16

HACKL, W., WINKLER, M. and MAURITZ, W. Relationship between exercise-induced myolysis and malignant hyperthermia, (*C*) 221
HACKMAN, C. H., TAN, P. S. K., CHAKRABARTI, M. K. and WHITWAM, J. G. A new optical transducer for arterial pressure measurement 346–352
HAHN, C. E. W. *see* EVANS, R. D., (*ARS*) 217P
HAHN, R. G. Dilutional hyponatraemia following transurethral operation for clot retention 339–340
HALL, G. M. *see* DESBOROUGH, J. P. 390–396
HALLIDAY, D. *see* CARLI, F. 729–734
HALSALL, P. J. *see* HOPKINS, P. M., (*ARS*) 202P
HAMILTON, W. K. Anaesthesia and bone marrow aplasia, (*C*) 665
HANNA, M. H. Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, (*C*) 363
HANSON III, C. W. *see* TOBIAS, M. D. 332–334
HARF, A. *see* BEYDON, L. 795–800
HARPER, N. J. N. *see* VOHRA, A. 64–68
HARRIS, R. *see* BROOME, I. J., (*ARS*) 207P
HART, G. R. *see* DESBOROUGH, J. P. 390–396
HASEGAWA, M. *see* MIKAWA, K. 416–420
HASTINGS, K. L., THOMAS, C., HUBBARD, A. K. and GANDOLFI, A. J. Screening for antibodies associated with halothane hepatitis 722–728
HAYWARD, M. W. J. *see* YEE, M. K. 426–431
HEAD-RAPSON, A. G., RALSTON, S. J. and SNOWDON, S. L. Desaturation and induction characteristics: comparison of propofol and thiopentone during mask anaesthesia with isoflurane, (*ARS*) 203P
HEALY, T. E. J. *see* POMFRETT, C. J. D., (*ARS*) 646–647P; SNEYD, J. R., (*ARS*) 647P; (*ARS*) 658P
HEATH, M. L. *see* BROWN, R. W., (*ARS*) 219–220P
VAN HEERDEN, P. V., MORRELL, D. F. and BECKER, P. Rapid inhalation induction with isoflurane in humidified carrier gas 470–472
HEINING, M. P. D., DEBEY, R. K., MCJAMES, S. W., JORDAN, W. S. and WESTENSKOW, D. R. A system for automatic feedback control of plasma potassium concentration 120–126
HEMPELMANN, G. *see* BOLDT, J. 595–602
HEPPENSTALL, R. B. *see* TOBIAS, M. D. 332–334
HERNANDEZ, R. *see* PEDRAZ, J. L. 310–316
HEROLD, C. *see* BOLDT, J. 595–602
HIRSCH, N. *see* STEPHENS, P. H. 476–479
HOLDGÅRD, H. O. *see* KNUDSEN, L. 277–280
HOLLAND, D. E. *see* DUNNET, J. M., (*ARS*) 214–215P
HOLLIS, S. *see* KUSHIMO, O. T. 781–783
HOLLMÉN, A. I. *see* ALAHUHTA, S. 678–682
HOPKINS, P. M., ELLIS, F. R. and HALSALL, P. J. *In vitro* contracture with the calcium ionophore A23187 in skeletal muscle from malignant hyperthermia susceptible and normal individuals, (*ARS*) 202P
HORTVET, L. A. *see* CAMANN, W. R. 565–568
HOUGHTON, I. T. *see* YOGANATHAN, S. 614–617
HOWIE, J. C. *see* OATES, J. D. L., (*C*) 505
HUBBARD, A. K. *see* HASTINGS, K. L. 722–728
HUGHES, N. *see* CAMANN, W. R. 565–568
HUNTER, D. *see* WHEATLEY, R. G., (*ARS*) 208P; 353–359
HUNTER, J. M. Resistance to non-depolarizing neuromuscular blocking agents, (*E*) 511–514
HUNTER, J. M. *see* PARKER, C. J. R., (*C*) 129; PHILLIPS, B. J., (*ARS*) 653–654P; SHEARER, E. S. 569–573
HUNTER, S. J. *see* SPITTAL, M. J. 488–491
HUTCHISON, J. M. S. *see* CYNA, A. M. 341–345

HUTMACHER, M. *see* ZBINDEN, A. M. 492–499
HUTTON, P. *see* STOKES, D. N. 26–35

IAIZZO, P. *see* LEHMANN-HORN, F., (*C*) 221–222
IEVINS, F. A. Regional anaesthesia requires attention to detail, (*C*) 225
ILSLEY, A. H. *see* KLUGER, M. T., (*ARS*) 656–657P
INGLIS, M. D. *see* MCLEOD, G. A., (*C*) 665–666
ISAAC, P. *see* SANDERS, L., (*C*) 504
ISABEY, D. *see* BEYDON, L. 795–800

JAAKOLA, M.-L. *see* AANTAA, R. 402–409
JACKSON, I. J. B. *see* WHEATLEY, R. G. 353–359
JACKSON, P. W. *see* SEVERN, A. M., (*ARS*) 650P
JAFFE, R. A. *see* BROCK-UTNE, J. G., (*C*) 225–226
JAMES, M. F. M. *see* ASHTON, W. B. 741–747
JANES, E. F. and MCCRORY, J. W. The loading dose in continuous infusion extradural analgesia in obstetrics 323–325
JANICKI, P. *see* ASHTON, W. B. 741–747
JANSHON, G. *see* LEUWER, M., (*ARS*) 206–207P
JASTREMSKI, M. S. *see* BARSAN, W. G., (*R*) 508–509
JENSEN, S. *see* KNUDSEN, L. 277–280
JESSOP, J., GRIFFITHS, D. E., FURNESS, P., JONES, J. G., SAPSFORD, D. J. and BRECKON, D. A. Changes in amplitude and latency of the P300 component of the auditory evoked potential with sedative and anaesthetic concentrations of nitrous oxide 524–531
JEWKES, C., SEAR, J. W., VERHOEFF, F., SANDERS, D. J. and FOËX, P. Non-invasive measurement of cardiac output by thoracic electrical bioimpedance: a study of reproducibility and comparison with thermodilution 788–794
JOEL, P. Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, (*C*) 363
JOHANSEN, U. T. *see* KNUDSEN, L. 277–280
JOHNSON, C. *see* TURNER, G. A. 306–309
JOHNSTON, C. *see* MUIR, A. D. 373–377
JOHNSTON, I. G. *see* YOGANATHAN, S. 614–617
JONES, H. M. *see* FERNANDO, R. 699–703
JONES, J. G. *see* ENTWISTLE, M. D. 704–711; JESSOP, J. 524–531; MURPHY, P. G., (*ARS*) 209–210P; (*ARS*) 649–650P; NORTHWOOD, D. 7–12
JONES, L. *see* SPITTAL, M. J. 488–491
JONES, R. M. *see* TATMAN, A. J. 623–625
JONES, S. N. *see* TINKER, J., (*R*) 669
JONG, W. *see* GIN, T. 49–53
JORDAN, M. J. *see* BRAUDE, N. 574–578
JORDAN, W. S. *see* HEINING, M. P. D. 120–126
JØRGENSEN, L. N. Deep venous thrombosis and anaesthesia, (*C*) 128
JOSHI, P. *see* OOI, R., (*ARS*) 208P
JOUPPILA, P. *see* ALAHUHTA, S. 678–682
JOUPPILA, R. *see* ALAHUHTA, S. 678–682

KAETSU, H. *see* MIKAWA, K. 410–415; 416–420
KALLIO, A. *see* AANTAA, R. 402–409
KALSO, E. A. *see* PALAZZO, M. G. A. 759–763
KANTO, J. *see* AANTAA, R. 402–409
KAO, Y. J., ZAVISCA, F. G., TELLEZ, J. M., NORTON, R. G. and RACZ, G. B. Backache after extradural anaesthesia in the postpartum period: dissection of thoracic aneurysm 335–338
KEANE, P. W. *see* PATTERSON, K. W., (*ARS*) 213–214P
KENNY, G. N. C. *see* AITKEN, H. A. 36–40; AKHTAR, T. M., (*ARS*) 215P; BURNS, J. W. 235–238; MARSH, B. 41–48; SKIPSEY, I. G., (*ARS*) 218–219P
KERR, W. J. *see* AKHTAR, T. M., (*ARS*) 215P
KESTIN, I. G. Headache after continuous spinal anaesthesia, (*C*) 131; Incremental spinal anaesthesia and Caesarean section—relevance to the test dose for extradural analgesia, (*C*) 228; Spinal anaesthesia in obstetrics, (*C*) 663
KETTLER, D. *see* KIETZMANN, D. 269–276
KHUENL-BRADY, K. S. and WAIBEL, U. Pain on i.v. injection, (*C*) 506–507
KIETZMANN, D., LARSEN, R., RATHGEBER, J., BOLTE, M. and KETTLER, D. Comparison of sufentanil–nitrous oxide anaesthesia with fentanyl–nitrous oxide anaesthesia in geriatric patients undergoing major abdominal surgery 269–276
KILPATRICK, D. C. *see* WORSLEY, M. H. 116–119
KING, T. A. and ADAMS, A. P. Failed tracheal intubation, (*C*) 225
KIRBY, F., O'DONOVAN, F., MCCAUL, C., MCGRATH, K., MCDONALD, N. and MCSHANE, A. J. Gastro-oesophageal reflux and tracheobronchial contamination in the intensive care unit, (*ARS*) 655P
KIRK, A. J. B. *see* SHAW, I. H. 772–778
KLEMENT, W. and ARNDT, J. O. Pain on injection of propofol: effects of concentration and diluent 281–284; Pain on i.v. injection, (*C*) 507
KLEPPER, I. D., SANDERS, L. D. and ROSEN, M., (editors) *Ambulatory Anaesthesia and Sedation. Impairment and Recovery*, (*R*) 668
KLUGER, M. T., ILSLEY, A. H., PLUMMER, J. L., BALDWIN, A. M. and OWEN, H. Pain relief and hypoxaemia during administration of extradural fentanyl by three different methods, (*ARS*) 656–657P
KNEESHAW, J. D. Tension pneumothorax—wrong tube? (*C*) 222–223
KNILL, R. L. Uncertainties about the ventilatory response to hypoxaemia, (*C*) 223–224
KNUDSEN, L., COLD, G. E., HOLDGÅRD, H. O., JOHANSEN, U. T. and JENSEN, S. Effects of flumazenil on cerebral blood flow and oxygen consumption after midazolam anaesthesia for craniotomy 277–280
DE KOCK, J. P. *see* REYNOLDS, K. J. 638–643
KOEHLI, N. *see* BLACK, A. M. S., (*ARS*) 220P
KOERSTER, W., KREUSCHER, M., NIESEL, H. C. and ZENZ, M., (editors) *Regional Anaesthesia*, 2nd Edn, (*R*) 668
KÖLB, J. *see* LEUWER, M., (*ARS*) 206–207P
KORTTILA, K. *see* LICHTOR, J. L. 579–584
KOSCIELNIAK-NIELSEN, Z. J. Intra-arterial regional analgesia, (*C*) 804
KOX, W. J. *see* BROWNE, G. P. R., (*ARS*) 652P
KREUSCHER, M. *see* KOERSTER, W., (*R*) 668
KRINGS-ERNST, I. *see* LYNCH, J. 690–693
KRIVOSIC-HORBER, R., ADNET, P. and REYFORD, H. Relationship between exercise-induced myolysis and malignant hyperthermia, (*C*) 221
KRUPP, A. *see* LEUWER, M., (*ARS*) 206–207P
KULKARNI, V. *see* CYNA, A. M. 341–345
KUSHIMO, O. T., DAROWSKI, M. J., MORRIS, P., HOLLIS, S. and MEAKIN, G. Dose requirements of atracurium in paediatric intensive care patients 781–783

LANDON, M. J. *see* LUMB, A. B. 106–107
LANE, B. S. *see* LICHTOR, J. L. 579–584
LANGTON, J., MURPHY, P., BARKER, P. and SMITH, G. A portable method to assess upper airway reactivity, (*ARS*) 648–649P
LANGTON, J. *see* MURPHY, P. J., (*ARS*) 660–661P
LANGTON, J. A. *see* BARKER, P., (*ARS*) 660P
LARSEN, R. *see* KIETZMANN, D. 269–276
LAURENCE, A. S. and COCKS, D. A. Serum concentrations of dantrolene following i.v. administration, (*ARS*) 202–203P
LAURENCE, A. S. *see* SMITH, S. O., (*ARS*) 644–645P
LAURETTI, G. R. *see* AL-MUHANDIS, W. M. 608–613
LAZAR, E. J. *see* AMAR, D. 296–301
LEA, K. *see* BROWNE, G. P. R., (*ARS*) 652P

LEE, E. and BEN-DAVID, B. Identification of the interpleural space, (*C*) 130
LEHMANN-HORN, F. and IAIZZO, P. Myotonias and susceptibility to malignant hyperthermia, (*C*) 221–222
LENNOX, G. *see* STEPHENS, P. H. 476–479
LEUNG, R. K. W. *see* GIN, T. 49–53
LEUWER, M., JANSHON, G., KÖLB, J., KRUPP, A. and SCHNEIDER, E. Potency and ease of antagonism of pipecuronium in children, (*ARS*) 206–207P
LEWIS, I. H. Inhalation induction of anaesthesia with isoflurane in children, (*C*) 500
LEWIS, I. H., PRYN, S. J., REYNOLDS, P. I., PANDIT, U. A. and WILTON, N. C. T. Effect of P6 acupressure on postoperative vomiting in children undergoing outpatient strabismus correction 73–78
LICHTOR, J. L., ZACNY, J., APFELBAUM, J. L., LANE, B. S., RUPANI, G., THISTED, R. A., DOHRN, C. and KORTTILA, K. Alcohol after sedation with i.v. midazolam–fentanyl: effects on psychomotor functioning 579–584
LIST, W. F. *see* METZLER, H. 317–319
LIU, D. W. H., STANDEN, P. and AITKENHEAD, A. R. Influence of therapeutic suggestions during general anaesthesia on recovery in patients undergoing hysterectomy, (*ARS*) 208–209P
LIU, W. H. D. and AITKENHEAD, A. R. Comparison of contemporaneous and retrospective assessment of postoperative pain using the visual analogue scale 768–771
LODGE, J. *see* EVANS, R. D., (*ARS*) 217P
LOGAN, M. R. *see* RUTHERFORD, J. S., (*ARS*) 647P
LOH, L. *see* REEDER, M. K. 326–328; 626–631
LOWRIE, A. *see* SMITH, S. O., (*ARS*) 644–645P
LUMB, A. B. and LANDON, M. J. Absorption of isoflurane by silica gel 106–107
LUMB, A. B., PETROS, A. J. and NUNN, J. F. Rib cage contribution to resting and carbon dioxide stimulated ventilation during 1 MAC isoflurane anaesthesia 712–721
LUNN, J. Reporting of deaths, (*C*) 503
LYNCH, J., KRINGS-ERNST, I., STRICK, K., TOPALIDIS, K., SCHAAF, H. and FIEBIG, M. Use of a 25-gauge Whitacre needle to reduce the incidence of postdural puncture headache 690–693
LYONS, G. and MACDONALD, R. 29-Gauge spinal needles, (*C*) 222

MCALLISTER, S. *see* WATSON, D., (*ARS*) 656P
MCARDLE, C. S. *see* BURNS, J. W. 235–238
MCCARTHY, G., STANLEY, C., COOPER, R., ELLIOTT, P. and MIRAKHUR, R. K. Dose requirements of neostigmine for antagonism of vecuronium neuromuscular block in the elderly: comparison with adults, (*ARS*) 652–653P
MCCAUL, C. *see* KIRBY, F., (*ARS*) 655P
MCCLOY, R., PEARSON, R., WHITWAM, J., MILLER, R., PARK, G., BELL, D. and GELLER, E. Antagonism of benzodiazepine sedation with flumazenil, (*C*) 504
MCCLUNE, S., MCKAY, A. C. and CLARKE, R. S. J. Midazolam and propofol for induction of anaesthesia, (*ARS*) 215–216P
MCCRORY, J. W. *see* COLEMAN, S. A. 257–261; JANES, E. F. 323–325
MCDONALD, N. *see* KIRBY, F., (*ARS*) 655P
MACDONALD, R. *see* LYONS, G., (*C*) 222
MACFIE, A. G., MAGIDES, A. D. and REILLY, C. S. Pharmacokinetics of alfentanil in burns patients, (*ARS*) 657P
MACFIE, A. G., MAGIDES, A. D., RICHMOND, M. N. and REILLY, C. S. Gastric emptying in pregnancy 54–57
MCGOWAN, S. *see* DRUMMOND, G. B., (*ARS*) 204P
MCGRATH, K. *see* KIRBY, F., (*ARS*) 655P
MCHUGH, P. *see* ROWBOTHAM, D. J. 302–305; 421–425
MCJAMES, S. W. *see* HEINING, M. P. D. 120–126
MCKAY, A. C. Synergism among i.v. anaesthetics, (*E*) 1–3
MCKAY, A. C. *see* MCCLUNE, S., (*ARS*) 215–216P
MCKAY, R. *see* WENSTONE, R. 591–594
MACKENZIE, N. *see* SKIPSEY, I. G., (*ARS*) 218–219P
MCKENZIE, P. J. Deep venous thrombosis and anaesthesia, (*C*) 128
MCLAUCHLAN, G. A., EDMONDSON, C. and PEACOCK, J. E. Comparison of bolus or slow influsion of propofol for induction of anaesthesia in the elderly, (*ARS*) 211P
MCLEAN, C. F. *see* RUTTEN, A. J. 247–256; SLOAN, P. A. 378–386
MACLEOD, A. D. *see* OATES, J. D. L., (*C*) 505
MCLEOD, G. A., PACE, N. and INGLIS, M. D. Bacterial growth in propofol, (*C*) 665–666
MCLEOD, L. J. *see* MACPHERSON, R. D. 546–552
MCLINTIC, A. J., DANSKIN, F. H., REID, J. A. and THORBURN, J. Effect of adrenaline on extradural anaesthesia, plasma lignocaine concentrations and the feto–placental unit during elective Caesarean section 683–689
MCLOUGHLIN, C., MIRAKHUR, R. K., TRIMBLE, E. R. and CLARKE, R. S. J. Pathogenesis of suxamethonium-induced muscle damage in the biventer cervicis muscle in the chick 764–767
MACPHERSON, R. D., MCLEOD, L. J. and GROVE, A. J. Intra-arterial thiopentone is directly toxic to vascular endothelium 546–552
MCSHANE, A. J. *see* KIRBY, F., (*ARS*) 655P
MCSHARRY, C. P. *see* O'DONNELL, C. A., (*ARS*) 658–659P; O'DONNELL, N. G., (*ARS*) 661P
MADEJ, T. H. *see* WHEATLEY, R. G. 353–359
MADGWICK, R. *see* PALAZZO, M. G. A. 759–763
MAEKAWA, N. *see* MIKAWA, K. 410–415; 416–420
MAGIDES, A. D. *see* MACFIE, A. G. 54–57; (*ARS*) 657P
MAGUIRE, M. *see* RYAN, T., (*ARS*) 204–205P
MAHDI, A. A. L. *see* DUNDEE, J. W., (*ARS*) 214P
MAHLA, E. *see* METZLER, H. 317–319
MAHONEY, A. *see* FENNER, S. G. 483–487
MALLARD, J. R. *see* CYNA, A. M. 341–345
MALMROS, C. and FLETCHER, R. Cuffed tracheal tubes for paediatric cardiac surgery cause a low incidence of postoperative airway problems, (*ARS*) 655P
MANNINEN, P. H. *see* DAVIES, K. R. 58–63
MAPLESON, W. W. *see* OKELL, R. W. 285–288
MARAN, N. J., MARSHALL, I. and DRUMMOND, G. B. Improved method of acoustic reflection technique for upper airway measurements, (*ARS*) 648P
MARKS, R. R. D., GRICE, G. A. G. and CHARTERS, P. Analysis of the shape of the laryngoscope blade, (*ARS*) 654P
MARONE, G. *see* STELLATO, C. 751–758
MARSH, A. M., NUNN, J. F., TAYLOR, S. J. and CHARLESWORTH, C. H. Airway obstruction associated with the use of the Guedel airway 517–523
MARSH, B., WHITE, M., MORTON, N. and KENNY, G. N. C. Pharmacokinetic model driven infusion of propofol in children 41–48
MARSHALL, I. *see* MARAN, N. J., (*ARS*) 648P
MARSHALL, R. W. *see* YOSHIZUMI, J., (*ARS*) 212–213P; 735–740
MARTLEW, R. *see* SMITH, S. O., (*ARS*) 644–645P
MASTRONARDI, P. *see* STELLATO, C. 751–758
MATHER, L. E. Disposition of mepivacaine and bupivacaine enantiomers in sheep 239–246
MATHER, L. E. *see* RUTTEN, A. J. 247–256; SLOAN, P. A. 378–386
MAURITZ, W. *see* HACKL, W., (*C*) 221
MAYALL, R. *see* SNEYD, J. R., (*ARS*) 661–662P
MAZUMDAR, B., TOMLINSON, A. A. and FAULDER, G. C.

Preliminary study to assay plasma amethocaine concentrations after topical application of a new local anaesthetic cream containing amethocaine 432–436
MAZZARELLA, B. *see* STELLATO, C. 751–758
MEAKIN, G. Fresh gas requirement of the Bain system, (*C*) 663–664
MEAKIN, G., MORTON, R. H. and WAREHAM, A. C. Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, (*ARS*) 205–206P
MEAKIN, G. *see* GWINNUTT, C. L. 13–16; KUSHIMO, O. T. 781–783
MEDDINGS, J. B. *see* COOPER, P., (*ARS*) 201–202P
METZLER, H., MAHLA, E., ROTMAN, B., REHAK, P., POTISK, S. and LIST, W. F. Postoperative myocardial ischaemia in patients with recent myocardial infarction 317–319
MIKAWA, K., MAEKAWA, N., GOTO, R., KAETSU, H., HASEGAWA, M., YAKU, H. and OBARA, H. Effects of pindolol on the cardiovascular response to tracheal intubation 416–420
MIKAWA, K., MAEKAWA, N., KAETSU, H., GOTO, R., YAKU, H. and OBARA, H. Effects of adenosine triphosphate on the cardiovascular response to tracheal intubation 410–415
MILLER, D. Fresh gas requirement of the Bain system, (*C*) 664
MILLER, D. *see* STEPHENS, P. H. 476–479
MILLER, J. D. *see* ANDREWS, P. J. D., (*ARS*) 212P; 553–558
MILLER, R. *see* MCCLOY, R., (*C*) 504
MILLER, R. G., (editor) *Anaesthesia*, 3rd Edn, (*R*) 364
MILLIGAN, H. R. and CARP, H. Headache after continuous spinal anaesthesia, (*C*) 131
MILLIGAN, K. *see* ROWBOTHAM, D. J. 302–305; 421–425
MILLIGAN, K. R. *see* CARABINE, U. A., (*ARS*) 659P
MILNE, R. W. *see* SLOAN, P. A. 378–386
MINEO, R. *see* SHARROCK, N. E. 17–25; 694–698
MIRAKHUR, R. K. *see* MCCARTHY, G., (*ARS*) 652–653P; MCLOUGHLIN, C. 764–767
MODIG, J. Deep venous thrombosis and anaesthesia, (*C*) 127–128; Deep venous thrombosis and anaesthesia, (*C*) 128
MONK, C. *see* RAFTERY, S., (*ARS*) 651–652P
MONSELL, F. *see* SMITH, S. O., (*ARS*) 644–645P
MOORE, J. Assessment of the placental circulation, (*E*) 671–673
MOORE, J. *see* CARABINE, U. A. 79–83; (*ARS*) 659P
MORI, K. *see* NAITO, Y. 387–389
MORRELL, D. F. *see* VAN HEERDEN, P. V. 470–472
MORRIS, P. *see* KUSHIMO, O. T. 781–783
MORRISON, L. M. *see* ARMSTRONG, P. J. 532–538
MORTON, N. *see* MARSH, B. 41–48
MORTON, R. H. *see* MEAKIN, G., (*ARS*) 205–206P
MOXHAM, J. *see* AMOROSO, P., (*ARS*) 210P
MOYLE, J. T. B. *see* REYNOLDS, K. J. 638–643
MUIR, A. D., REEDER, M. K., FOËX, P., ORMEROD, O. J. M., SEAR, J. W. and JOHNSTON, C. Preoperative silent myocardial ischaemia: incidence and predictors in a general surgical population 373–377
MUIR, A. D. *see* REEDER, M. K. 326–328; 626–631
MURAVCHICK, S. *The Anaesthetic Plan: From Physiologic Principles to Clinical Strategies*, (*R*) 365
MURIEL, C. *see* PEDRAZ, J. L. 310–316
MURPHY, K. R. and PELTON, J. J. *ECG Essentials—A Pocket Reference for Systematic Interpretation*, (*R*) 364–365
MURPHY, P. *see* BARKER, P., (*ARS*) 660P; LANGTON, J., (*ARS*) 648–649P
MURPHY, P. G., DAVIES, M. J., MYERS, D. S. and JONES, J. G. Direct evidence for free radical generation in experimental lung injury, (*ARS*) 649–650P
MURPHY, P. G., MYERS, D., WEBSTER, N. R. and JONES, J. G. The anti-oxidant potential of propofol, (*ARS*) 209–210P
MURPHY, P. J., LANGTON, J., BARKER, P. and SMITH, G. Investigation of the effect of oral diazepam on upper airway reactivity, (*ARS*) 660–661P
MURRAY, G. D. *see* OATES, J. D. L., (*C*) 505
MURRAY, J. P. *see* PATTERSON, K. W. 108–111
MUSHAMBI, M. C. *see* TROTTER, T. N. 748–750
MYERS, D. *see* MURPHY, P. G., (*ARS*) 209–210P
MYERS, D. S. *see* MURPHY, P. G., (*ARS*) 649–650P

NAGI, H. *see* WARDE, D. J., (*C*) 500–501
NAGUIB, M., ABDULATIF, M. and ABSOOD, A. Comparative effects of pipecuronium and tubocurarine on plasma concentrations of histamine in humans 320–322
NAGUIB, M. and SARI-KOUZEL, A. Thiopentone–propofol hypnotic synergism in patients 4–6
NAGUIB, M., SHARIF, A. M. Y., SERAJ, M., EL GAMMAL, M. and DAWLATLY, A. A. Ketamine for caudal analgesia in children: comparison with caudal bupivacaine 559–564
NAITO, Y., TAMAI, S., SHINGU, K., FUJIMORI, R. and MORI, K. Comparison between sevoflurane and halothane for paediatric ambulatory anaesthesia 387–389
NATION, R. L. *see* SLOAN, P. A. 378–386
NELSON, H. *see* YOUNG, W. L. 440–446
NEWNHAM, J. P. *see* TURNER, G. A. 306–309
NIES, A. S. *see* GILMAN, A. G., (*R*) 133
NIESEL, H. C. *see* KOERSTER, W., (*R*) 668
NOBLE, D. *see* ARMSTRONG, P. J. 532–538
NOLAN, K. M., BAXTER, M. J., WINYARD, J. A., ROULSON, C. J. and GOLDHILL, D. R. Video surveillance of oxygen administration by mask in postoperative patients, (*ARS*) 650–651P
NORTHWOOD, D., SAPSFORD, D. J., JONES, J. G., GRIFFITHS, D. and WILKINS, C. Nitrous oxide sedation causes post-hyperventilation apnoea 7–12
NORTON, R. G. *see* KAO, Y. J. 335–338
NUNN, J. F. Uncertainties about the ventilatory response to hypoxaemia, (*C*) 224
NUNN, J. F. *see* LUMB, A. B. 712–721; MARSH, A. M. 517–523

OATES, J. D. L., MACLEOD, A. D., OATES, P. D., PEARSALL, F. J., HOWIE, J. C. and MURRAY, G. D. Predicting difficult intubation, (*C*) 505
OATES, P. D. *see* OATES, J. D. L., (*C*) 505
OBARA, H. *see* MIKAWA, K. 410–415; 416–420
O'BOYLE, C. A. *see* PATTERSON, K. W. 108–111
O'DONNELL, C. A., O'DONNELL, N. G., MCSHARRY, C. P. and ASBURY, A. J. Comparison of the effects of anaesthetic agents on mitogen-induced lymphocyte proliferation *in vitro*, (*ARS*) 658–659P
O'DONNELL, N. G., MCSHARRY, C. P., WILKINSON, P. C. and ASBURY, A. J. Comparison of the effects of propofol, midazolam and thiopentone on neutrophil polarization *in vitro*, (*ARS*) 661P
O'DONNELL, N. G. *see* O'DONNELL, C. A., (*ARS*) 658–659P
O'DONOVAN, F. *see* KIRBY, F., (*ARS*) 655P
OKELL, R. W., MAPLESON, W. W. and VICKERS, M. D. Comparison of arterial and arterialized venous concentrations of propofol during infusion of propofol 285–288
OOI, R., JOSHI, P. and SONI, N. Preoxygenation: use of a high flow delivery system, (*ARS*) 208P
ORMEROD, O. J. M. *see* MUIR, A. D. 373–377
O'SULLIVAN, E. P. *see* SHEARER, E. S. 569–573
O'SULLIVAN, G. and STODDART, P. A. Failed tracheal intubation, (*C*) 225
O'TOOLE, D. P. *see* PATTERSON, K. W., (*ARS*) 213–214P
OWEN, H. *see* KLUGER, M. T., (*ARS*) 656–657P

PACE, N. *see* MCLEOD, G. A., (*C*) 665–666
PALAZZO, M. G. A., KALSO, E. A., ARGIRAS, E., MADGWICK, R. and SEAR, J. W. First pass lung uptake of bupivacaine: effect of acidosis in an intact rabbit lung model 759–763
PANDIT, U. A. *see* LEWIS, I. H. 73–78
PARBROOK, E. O. *see* PARBROOK, G. D., (*R*) 230
PARBROOK, G. D., DAVIS, P. D. and PARBROOK, E. O., (editors) *Basic Physics and Measurement in Anaesthesia*, 3rd Edn, (*R*) 230
PARK, G. *see* MCCLOY, R., (*C*) 504
PARK, G. R. *see* SHELLY, M. P., (*C*) 666
PARKER, C. J. R. and HUNTER, J. M. Pharmacokinetics of atracurium, (*C*) 129
PARNELL, C. J. *see* YOGANATHAN, S. 614–617
PARR, S. M., ROBINSON, B. J., REES, D. and GALLETLY, D. C. Interaction between betamethasone and vecuronium 447–451
PATEL, S. *see* EVANS, R. D., (*ARS*) 217P
PATIL, C. *see* STOKES, D. N. 26–35
PATTERSON, K. W., ARMSTRONG, C., TIMON, D., O'TOOLE, D. P. and KEANE, P. W. Use of buccal prochlorperazine in the prevention of postoperative sickness, (*ARS*) 213–214P
PATTERSON, K. W., CASEY, P. B., MURRAY, J. P., O'BOYLE, C. A. and CUNNINGHAM, A. J. Propofol sedation for outpatient upper gastrointestinal endoscopy: comparison with midazolam 108–111
PEACOCK, J. E. *see* BERTHOUD, M. C. 464–466; (*ARS*) 645P; MCLAUCHLAN, G. A., (*ARS*) 211P
PEARSALL, F. J. *see* OATES, J. D. L., (*C*) 505
PEARSON, J. *see* CARLI, F. 729–734
PEARSON, J. D. *see* PETROS, A. J., (*ARS*) 645–646P
PEARSON, M. *see* CARLI, F. 729–734
PEARSON, R. *see* MCCLOY, R., (*C*) 504
PEDERSEN, J. Anaesthetic equipment for a developing country, (*C*) 360
PEDRAZ, J. L., CALVO, M. B., GASCON, A. R., HERNANDEZ, R., MURIEL, C., TORRES, L. M. and DOMINGUEZ-GIL, A. Pharmacokinetics and distribution of ketamine after extradural administration to dogs 310–316
PELTON, J. J. *see* MURPHY, K. R., (*R*) 364–365
PETROS, A. J., BOGLE, R. G. and PEARSON, J. D. Propofol induces the production of endothelium-derived relaxing factor, (*ARS*) 645–646P
PETROS, A. J. *see* LUMB, A. B. 712–721
PHILLIPS, B. J. and HUNTER, J. M. Use of mivacurium chloride by constant infusion in the anephric patient, (*ARS*) 653–654P
PIHLAJAMÄKI, K. K. Inverse correlation between the peak venous serum concentration of bupivacaine and the weight of the patient during interscalene brachial plexus block 621–622
PLEUVRY, B. J. *see* AL-MUHANDIS, W. M. 608–613; STOTT, D. G. 603–607
PLUMMER, J. L. *see* KLUGER, M. T., (*ARS*) 656–657P
POLLARD, B. J. *see* SEVERN, A. M., (*ARS*) 650P; SNEYD, J. R., (*ARS*) 647P; VOHRA, A. 64–68
POMFRETT, C. J. D., SNEYD, J. R., BEECH, M. J. and HEALY, T. E. J. Variations in respiratory sinus arrhythmia may reflect levels of anaesthesia, (*ARS*) 646–647P
POMFRETT, C. J. D. *see* SNEYD, J. R., (*ARS*) 647P; (*ARS*) 658P
PONTÉ J. C. *see* AMOROSO, P., (*ARS*) 210P; WILSON, S. R., (*ARS*) 216–217P
POTISK, S. *see* METZLER, H. 317–319
PROHOVNIK, I. *see* YOUNG, W. L. 440–446
PRYN, S. J. *see* LEWIS, I. H. 73–78
PRYS-ROBERTS, C. *see* DUNNET, J. M., (*ARS*) 214–215P; ENEVER, G., (*ARS*) 217–218P; RAFTERY, S., (*ARS*) 218P; (*ARS*) 651–652P
RACZ, G. B. *see* KAO, Y. J. 335–338
RAFTERY, S., BROWNE, B., ENEVER, G., RICHARDS, M. J. and PRYS-ROBERTS, C. Total i.v. anaesthesia with propofol and alfentanil: influence of age and weight on dose requirements, (*ARS*) 218P
RAFTERY, S., WRIGHT, I., MONK, C., BOLSIN, S. and PRYS-ROBERTS, C. Enoximone during coronary bypass surgery, (*ARS*) 651–652P
RAFTERY, S. *see* ENEVER, G., (*ARS*) 217–218P; WARDE, D. J., (*C*) 500–501
RALL, T. W. *see* GILMAN, A. G., (*R*) 133
RALSTON, S. J. *see* HEAD-RAPSON, A. G., (*ARS*) 203P
RÄSÄNEN, J. *see* ALAHUHTA, S. 678–682
RATCLIFFE, F. M. and DORRINGTON, K. L. Pressure–volume hysteresis of the lungs in respiratory distress syndrome, (*ARS*) 203–204P
RATHGEBER, J. *see* KIETZMANN, D. 269–276
RAWLE, P. R. *see* TELFORD, R. J., (*C*) 503
RAY, D. C. and DRUMMOND, G. B. Halothane hepatitis 84–99
READ, J. R. M., DRUMMOND, G. B. and BROWN, D. T. Arterial pressure responses induced by stimuli to the upper airway in anaesthetized patients, (*ARS*) 216P
REEDER, M. K., GOLDMAN, M. D., LOH, L., MUIR, A. D. and CASEY, K. R. Haemodynamic effects of periodic ventilation: abolition with supplementary oxygen 326–328
REEDER, M. K., MUIR, A. D., FOËX, P., GOLDMAN, M. D., LOH, L. and SMART, D. Postoperative myocardial ischaemia: temporal association with nocturnal hypoxaemia 626–631
REEDER, M. K. *see* MUIR, A. D. 373–377
REES, D. *see* PARR, S. M. 447–451
REHAK, P. *see* METZLER, H. 317–319
REID, J. A. and THORBURN, J. Headache after spinal anaesthesia, (*E*) 674–677
REID, J. A. *see* MCLINTIC, A. J. 683–689
REILLY, C. S. *see* BERTHOUD, M. C. 464–466; (*ARS*) 645P; BROOME, I. J., (*ARS*) 207P; GILL, N., (*ARS*) 649P; MACFIE, A. G. 54–57; (*ARS*) 657P
RESTALL, J. *see* YOGANATHAN, S. 614–617
REUSCHEL-JANETSCHEK, E. *see* ERDMANN, E. 178–184
REYFORD, H. *see* KRIVOSIC-HORBER, R., (*C*) 221
REYNOLDS, F., (editor) *Epidural and Spinal Blockade in Obstetrics*, (*R*) 229
REYNOLDS, K. J., DE KOCK, J. P., TARASSENKO, L. and MOYLE, J. T. B. Temperature dependence of LED and its theoretical effect on pulse oximetry 638–643
REYNOLDS, P. I. *see* LEWIS, I. H. 73–78
RICHARDS, M. J. *see* RAFTERY, S., (*ARS*) 218P
RICHMOND, M. N. *see* MACFIE, A. G. 54–57
RIDLEY, S. *see* AKHTAR, T. M. 632–634
RIGG, D. L. *see* GOODIE, D. B. 329–331
ROBERTS, G. J. and ROSENBAUM, N. L. *A Colour Atlas of Dental Analgesia and Sedation*, (*R*) 364
ROBINSON, B. J. *see* PARR, S. M. 447–451
RODGERS, E. M. Diprivan intensive care sedation in children, (*C*) 505
ROE, P. G. *see* ENTWISTLE, M. D. 704–711
ROS, P. *see* BOER, F. 69–72
ROSE, E. L. *see* DE BONO, D. P., (*E*) 367–368
ROSEN, M. *see* KLEPPER, I. D., (*R*) 668; SANDERS, L., (*C*) 504; YEE, M. K. 426–431
ROSENBAUM, N. L. *see* ROBERTS, G. J., (*R*) 364
ROTMAN, B. *see* METZLER, H. 317–319
ROULSON, C. J. *see* NOLAN, K. M., (*ARS*) 650–651P
ROWBOTHAM, D. J., MILLIGAN, K. and MCHUGH, P. Effect of cisapride on morphine absorption after oral administration of sustained-release morphine 421–425; Effect of single doses of cisapride and ranitidine

administered simultaneously on plasma concentrations of cisapride and ranitidine 302–305
ROWBOTHAM, D. J. *see* BARKER, P., (*ARS*) 660P; SANDHAR, B. K., (*ARS*) 213P; TROTTER, T. N. 748–750
RUNCIMAN, W. B. *see* SLOAN, P. A. 378–386
RUPANI, G. *see* LICHTOR, J. L. 579–584
RUTHERFORD, J. S., LOGAN, M. R. and DRUMMOND, G. B. Change in end-expiratory respiratory volume with thiopentone or propofol induction of anaesthesia, (*ARS*) 647P
RUTTEN, A. J., MATHER, L. E. and MCLEAN, C. F. Cardiovascular effects and regional clearances of i.v. bupivacaine in sheep: enantiomeric analysis 247–256
RUTTEN, A. J. *see* SLOAN, P. A. 378–386
RYAN, T., MAGUIRE, M., BOUCHIER-HAYES, D. and CUNNINGHAM, A. J. Left ventricular function during transoesophageal echocardiographic assessment of abdominal aortic aneurysm resection, (*ARS*) 204–205P
RYDER, W. A. *see* YOUNG, J. D., (*ARS*) 209P

SADDLER, J. M. Jaw stiffness—an ill understood condition, (*E*) 515–516
SADLER, P. J. *see* EVANS, R. D., (*ARS*) 217P
SAINT-MAURICE, C. and SHULTE STEINBERG, O., (editors) *Regional Anaesthesia in Children*, 1st Edn, (*R*) 132
SALAMA, M. D. *see* AMAR, D. 296–301
SAMUELS, T. *see* DEVLIN, J. C., (*ARS*) 651P
SANDERS, D. J. *see* JEWKES, C. 788–794
SANDERS, L., ROSEN, M. and ISAAC, P. Antagonism of benzodiazepine sedation with flumazenil, (*C*) 504
SANDERS, L. D. *see* KLEPPER, I. D., (*R*) 668
SANDHAR, B. K., ELLIOTT, R. H., WINDRAM, I. and ROWBOTHAM, D. J. Peripartum changes in gastric emptying, (*ARS*) 213P
SAPSFORD, D. J. *see* ENTWISTLE, M. D. 704–711; JESSOP, J. 524–531; NORTHWOOD, D. 7–12
SARANTOPOULOS, C. *see* FASSOULAKI, A. 437–439
SARI-KOUZEL, A. *see* NAGUIB, M. 4–6
SCHAAF, H. *see* LYNCH, J. 690–693
SCHEININ, M. *see* AANTAA, R. 402–409
SCHNEIDER, E. *see* LEUWER, M., (*ARS*) 206–207P
SCOTT, P. V. Identification of the interpleural space, (*C*) 130
SEAR, J. W. Drug biotransformation by the kidney: how important is it, and how much do we really know? (*E*) 369–372
SEAR, J. W. *see* EVANS, R. D., (*ARS*) 217P; JEWKES, C. 788–794; MUIR, A. D. 373–377; PALAZZO, M. G. A. 759–763
SEBEL, P. *see* SMITH, C. 262–268
SERAJ, M. *see* NAGUIB, M. 559–564
SEVERN, A. M., COOLEY, J. M., JACKSON, P. W. and POLLARD, B. J. Spectral analysis of the electromyogram: effect of fentanyl, (*ARS*) 650P
SHAMOON, H. *see* AMAR, D. 296–301
SHARIF, A. M. Y. *see* NAGUIB, M. 559–564
SHARROCK, N. E., GO, G. and MINEO, R. Effect of i.v. low-dose adrenaline and phenylephrine infusions on plasma concentrations of bupivacaine after lumbar extradural anaesthesia in elderly patients 694–698
SHARROCK, N. E., MINEO, R. and URQUHART, B. Haemodynamic effects and outcome analysis of hypotensive extradural anaesthesia in controlled hypertensive patients undergoing total hip arthroplasty 17–25
SHARWOOD-SMITH, G. H. *see* BUCHAN, A. S., (*R*) 509
SHAW, I. H., KIRK, A. J. B. and CONACHER, I. D. Anaesthesia for patients with transplanted hearts and lungs undergoing non-cardiac surgery 772–778
SHEARER, E. S., O'SULLIVAN, E. P. and HUNTER, J. M. Clearance of atracurium and laudanosine in the urine and by continuous venovenous haemofiltration 569–573
SHELLY, M. P. and PARK, G. R. Speed of onset of analgesia of diamorphine or morphine, (*C*) 666
SHERRY, K. M. *see* WRIGHT, E. M. 585–590
SHINGU, K. *see* NAITO, Y. 387–389
SHORT, T. G. and CHUI, P. T. Propofol and midazolam act synergistically in combination 539–545
SHULTE STEINBERG, O. *see* SAINT-MAURICE, C., (*R*) 132
SIDHU, V. S. Interference with pacemaker function, (*C*) 664
SIMON, P. J. *see* SNEYD, J. R., (*ARS*) 659–660P
SINCLAIR, C. J. *see* WORSLEY, M. H. 116–119
SINCLAIR, W. A. *see* ARMSTRONG, P. J. 532–538
SKIPSEY, I. G., COLVIN, J. R., MACKENZIE, N. and KENNY, G. N. C. Sedation with propofol during surgery under regional block: evaluation of a computer controlled infusion system, (*ARS*) 218–219P
SLOAN, P. A., MATHER, L. E., MCLEAN, C. F., RUTTEN, A. J., NATION, R. L., MILNE, R. W., RUNCIMAN, W. B. and SOMOGYI, A. A. Physiological disposition of i.v. morphine in sheep 378–386
SMART, D. *see* REEDER, M. K. 626–631
SMITH, C., CARTER, M., SEBEL, P. and YATE, P. Mental function after general anaesthesia for transurethral procedures 262–268
SMITH, G. Pain after surgery, (*E*) 233–234
SMITH, G. *see* LANGTON, J., (*ARS*) 648–649P; MURPHY, P. J., (*ARS*) 660–661P
SMITH, S. O., LOWRIE, A., MARTLEW, R., MONSELL, F. and LAURENCE, A. S. Morbidity following day-case procedures, (*ARS*) 644–645P
SNEYD, J. R., BERRY, A., SIMON, P. J. and WRIGHT, B. Measurement of propofol metabolites in human urine using nuclear magnetic resonance, (*ARS*) 659–660P
SNEYD, J. R. and MAYALL, R. Can glycopyrrolate attenuate propofol-induced hypotension in elderly patients? (*ARS*) 661–662P
SNEYD, J. R., POMFRETT, C. J. D. and HEALY, T. E. J. A new perspective on intraoperative monitoring of EEG, (*ARS*) 658P
SNEYD, J. R., WONG, D. Y., EDWARDS, D., POMFRETT, C. J. D., DORAN, B. R. H., HEALY, T. E. J. and POLLARD, B. J. Does physiotherapy affect the auditory evoked potentials of sedated patients in the intensive care unit? (*ARS*) 647P
SNEYD, J. R. *see* POMFRETT, C. J. D., (*ARS*) 646–647P
SNOWDON, S. L. *see* HEAD-RAPSON, A. G., (*ARS*) 203P
SOMOGYI, A. A. *see* SLOAN, P. A. 378–386
SONI, N. *see* OOI, R., (*ARS*) 208P
SONI, N. C. *see* CHUNG, R., (*ARS*) 647–648P
SPITTAL, M. J., HUNTER, S. J. and JONES, L. The pneuPAC hyperbaric variant HB: a ventilator suitable for use within a one-man hyperbaric chamber 488–491
STANDEN, P. *see* LIU, D. W. H., (*ARS*) 208–209P
STANLEY, C. *see* MCCARTHY, G., (*ARS*) 652–653P
STELLATO, C., CASOLARO, V., CICCARELLI, A., MASTRONARDI, P., MAZZARELLA, B. and MARONE, G. General anaesthetics induce only histamine release selectively from human mast cells 751–758
STEPHENS, P. H., LENNOX, G., HIRSCH, N. and MILLER, D. Superior sagittal sinus thrombosis after internal jugular vein cannulation 476–479
STERNE, J. K. and GRANDE, C., (editors) *Trauma Anesthesia*, (*R*) 508
STEVENS, J. D. *see* WHEATLEY, R. G., (*ARS*) 208P
STODDART, P. A. *see* O'SULLIVAN, G., (*C*) 225
STOELTING, R. K., BARASH, P. G. and GALLAGHER, T. J., (editors) *Advances in Anesthesia*, Vol. 7, (*R*) 229
STOKES, D. N., CLUTTON-BROCK, T., PATIL, C., THOMPSON, J. M. and HUTTON, P. Comparison of invasive and

non-invasive measurement of continuous arterial pressure using the Finapres 26–35
STOTT, D. G. and PLEUVRY, B. J. Relationship between analgesia and respiratory depression for mu opioid receptor agonists in mice 603–607
STRICK, K. *see* LYNCH, J. 690–693
SWALES, J. D. Management of hyponatraemia 146–153
SWANN, D. G. and DRUMMOND, G. B. Effect of supine and lateral positions on airway patency in anaesthetized patients, (*ARS*) 644P
SWANSON BECK, J. *see* BROWN, R. A., (*R*) 132–133
SWENY, P. Is postoperative oliguria avoidable? 137–145
SYVERUD, S. A. *see* BARSAN, W. G., (*R*) 508–509

TAHTA, K. *see* TEKKOK, I. H. 112–115
TAMAI, S. *see* NAITO, Y. 387–389
TAN, P. *see* GIN, T. 49–53
TAN, P. S. K. *see* HACKMAN, C. H. 346–352
TARASSENKO, L. *see* REYNOLDS, K. J. 638–643
TATMAN, A. J., WRIGLEY, S. R. and JONES, R. M. Resistance to atracurium in a patient with an increase in plasma alpha$_1$ globulins 623–625
TAYLOR, P. *see* GILMAN, A. G., (*R*) 133
TAYLOR, S. J. *see* MARSH, A. M. 517–523
TEKKOK, I. H., CATALTEPE, O., TAHTA, K. and BERTAN, V. Extradural haematoma after continuous extradural anaesthesia 112–115
TELFORD, R. J. and RAWLE, P. R. Training in fibreoptic laryngoscopy, (*C*) 503
TELLEZ, J. M. *see* KAO, Y. J. 335–338
THISTED, R. A. *see* LICHTOR, J. L. 579–584
THOMAS, A. N. *see* VOHRA, A. 64–68
THOMAS, C. *see* HASTINGS, K. L. 722–728
THOMPSON, J. M. *see* STOKES, D. N. 26–35
THORBURN, J. *see* MCLINTIC, A. J. 683–689; REID, J. A., (*E*) 674–677
TIGHE, S. Q. M. Anaesthetic equipment for a developing country, (*C*) 360
TIMON, D. *see* PATTERSON, K. W., (*ARS*) 213–214P
TINKER, J. and JONES, S. N., (editors) *A Pocket Book of Intensive Care: Data, Drugs and Procedures*, 2nd Edn, (*R*) 669
TIPLADY, B. *see* ARMSTRONG, P. J. 532–538
TOBIAS, M. D., HANSON III, C. W., HEPPENSTALL, R. B. and AUKBURG, S. J. Compartment syndrome after pressurized infusion 332–334
TODD, J. G. *see* AITKEN, H. A. 36–40
TOMLINSON, A. A. *see* MAZUMDAR, B. 432–436
TOPALIDIS, K. *see* LYNCH, J. 690–693
TORRES, L. M. *see* PEDRAZ, J. L. 310–316
TRIMBLE, E. R. *see* MCLOUGHLIN, C. 764–767
TROTTER, T. N., ROWBOTHAM, D. J., WINDRAM, I. and MUSHAMBI, M. C. Effect of sublingual buprenorphine on gastric emptying of a liquid meal 748–750
TUNSTALL, M. E. Incremental spinal anaesthesia and Caesarean section—relevance to the test dose for extradural analgesia, (*C*) 227–228
TUNSTALL, M. E. *see* CYNA, A. M. 341–345
TURNER, G. A., NEWNHAM, J. P., JOHNSON, C. and WESTMORE, M. Effects of extradural anaesthesia on umbilical and uteroplacental arterial flow velocity waveforms 306–309

URE, R. W., DWYER, S. J., BLOGG, C. E. and WHITE, A. P. Patient-controlled anxiolysis with propofol, (*ARS*) 657–658P
URQUHART, B. *see* SHARROCK, N. E. 17–25
UYS, P. C. *see* ASHTON, W. B. 741–747

VALLIS, C. J. *see* COLEMAN, S. A. 257–261
VAN OMMEN, H. *see* BOER, F. 69–72
VAUGHAN, R. S. Potassium in the perioperative period 194–200
VERHOEFF, F. *see* JEWKES, C. 788–794
VICKERS, M. D. *see* OKELL, R. W. 285–288; YOSHIZUMI, J., (*ARS*) 212–213P; 735–740
VINCENT, J.-L. Fluids for resuscitation 185–193
VOHRA, A., THOMAS, A. N., HARPER, N. J. N. and POLLARD, B. J. Non-invasive measurement of cardiac output during induction of anaesthesia and tracheal intubation: thiopentone and propofol compared 64–68
VUORINEN, J. *see* AANTAA, R. 402–409
VYVYAN, H. A. L. *see* BRAUDE, N. 574–578

WAIBEL, U. *see* KHUENL-BRADY, K. S., (*C*) 506–507
WALKER, R. W. M. *see* GWINNUTT, C. L. 13–16
WARDE, D. J., NAGI, H. and RAFTERY, S. Inhalation induction of anaesthesia with isoflurane in children, (*C*) 500–501
WAREHAM, A. C. *see* MEAKIN, G., (*ARS*) 205–206P
WATSON, A. *see* WATSON, D., (*ARS*) 656P
WATSON, D., FARQUHAR, I. K., DENNISON, A. R., COLE, J., WATSON, A. and MCALLISTER, S. Postoperative analgesia by infusion of local anaesthetic into the rectus sheath, (*ARS*) 656P
WATTERS, C. *see* CAMPBELL, W., (*C*) 803
WEBSTER, J., BARNARD, M. and CARLI, F. Metabolic response to colonic surgery: extradural *vs* continuous spinal 467–469
WEBSTER, J. *see* CARLI, F. 729–734
WEBSTER, N. R. *see* MURPHY, P. G., (*ARS*) 209–210P
WEIBAL, E. R. *see* CRYSTAL, R. G., (*R*) 230
WENSTONE, R., CAMPBELL, J. M., BOOKER, P. D. and MCKAY, R. Renal function after cardiopulmonary bypass in children: comparison of dopamine with dobutamine 591–594
WEST, J. B. *see* CRYSTAL, R. G., (*R*) 230
WESTENSKOW, D. R. *see* HEINING, M. P. D. 120–126
WESTMORE, M. *see* TURNER, G. A. 306–309
WETCHLER, B. V., (editor) *Anaesthesia for Ambulatory Surgery*, 2nd Edn, (*R*) 229–230
WHEATLEY, R. G., MADEJ, T. H., JACKSON, I. J. B. and HUNTER, D. The first year's experience of an acute pain service 353–359
WHEATLEY, R. G., STEVENS, J. D., GRACE, A. and HUNTER, D. Computerized analysis of continuous pulse oximetry in children with nocturnal breathing disorders, (*ARS*) 208P
WHITE, A. P. *see* URE, R. W., (*ARS*) 657–658P
WHITE, M. *see* MARSH, B. 41–48
WHITEHEAD, J. P. *see* GOLDHILL, D. R. 289–295
WHITWAM, J. *see* MCCLOY, R., (*C*) 504
WHITWAM, J. G. *see* HACKMAN, C. H. 346–352
WILDER-SMITH, O. and BORGEAT, A. Analgesia with subhypnotic doses of thiopentone and propofol, (*C*) 226–227
WILDSMITH, J. A. W. Regional anaesthesia requires attention to detail, (*C*) 224–225
WILDSMITH, J. A. W. *see* ARMSTRONG, P. J. 532–538
WILKINS, C. *see* NORTHWOOD, D. 7–12
WILKINSON, P. C. *see* O'DONNELL, N. G., (*ARS*) 661P
WILLATTS, S. M. Fluid and electrolytes revisited, (*E*) 135–136
WILLIAMS, K. N. *see* CORMACK, R. R., (*C*) 501–502
WILSON, S. R., AMOROSO, P., PONTÉ, J. C. and BALL, C. Resting energy expenditure in children with liver disease, (*ARS*) 216–217P
WILSON, S. R. *see* AMOROSO, P., (*ARS*) 210P
WILTON, N. C. T. *see* LEWIS, I. H. 73–78
WINDRAM, I. *see* SANDHAR, B. K., (*ARS*) 213P; TROTTER, T. N. 748–750
WINKLER, M. *see* HACKL, W., (*C*) 221

WINYARD, J. A. *see* NOLAN, K. M., (*ARS*) 650–651P
WONG, D. Y. *see* SNEYD, J. R., (*ARS*) 647P
WOOD, M. Midazolam and erythromycin, (*C*) 131
WOOD, P. *see* BROWNE, G. P. R., (*ARS*) 652P
WORSLEY, M. H., SINCLAIR, C. J., CAMPANELLA, C., KILPATRICK, D. C. and YAP, P. L. Non-cardiogenic pulmonary oedema after transfusion with granulocyte antibody containing blood: treatment with extracorporeal membrane oxygenation 116–119
WRIGHT, B. *see* GILL, N., (*ARS*) 649P; SNEYD, J. R., (*ARS*) 659–660P
WRIGHT, E. M. and SHERRY, K. M. Clinical and haemodynamic effects of milrinone in the treatment of low cardiac output after cardiac surgery 585–590
WRIGHT, I. *see* RAFTERY, S., (*ARS*) 651–652P
WRIGHT, P. M. C. *see* CARABINE, U. A. 79–83
WRIGLEY, S. R. *see* TATMAN, A. J. 623–625

YAKU, H. *see* MIKAWA, K. 410–415; 416–420
YAP, P. L. *see* WORSLEY, M. H. 116–119
YATE, P. *see* SMITH, C. 262–268
YAU, G. *see* GIN, T. 49–53
YEE, M. K., EVANS, W. D., FACEY, P. E., HAYWARD, M. W. J. and ROSEN, M. Gastric emptying and small bowel transit in male volunteers after i.m. ketorolac and morphine 426–431
YELLOWLEES, I. H. Fibreoptic sensors in clinical measurement 100–105
YENTIS, S. M. and BISSONNETTE, B. P6 acupuncture and postoperative vomiting after tonsillectomy in children 779–780
YOGANATHAN, S., JOHNSTON, I. G., PARNELL, C. J., HOUGHTON, I. T. and RESTALL, J. Determination of contamination of a chemical warfare-proof operating theatre with volatile anaesthetic agents and assessment of anaesthetic gas scavenging systems 614–617
YOSHIZUMI, J., MARSHALL, R. W. and VICKERS, M. D. Effect of 5% and 10% MAC of cyclopropane and halothane on peak velocity of saccadic eye movements, (*ARS*) 212–213P; Effects of low concentrations of cyclopropane and halothane on peak velocity of saccadic eye movements 735–740
YOUNG, J. D., DORRINGTON, K. L., BLAKE, G. J. P. and RYDER, W. A. Femoral arteriovenous extracorporeal removal of carbon dioxide using a hollow fibre membrane lung, (*ARS*) 209P
YOUNG, W. L., BARKAI, A. I., PROHOVNIK, I., NELSON, H. and DURKIN, M. Effect of Pa_{CO_2} on cerebral blood flow distribution during halothane compared with isoflurane anaesthesia in the rat 440–446

ZACNY, J. *see* LICHTOR, J. L. 579–584
ZAVISCA, F. G. *see* KAO, Y. J. 335–338
ZBINDEN, A. M., FEIGENWINTER, P. and HUTMACHER, M. Fresh gas utilization of eight circle systems 492–499
ZENZ, M. *see* KOERSTER, W., (*R*) 668
ZICKMANN, B. *see* BOLDT, J. 595–602

SUBJECT INDEX

A Colour Atlas of Dental Analgesia and Sedation, ROBERTS, G. J., *et al.*, (*R*) 364
A Pocket Book of Intensive Care: Data, Drugs and Procedures, 2nd Edn, TINKER, J., *et al.*, (editors), (*R*) 669
Acid–base equilibrium, Fluid and electrolytes revisited, WILLATTS, S. M., (*E*) 135–136
——, Management of hyponatraemia, SWALES, J. D. 146–153
Acid–base equilibrium, bicarbonate, Indications for use of bicarbonate in patients with metabolic acidosis, ARIEFF, A. I. 165–177
Acid–base equilibrium, buffers, Indications for use of bicarbonate in patients with metabolic acidosis, ARIEFF, A. I. 165–177
Acid–base equilibrium, metabolic acidosis, First pass lung uptake of bupivacaine: effect of acidosis in an intact rabbit lung model, PALAZZO, M. G. A., *et al.* 759–763
——, Indications for use of bicarbonate in patients with metabolic acidosis, ARIEFF, A. I. 165–177
——, Roles of the liver and kidney in acid–base regulation and its disorders, COHEN, R. D. 154–164
Acid–base equilibrium, pH, Roles of the liver and kidney in acid–base regulation and its disorders, COHEN, R. D. 154–164
Acid–base equilibrium, respiratory acidosis, Roles of the liver and kidney in acid–base regulation and its disorders, COHEN, R. D. 154–164
Acupuncture, Effect of P6 acupressure on postoperative vomiting in children undergoing outpatient strabismus correction, LEWIS, I. H., *et al.* 73–78
——, P6 acupuncture and postoperative vomiting after tonsillectomy in children, YENTIS, S. M., *et al.* 779–780
Adductor pollicis, Antagonism of intense atracurium-induced neuromuscular block in children, GWINNUTT, C. L., *et al.* 13–16
——, Intraoperative assessment of atracurium-induced neuromuscular block using double burst stimulation, BRAUDE, N., *et al.* 574–578
Advances in Anesthesia, Vol. 7, STOELTING, R. K., *et al.*, (editors), (*R*) 229
Age factors, Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, MEAKIN, G., *et al.*, (*ARS*) 205–206P
——, Can glycopyrrolate attenuate propofol-induced hypotension in elderly patients? SNEYD, J. R., *et al.*, (*ARS*) 661–662P
——, Change in end-expiratory respiratory volume with thiopentone or propofol induction of anaesthesia, RUTHERFORD, J. S., *et al.*, (*ARS*) 647P
——, Comparison of bolus or slow infusion of propofol for induction of anaesthesia in the elderly, MCLAUCHLAN, G. A., *et al.*, (*ARS*) 211P
——, Comparison of infusion rates of thiopentone for induction of anaesthesia in elderly patients, BERTHOUD, M. C., *et al.*, (*ARS*) 645P
——, Comparison of sufentanil–nitrous oxide anaesthesia with fentanyl–nitrous oxide anaesthesia in geriatric patients undergoing major abdominal surgery, KIETZMANN, D., *et al.* 269–276
——, Dose requirements of neostigmine for antagonism of vecuronium neuromuscular block in the elderly: comparison with adults, MCCARTHY, G., *et al.*, (*ARS*) 652–653P
——, Dose requirements to suppress consciousness by continuous infusion of propofol in young adults, DUNNET, J. M., *et al.*, (*ARS*) 214–215P
——, Effect of i.v. low-dose adrenaline and phenylephrine infusions on plasma concentrations of bupivacaine after lumbar extradural anaesthesia in elderly patients, SHARROCK, N. E., *et al.* 694–698
——, Mental function after general anaesthesia for transurethral procedures, SMITH, C., *et al.* 262–268
——, Total i.v. anaesthesia with propofol and alfentanil: influence of age and weight on dose requirements, RAFTERY, S., *et al.*, (*ARS*) 218P
Airway, obstruction, Airway obstruction associated with the use of the Guedel airway, MARSH, A. M., *et al.* 517–523
——, Unusual presentation of acute upper airway obstruction caused by an anterior mediastinal mass, AKHTAR, T. M., *et al.* 632–634
Airway, patency, Effect of supine and lateral positions on airway patency in anaesthetized patients, SWANN, D. G., *et al.*, (*ARS*) 644P
——, Improved method of acoustic reflection technique for upper airway measurements, MARAN, N. J., *et al.*, (*ARS*) 648P
——, Rib cage contribution to resting and carbon dioxide stimulated ventilation during 1 MAC isoflurane anaesthesia, LUMB, A. B., *et al.* 712–721
Airway, pressure, Pressure–volume hysteresis of the lungs in respiratory distress syndrome, RATCLIFFE, F. M., *et al.*, (*ARS*) 203–204P
Airway, stimulation, Arterial pressure responses induced by stimuli to the upper airway in anaesthetized patients, READ, J. R. M., *et al.*, (*ARS*) 216P
Alcohol, Alcohol after sedation with i.v. midazolam–fentanyl: effects on psychomotor functioning, LICHTOR, J. L., *et al.* 579–584
Alkalinization, Comparison of plain and alkalinized local anaesthetic mixtures of lignocaine and bupivacaine for elective extradural Caesarean section, FERNANDO, R., *et al.* 699–703
Allergy, General anaesthetics induce only histamine release selectively from human mast cells, STELLATO, C., *et al.* 751–758
Ambulatory Anaesthesia and Sedation. Impairment and Recovery, KLEPPER, I. D., *et al.*, (editors), (*R*) 668
Anaesthesia, Potassium in the perioperative period, VAUGHAN, R. S. 194–200
Anaesthesia, 3rd Edn, MILLER, R. G., (editor), (*R*) 364
Anaesthesia, day-case, Alcohol after sedation with i.v. midazolam–fentanyl: effects on psychomotor functioning, LICHTOR, J. L., *et al.* 579–584
——, Morbidity following day-case procedures, SMITH, S. O., *et al.*, (*ARS*) 644–645P
——, Rapid inhalation induction with isoflurane in humidified carrier gas, VAN HEERDEN, P. V., *et al.* 470–472
Anaesthesia, dental, Rapid inhalation induction with isoflurane in humidified carrier gas, VAN HEERDEN, P. V., *et al.* 470–472
Anaesthesia, depth, A new perspective on intraoperative monitoring of EEG, SNEYD, J. R., *et al.*, (*ARS*) 658P

——, Does physiotherapy affect the auditory evoked potentials of sedated patients in the intensive care unit? SNEYD, J. R., *et al.*, (*ARS*) 647P
——, Systolic arterial pressure as a monitor of depth of anaesthesia, ASBURY, A. J., (*C*) 506
——, Systolic arterial pressure as a monitor of depth of anaesthesia, COUTO DA SILVA, J. M., (*C*) 506
——, Variations in respiratory sinus arrhythmia may reflect levels of anaesthesia, POMFRETT, C. J. D., *et al.*, (*ARS*) 646–647P
Anaesthesia for Ambulatory Surgery, 2nd Edn, WETCHLER, B. V., (editor), (*R*) 229–230
Anaesthesia, general, Clonidine decreases postoperative oxygen consumption in patients recovering from general anaesthesia, DELAUNAY, L., *et al.* 397–401
——, Effects of labetalol on perioperative stress markers and isoflurane requirements, AMAR, D., *et al.* 296–301
——, General anaesthetics induce only histamine release selectively from human mast cells, STELLATO, C., *et al.* 751–758
——, Mental function after general anaesthesia for transurethral procedures, SMITH, C., *et al.* 262–268
——, Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway, BARKER, P., *et al.*, (*ARS*) 660P
Anaesthesia, geriatric, Can glycopyrrolate attenuate propofol-induced hypotension in elderly patients? SNEYD, J. R., *et al.*, (*ARS*) 661–662P
——, Comparison of bolus or slow influsion of propofol for induction of anaesthesia in the elderly, MCLAUCHLAN, G. A., *et al.*, (*ARS*) 211P
——, Comparison of infusion rates of thiopentone for induction of anaesthesia in elderly patients, BERTHOUD, M. C., *et al.*, (*ARS*) 645P
——, Comparison of sufentanil–nitrous oxide anaesthesia with fentanyl–nitrous oxide anaesthesia in geriatric patients undergoing major abdominal surgery, KIETZMANN, D., *et al.* 269–276
——, Dose requirements of neostigmine for antagonism of vecuronium neuromuscular block in the elderly: comparison with adults, MCCARTHY, G., *et al.*, (*ARS*) 652–653P
——, Effect of i.v. low-dose adrenaline and phenylephrine infusions on plasma concentrations of bupivacaine after lumbar extradural anaesthesia in elderly patients, SHARROCK, N. E., *et al.* 694–698
Anaesthesia, neurosurgical, Controlled hypotension for cerebral aneurysm surgery in the presence of severe aortic coarctation, GOODIE, D. B., *et al.* 329–331
——, Effects of flumazenil on cerebral blood flow and oxygen consumption after midazolam anaesthesia for craniotomy, KNUDSEN, L., *et al.* 277–280
Anaesthesia, obstetric, Attenuation of the pressor response to tracheal intubation by magnesium sulphate with and without alfentanil in hypertensive proteinuric patients undergoing Caesarean section, ASHTON, W. B., *et al.* 741–747
——, Backache after extradural anaesthesia in the postpartum period: dissection of thoracic aneurysm, KAO, Y. J., *et al.* 335–338
——, Comparison of plain and alkalinized local anaesthetic mixtures of lignocaine and bupivacaine for elective extradural Caesarean section, FERNANDO, R., *et al.* 699–703
——, Disposition of propofol at Caesarean section and in the postpartum period, GIN, T., *et al.* 49–53
——, Effect of adrenaline on extradural anaesthesia, plasma lignocaine concentrations and the feto–placental unit during elective Caesarean section, MCLINTIC, A. J., *et al.* 683–689
——, Effects of extradural anaesthesia on umbilical and uteroplacental arterial flow velocity waveforms, TURNER, G. A., *et al.* 306–309
——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, ALAHUHTA, S., *et al.* 678–682
——, Failed tracheal intubation, KING, T. A., *et al.*, (*C*) 225
——, Failed tracheal intubation, O'SULLIVAN, G., *et al.*, (*C*) 225
——, First use of combined spinal–extradural anaesthesia, CARRIE, L. E. S., (*C*) 667
——, First use of combined spinal–extradural anaesthesia, ELDOR, J., (*C*) 666
——, 29-Gauge spinal needles, LYONS, G., *et al.*, (*C*) 222
——, Headache after continuous spinal anaesthesia, KESTIN, I. G., (*C*) 131
——, Headache after continuous spinal anaesthesia, MILLIGAN, H. R., *et al.*, (*C*) 131
——, Incremental spinal anaesthesia and Caesarean section—relevance to the test dose for extradural analgesia, KESTIN, I. G., (*C*) 228
——, Incremental spinal anaesthesia and Caesarean section—relevance to the test dose for extradural analgesia, TUNSTALL, M. E., (*C*) 227–228
——, Influence of therapeutic suggestions during general anaesthesia on recovery in patients undergoing hysterectomy, LIU, D. W. H., *et al.*, (*ARS*) 208–209P
——, Management of labour and delivery in patients with intracranial neoplasms, FINFER, S. R. 784–787
——, Maternal temperature regulation during extradural analgesia for labour, CAMANN, W. R., *et al.* 565–568
——, Peripartum changes in gastric emptying, SANDHAR, B. K., *et al.*, (*ARS*) 213P
——, Spinal anaesthesia in obstetrics, BROWNRIDGE, P., (*C*) 663
——, Spinal anaesthesia in obstetrics, KESTIN, I. G., (*C*) 663
——, The loading dose in continuous infusion extradural analgesia in obstetrics, JANES, E. F., *et al.* 323–325
Anaesthesia, outpatient, Comparison between sevoflurane and halothane for paediatric ambulatory anaesthesia, NAITO, Y., *et al.* 387–389
Anaesthesia, paediatric, Antagonism of intense atracurium-induced neuromuscular block in children, GWINNUTT, C. L., *et al.* 13–16
——, Comparison between sevoflurane and halothane for paediatric ambulatory anaesthesia, NAITO, Y., *et al.* 387–389
——, Cuffed tracheal tubes for paediatric cardiac surgery cause a low incidence of postoperative airway problems, MALMROS, C., *et al.*, (*ARS*) 655P
——, Diprivan intensive care sedation in children, RODGERS, E. M., (*C*) 505
——, Effect of P6 acupressure on postoperative vomiting in children undergoing outpatient strabismus correction, LEWIS, I. H., *et al.* 73–78
——, Fresh gas requirement of the Bain system, MEAKIN, G., (*C*) 663–664
——, Fresh gas requirement of the Bain system, MILLER, D., (*C*) 664
——, Inhalation induction of anaesthesia with isoflurane: effect of added carbon dioxide, COLEMAN, S. A., *et al.* 257–261
——, Inhalation induction of anaesthesia with isoflurane in children, LEWIS, I. H., (*C*) 500
——, Inhalation induction of anaesthesia with isoflurane in children, WARDE, D. J., *et al.*, (*C*) 500–501
——, P6 acupuncture and postoperative vomiting after tonsillectomy in children, YENTIS, S. M., *et al.* 779–780
——, Pharmacokinetic model driven infusion of propofol in children, MARSH, B., *et al.* 41–48
Anaesthetic techniques, conduction, Anaesthesia and bone marrow aplasia, FENNER, S. G., *et al.*, (*C*) 665
——, Anaesthesia and bone marrow aplasia, HAMILTON, W. K., (*C*) 665

Anaesthetic techniques, extradural, Backache after extradural anaesthesia in the postpartum period: dissection of thoracic aneurysm, KAO, Y. J., *et al.* 335–338
——, Comparison of plain and alkalinized local anaesthetic mixtures of lignocaine and bupivacaine for elective extradural Caesarean section, FERNANDO, R., *et al.* 699–703
——, Effect of adrenaline on extradural anaesthesia, plasma lignocaine concentrations and the feto–placental unit during elective Caesarean section, MCLINTIC, A. J., *et al.* 683–689
——, Effect of i.v. low-dose adrenaline and phenylephrine infusions on plasma concentrations of bupivacaine after lumbar extradural anaesthesia in elderly patients, SHARROCK, N. E., *et al.* 694–698
——, Effects of extradural anaesthesia on umbilical and uteroplacental arterial flow velocity waveforms, TURNER, G. A., *et al.* 306–309
——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, ALAHUHTA, S., *et al.* 678–682
——, Extradural haematoma after continuous extradural anaesthesia, TEKKOK, I. H., *et al.* 112–115
——, First use of combined spinal–extradural anaesthesia, CARRIE, L. E. S., (*C*) 667
——, First use of combined spinal–extradural anaesthesia, ELDOR, J., (*C*) 666
——, Haemodynamic effects and outcome analysis of hypotensive extradural anaesthesia in controlled hypertensive patients undergoing total hip arthroplasty, SHARROCK, N. E., *et al.* 17–25
——, Maternal temperature regulation during extradural analgesia for labour, CAMANN, W. R., *et al.* 565–568
——, Metabolic response to colonic surgery: extradural *vs* continuous spinal, WEBSTER, J., *et al.* 467–469
——, Pharmacokinetics and distribution of ketamine after extradural administration to dogs, PEDRAZ, J. L., *et al.* 310–316
——, Protein metabolism after abdominal surgery: effect of 24-h extradural block with local anaesthetic, CARLI, F., *et al.* 729–734
——, The first year's experience of an acute pain service, WHEATLEY, R. G., *et al.* 353–359
——, The loading dose in continuous infusion extradural analgesia in obstetrics, JANES, E. F., *et al.* 323–325
Anaesthetic techniques, extradural, test doses, Incremental spinal anaesthesia and Caesarean section—relevance to the test dose for extradural analgesia, KESTIN, I. G., (*C*) 228
——, Incremental spinal anaesthesia and Caesarean section—relevance to the test dose for extradural analgesia, TUNSTALL, M. E., (*C*) 227–228
Anaesthetic techniques, fibreoptic, Training in fibreoptic laryngoscopy, BRIMACOMBE, J., (*C*) 503
——, Training in fibreoptic laryngoscopy, TELFORD, R. J., *et al.*, (*C*) 503
Anaesthetic techniques, hypotensive, Comparison of the Finapres and direct arterial pressure monitoring during profound hypotensive anaesthesia, AITKEN, H. A., *et al.* 36–40
——, Controlled hypotension for cerebral aneurysm surgery in the presence of severe aortic coarctation, GOODIE, D. B., *et al.* 329–331
——, Effects of adenosine triphosphate on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 410–415
——, Haemodynamic effects and outcome analysis of hypotensive extradural anaesthesia in controlled hypertensive patients undergoing total hip arthroplasty, SHARROCK, N. E., *et al.* 17–25
——, Repair of traumatic transection of the thoracic aorta: esmolol for intraoperative control of arterial pressure, FENNER, S. G., *et al.* 483–487
Anaesthetic techniques, induction, Comparison of bolus or slow influsion of propofol for induction of anaesthesia in the elderly, MCLAUCHLAN, G. A., *et al.*, (*ARS*) 211P
——, Haemodynamic effects of propofol: induction with 2.5 mg kg^{-1}, FAIRFIELD, J. E., *et al.* 618–620
——, Inhalation induction of anaesthesia with isoflurane: effect of added carbon dioxide, COLEMAN, S. A., *et al.* 257–261
——, Inhalation induction of anaesthesia with isoflurane in children, LEWIS, I. H., (*C*) 500
——, Inhalation induction of anaesthesia with isoflurane in children, WARDE, D. J., *et al.*, (*C*) 500–501
——, Midazolam and propofol for induction of anaesthesia, MCCLUNE, S., *et al.*, (*ARS*) 215–216P
——, Propofol and midazolam act synergistically in combination, SHORT, T. G., *et al.* 539–545
——, Rapid inhalation induction with isoflurane in humidified carrier gas, VAN HEERDEN, P. V., *et al.* 470–472
Anaesthetic techniques, inhalation, Inhalation induction of anaesthesia with isoflurane: effect of added carbon dioxide, COLEMAN, S. A., *et al.* 257–261
——, Inhalation induction of anaesthesia with isoflurane in children, LEWIS, I. H., (*C*) 500
——, Inhalation induction of anaesthesia with isoflurane in children, WARDE, D. J., *et al.*, (*C*) 500–501
Anaesthetic techniques, i.v. bolus, Comparison of bolus or slow influsion of propofol for induction of anaesthesia in the elderly, MCLAUCHLAN, G. A., *et al.*, (*ARS*) 211P
Anaesthetic techniques, i.v. infusion, Comparison of arterial and arterialized venous concentrations of propofol during infusion of propofol, OKELL, R. W., *et al.* 285–288
——, Comparison of bolus or slow influsion of propofol for induction of anaesthesia in the elderly, MCLAUCHLAN, G. A., *et al.*, (*ARS*) 211P
——, Comparison of infusion rates of thiopentone for induction of anaesthesia in elderly patients, BERTHOUD, M. C., *et al.*, (*ARS*) 645P
——, Comparison of thiopentone and propofol at two rates of administration in patients with severe head injury, ANDREWS, P. J. D., *et al.*, (*ARS*) 212P
——, Dose requirements to suppress consciousness by continuous infusion of propofol in young adults, DUNNET, J. M., *et al.*, (*ARS*) 214–215P
——, Hyperventilation and blood concentrations of propofol during total i.v. anaesthesia, ENEVER, G., *et al.*, (*ARS*) 217–218P
——, Pharmacokinetic model driven infusion of propofol in children, MARSH, B., *et al.* 41–48
——, Sedation with propofol during surgery under regional block: evaluation of a computer controlled infusion system, SKIPSEY, I. G., *et al.*, (*ARS*) 218–219P
Anaesthetic techniques, loading dose, The loading dose in continuous infusion extradural analgesia in obstetrics, JANES, E. F., *et al.* 323–325
Anaesthetic techniques, local, Intra-arterial regional analgesia, AUSTIN, T. R., (*C*) 803
——, Intra-arterial regional analgesia, GILSANZ, F., (*C*) 803–804
——, Intra-arterial regional analgesia, KOSCIELNIAK-NIELSEN, Z. J., (*C*) 804
Anaesthetic techniques, preoxygenation, Effectiveness of preoxygenation in morbidly obese patients, BERTHOUD, M. C., *et al.* 464–466
——, Preoxygenation: use of a high flow delivery system, OOI, R., *et al.*, (*ARS*) 208P

Anaesthetic techniques, regional, Regional anaesthesia requires attention to detail, IEVINS, F. A., (*C*) 225
——, Regional anaesthesia requires attention to detail, WILDSMITH, J. A. W., (*C*) 224–225
——, Sedation with propofol during surgery under regional block: evaluation of a computer controlled infusion system, SKIPSEY, I. G., *et al.*, (*ARS*) 218–219P
Anaesthetic techniques, regional, brachial plexus, Inverse correlation between the peak venous serum concentration of bupivacaine and the weight of the patient during interscalene brachial plexus block, PIHLAJAMÄKI, K. K. 621–622
——, Unsuspected extradural catheterization in an interscalene block, COOK, L. B. 473–475
Anaesthetic techniques, regional, caudal, Ketamine for caudal analgesia in children: comparison with caudal bupivacaine, NAGUIB, M., *et al.* 559–564
Anaesthetic techniques, regional, paravertebral block, Patterns of oxygenation after thoracotomy, ENTWISTLE, M. D., *et al.* 704–711
Anaesthetic techniques, regional, rectus sheath, Postoperative analgesia by infusion of local anaesthetic into the rectus sheath, WATSON, D., *et al.*, (*ARS*) 656P
Anaesthetic techniques, subarachnoid, First use of combined spinal–extradural anaesthesia, CARRIE, L. E. S., (*C*) 667
——, First use of combined spinal–extradural anaesthesia, ELDOR, J., (*C*) 666
——, Headache after spinal anaesthesia, REID, J. A., *et al.*, (*E*) 674–677
——, Incremental spinal anaesthesia and Caesarean section—relevance to the test dose for extradural analgesia, KESTIN, I. G., (*C*) 228
——, Incremental spinal anaesthesia and Caesarean section—relevance to the test dose for extradural analgesia, TUNSTALL, M. E., (*C*) 227–228
——, Metabolic response to colonic surgery: extradural *vs* continuous spinal, WEBSTER, J., *et al.* 467–469
——, Spinal anaesthesia in obstetrics, BROWNRIDGE, P., (*C*) 663
——, Spinal anaesthesia in obstetrics, KESTIN, I. G., (*C*) 663
——, Systemic fentanyl enhances the spread of spinal analgesia produced by lignocaine, FASSOULAKI, A., *et al.* 437–439
——, Use of a 25-gauge Whitacre needle to reduce the incidence of postdural puncture headache, LYNCH, J., *et al.* 690–693
Anaesthetic techniques, subarachnoid, complications, Headache after continuous spinal anaesthesia, KESTIN, I. G., (*C*) 131
——, Headache after continuous spinal anaesthesia, MILLIGAN, H. R., *et al.*, (*C*) 131
——, Transient ischaemic attack after spinal anaesthesia, CHUNG, R. A., *et al.* 635–637
Anaesthetic techniques, topical, Preliminary study to assay plasma amethocaine concentrations after topical application of a new local anaesthetic cream containing amethocaine, MAZUMDAR, B., *et al.* 432–436
Anaesthetic techniques, total, Total i.v. anaesthesia with propofol and alfentanil: influence of age and weight on dose requirements, RAFTERY, S., *et al.*, (*ARS*) 218P
Anaesthetics gases, cyclopropane, Effect of 5% and 10% MAC of cyclopropane and halothane on peak velocity of saccadic eye movements, YOSHIZUMI, J., *et al.*, (*ARS*) 212–213P
——, Effects of low concentrations of cyclopropane and halothane on peak velocity of saccadic eye movements, YOSHIZUMI, J., *et al.* 735–740
Anaesthetics gases, nitrous oxide, Anaesthesia and bone marrow aplasia, FENNER, S. G., *et al.*, (*C*) 665
——, Anaesthesia and bone marrow aplasia, HAMILTON, W. K., (*C*) 665
——, Changes in amplitude and latency of the P300 component of the auditory evoked potential with sedative and anaesthetic concentrations of nitrous oxide, JESSOP, J., *et al.* 524–531
——, Effect of 5% and 10% MAC of cyclopropane and halothane on peak velocity of saccadic eye movements, YOSHIZUMI, J., *et al.*, (*ARS*) 212–213P
——, Neuromuscular and clinical effects of mivacurium chloride in healthy adult patients during nitrous oxide–enflurane anaesthesia, GOLDHILL, D. R., *et al.* 289–295
——, Nitrous oxide sedation causes post-hyperventilation apnoea, NORTHWOOD, D., *et al.* 7–12
——, Rapid inhalation induction with isoflurane in humidified carrier gas, VAN HEERDEN, P. V., *et al.* 470–472
Anaesthetics, i.v., Synergism among i.v. anaesthetics, MCKAY, A. C., (*E*) 1–3
Anaesthetics i.v., etomidate, Effect of thiopentone, etomidate and propofol on systemic vascular resistance during cardiopulmonary bypass, BOER, F., *et al.* 69–72
——, Modification by drugs used in anaesthesia of CNS stimulation induced in mice by laudanosine and strychnine, AL-MUHANDIS, W. M., *et al.* 608–613
Anaesthetics i.v., ketamine, General anaesthetics induce only histamine release selectively from human mast cells, STELLATO, C., *et al.* 751–758
——, Ketamine for caudal analgesia in children: comparison with caudal bupivacaine, NAGUIB, M., *et al.* 559–564
——, Pharmacokinetics and distribution of ketamine after extradural administration to dogs, PEDRAZ, J. L., *et al.* 310–316
Anaesthetics i.v., methohexitone, Modification by drugs used in anaesthesia of CNS stimulation induced in mice by laudanosine and strychnine, AL-MUHANDIS, W. M., *et al.* 608–613
Anaesthetics i.v., morphine, Patterns of oxygenation after thoracotomy, ENTWISTLE, M. D., *et al.* 704–711
Anaesthetics i.v., propofol, Analgesia with subhypnotic doses of thiopentone and propofol, ARENDT-NIELSEN, L., *et al.*, (*C*) 227
——, Analgesia with subhypnotic doses of thiopentone and propofol, WILDER-SMITH, O., *et al.*, (*C*) 226–227
——, Bacterial growth in propofol, MCLEOD, G. A., *et al.*, (*C*) 665–666
——, Can glycopyrrolate attenuate propofol-induced hypotension in elderly patients? SNEYD, J. R., *et al.*, (*ARS*) 661–662P
——, Change in end-expiratory respiratory volume with thiopentone or propofol induction of anaesthesia, RUTHERFORD, J. S., *et al.*, (*ARS*) 647P
——, Comparison of arterial and arterialized venous concentrations of propofol during infusion of propofol, OKELL, R. W., *et al.* 285–288
——, Comparison of bolus or slow infusion of propofol for induction of anaesthesia in the elderly, MCLAUCHLAN, G. A., *et al.*, (*ARS*) 211P
——, Comparison of the effects of anaesthetic agents on mitogen-induced lymphocyte proliferation *in vitro*, O'DONNELL, C. A., *et al.*, (*ARS*) 658–659P
——, Comparison of the effects of propofol, midazolam and thiopentone on neutrophil polarization *in vitro*, O'DONNELL, N. G., *et al.*, (*ARS*) 661P
——, Comparison of thiopentone and propofol at two rates of administration in patients with severe head injury, ANDREWS, P. J. D., *et al.*, (*ARS*) 212P
——, Desaturation and induction characteristics: comparison of propofol and thiopentone during mask

anaesthesia with isoflurane, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 203P
——, Diprivan intensive care sedation in children, RODGERS, E. M., (*C*) 505
——, Disposition of propofol at Caesarean section and in the postpartum period, GIN, T., *et al.* 49–53
——, Does physiotherapy affect the auditory evoked potentials of sedated patients in the intensive care unit? SNEYD, J. R., *et al.*, (*ARS*) 647P
——, Dose requirements to suppress consciousness by continuous infusion of propofol in young adults, DUNNET, J. M., *et al.*, (*ARS*) 214–215P
——, Effect of thiopentone, etomidate and propofol on systemic vascular resistance during cardiopulmonary bypass, BOER, F., *et al.* 69–72
——, General anaesthetics induce only histamine release selectively from human mast cells, STELLATO, C., *et al.* 751–758
——, Haemodynamic effects of propofol: induction with 2.5 mg kg^{-1}, FAIRFIELD, J. E., *et al.* 618–620
——, Hyperventilation and blood concentrations of propofol during total i.v. anaesthesia, ENEVER, G., *et al.*, (*ARS*) 217–218P
——, Measurement of propofol metabolites in human urine using nuclear magnetic resonance, SNEYD, J. R., *et al.*, (*ARS*) 659–660P
——, Midazolam and propofol for induction of anaesthesia, MCCLUNE, S., *et al.*, (*ARS*) 215–216P
——, Modification by drugs used in anaesthesia of CNS stimulation induced in mice by laudanosine and strychnine, AL-MUHANDIS, W. M., *et al.* 608–613
——, Non-invasive measurement of cardiac output during induction of anaesthesia and tracheal intubation: thiopentone and propofol compared, VOHRA, A., *et al.* 64–68
——, Pain on injection of propofol: effects of concentration and diluent, KLEMENT, W., *et al.* 281–284
——, Patient-controlled anxiolysis with propofol, URE, R. W., *et al.*, (*ARS*) 657–658P
——, Pharmacokinetic model driven infusion of propofol in children, MARSH, B., *et al.* 41–48
——, Propofol and midazolam act synergistically in combination, SHORT, T. G., *et al.* 539–545
——, Propofol induces the production of endothelium-derived relaxing factor, PETROS, A. J., *et al.*, (*ARS*) 645–646P
——, Propofol sedation for outpatient upper gastrointestinal endoscopy: comparison with midazolam, PATTERSON, K. W., *et al.* 108–111
——, Sedation with propofol during surgery under regional block: evaluation of a computer controlled infusion system, SKIPSEY, I. G., *et al.*, (*ARS*) 218–219P
——, The anti-oxidant potential of propofol, MURPHY, P. G., *et al.*, (*ARS*) 209–210P
——, Thiopentone–propofol hypnotic synergism in patients, NAGUIB, M., *et al.* 4–6
——, Total i.v. anaesthesia with propofol and alfentanil: influence of age and weight on dose requirements, RAFTERY, S., *et al.*, (*ARS*) 218P

Anaesthetics i.v., thiopentone, Anaesthetic–plasma interactions: a study using nuclear magnetic resonance spectroscopy (MRS), EVANS, R. D., *et al.*, (*ARS*) 217P
——, Analgesia with subhypnotic doses of thiopentone and propofol, ARENDT-NIELSEN, L., *et al.*, (*C*) 227
——, Analgesia with subhypnotic doses of thiopentone and propofol, WILDER-SMITH, O., *et al.*, (*C*) 226–227
——, Change in end-expiratory respiratory volume with thiopentone or propofol induction of anaesthesia, RUTHERFORD, J. S., *et al.*, (*ARS*) 647P
——, Comparison of infusion rates of thiopentone for induction of anaesthesia in elderly patients, BERTHOUD, M. C., *et al.*, (*ARS*) 645P
——, Comparison of the effects of anaesthetic agents on mitogen-induced lymphocyte proliferation *in vitro*, O'DONNELL, C. A., *et al.*, (*ARS*) 658–659P
——, Comparison of the effects of propofol, midazolam and thiopentone on neutrophil polarization *in vitro*, O'DONNELL, N. G., *et al.*, (*ARS*) 661P
——, Comparison of thiopentone and propofol at two rates of administration in patients with severe head injury, ANDREWS, P. J. D., *et al.*, (*ARS*) 212P
——, Desaturation and induction characteristics: comparison of propofol and thiopentone during mask anaesthesia with isoflurane, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 203P
——, Effect of thiopentone, etomidate and propofol on systemic vascular resistance during cardiopulmonary bypass, BOER, F., *et al.* 69–72
——, General anaesthetics induce only histamine release selectively from human mast cells, STELLATO, C., *et al.* 751–758
——, Intra-arterial thiopentone is directly toxic to vascular endothelium, MACPHERSON, R. D., *et al.* 546–552
——, Modification by drugs used in anaesthesia of CNS stimulation induced in mice by laudanosine and strychnine, AL-MUHANDIS, W. M., *et al.* 608–613
——, Non-invasive measurement of cardiac output during induction of anaesthesia and tracheal intubation: thiopentone and propofol compared, VOHRA, A., *et al.* 64–68
——, Thiopentone–propofol hypnotic synergism in patients, NAGUIB, M., *et al.* 4–6

Anaesthetics local, amethocaine, Preliminary study to assay plasma amethocaine concentrations after topical application of a new local anaesthetic cream containing amethocaine, MAZUMDAR, B., *et al.* 432–436

Anaesthetics local, bupivacaine, Cardiovascular effects and regional clearances of i.v. bupivacaine in sheep: enantiomeric analysis, RUTTEN, A. J., *et al.* 247–256
——, Disposition of mepivacaine and bupivacaine enantiomers in sheep, MATHER, L. E. 239–246
——, Effect of i.v. low-dose adrenaline and phenylephrine infusions on plasma concentrations of bupivacaine after lumbar extradural anaesthesia in elderly patients, SHARROCK, N. E., *et al.* 694–698
——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, ALAHUHTA, S., *et al.* 678–682
——, First pass lung uptake of bupivacaine: effect of acidosis in an intact rabbit lung model, PALAZZO, M. G. A., *et al.* 759–763
——, Incremental spinal anaesthesia and Caesarean section—relevance to the test dose for extradural analgesia, KESTIN, I. G., (*C*) 228
——, Incremental spinal anaesthesia and Caesarean section—relevance to the test dose for extradural analgesia, TUNSTALL, M. E., (*C*) 227–228
——, Inverse correlation between the peak venous serum concentration of bupivacaine and the weight of the patient during interscalene brachial plexus block, PIHLAJAMÄKI, K. K. 621–622
——, Ketamine for caudal analgesia in children: comparison with caudal bupivacaine, NAGUIB, M., *et al.* 559–564
——, Patterns of oxygenation after thoracotomy, ENTWISTLE, M. D., *et al.* 704–711
——, Postoperative analgesia by infusion of local anaesthetic into the rectus sheath, WATSON, D., *et al.*, (*ARS*) 656P
——, Protein metabolism after abdominal surgery: effect of 24-h extradural block with local anaesthetic, CARLI, F., *et al.* 729–734
——, The loading dose in continuous infusion extradural analgesia in obstetrics, JANES, E. F., *et al.* 323–325

Anaesthetics local, lignocaine, Effect of adrenaline on extradural anaesthesia, plasma lignocaine concentrations and the feto–placental unit during elective Caesarean section, McLintic, A. J., *et al.* 683–689
——, Effects of i.v. lignocaine on psychological performance and subjective state in healthy volunteers, Armstrong, P. J., *et al.* 532–538
——, Systemic fentanyl enhances the spread of spinal analgesia produced by lignocaine, Fassoulaki, A., *et al.* 437–439
Anaesthetics local, lignocaine–bupivacaine, Comparison of plain and alkalinized local anaesthetic mixtures of lignocaine and bupivacaine for elective extradural Caesarean section, Fernando, R., *et al.* 699–703
Anaesthetics local, mepivacaine, Disposition of mepivacaine and bupivacaine enantiomers in sheep, Mather, L. E. 239–246
Anaesthetics local, stereoisomers, Cardiovascular effects and regional clearances of i.v. bupivacaine in sheep: enantiomeric analysis, Rutten, A. J., *et al.* 247–256
——, Disposition of mepivacaine and bupivacaine enantiomers in sheep, Mather, L. E. 239–246
Anaesthetics volatile, enflurane, Neuromuscular and clinical effects of mivacurium chloride in healthy adult patients during nitrous oxide–enflurane anaesthesia, Goldhill, D. R., *et al.* 289–295
Anaesthetics volatile, halothane, Anaesthetic–plasma interactions: a study using nuclear magnetic resonance spectroscopy (MRS), Evans, R. D., *et al.*, (*ARS*) 217P
——, Comparison between sevoflurane and halothane for paediatric ambulatory anaesthesia, Naito, Y., *et al.* 387–389
——, Effect of 5% and 10% MAC of cyclopropane and halothane on peak velocity of saccadic eye movements, Yoshizumi, J., *et al.*, (*ARS*) 212–213P
——, Effect of Pa_{CO_2} on cerebral blood flow distribution during halothane compared with isoflurane anaesthesia in the rat, Young, W. L., *et al.* 440–446
——, Effects of low concentrations of cyclopropane and halothane on peak velocity of saccadic eye movements, Yoshizumi, J., *et al.* 735–740
——, Halothane hepatitis, Ray, D. C., *et al.* 84–99
——, Pathogenesis of suxamethonium-induced muscle damage in the biventer cervicis muscle in the chick, McLoughlin, C., *et al.* 764–767
——, Screening for antibodies associated with halothane hepatitis, Hastings, K. L., *et al.* 722–728
Anaesthetics volatile, isoflurane, Absorption of isoflurane by silica gel, Lumb, A. B., *et al.* 106–107
——, Desaturation and induction characteristics: comparison of propofol and thiopentone during mask anaesthesia with isoflurane, Head-Rapson, A. G., *et al.*, (*ARS*) 203P
——, Effect of Pa_{CO_2} on cerebral blood flow distribution during halothane compared with isoflurane anaesthesia in the rat, Young, W. L., *et al.* 440–446
——, Effects of labetalol on perioperative stress markers and isoflurane requirements, Amar, D., *et al.* 296–301
——, Haemodynamic and oxygen transport effects of isoflurane as sedation in ventilated patients in the intensive care unit, Browne, G. P. R., *et al.*, (*ARS*) 652P
——, Inhalation induction of anaesthesia with isoflurane: effect of added carbon dioxide, Coleman, S. A., *et al.* 257–261
——, Inhalation induction of anaesthesia with isoflurane in children, Lewis, I. H., (*C*) 500
——, Inhalation induction of anaesthesia with isoflurane in children, Warde, D. J., *et al.*, (*C*) 500–501
——, Rapid inhalation induction with isoflurane in humidified carrier gas, van Heerden, P. V., *et al.* 470–472
——, Rib cage contribution to resting and carbon dioxide stimulated ventilation during 1 MAC isoflurane anaesthesia, Lumb, A. B., *et al.* 712–721
Anaesthetics volatile, sevoflurane, Comparison between sevoflurane and halothane for paediatric ambulatory anaesthesia, Naito, Y., *et al.* 387–389
Anaesthetics volatile, trace concentrations, Determination of contamination of a chemical warfare-proof operating theatre with volatile anaesthetic agents and assessment of anaesthetic gas scavenging systems, Yoganathan, S., *et al.* 614–617
Analgesia, obstetric, The loading dose in continuous infusion extradural analgesia in obstetrics, Janes, E. F., *et al.* 323–325
Analgesia, paediatric, Ketamine for caudal analgesia in children: comparison with caudal bupivacaine, Naguib, M., *et al.* 559–564
Analgesia, patient-controlled, Double-blind comparison of the morphine sparing effect of continuous and intermittent i.m. administration of ketorolac, Burns, J. W., *et al.* 235–238
——, Pain relief and hypoxaemia during administration of extradural fentanyl by three different methods, Kluger, M. T., *et al.*, (*ARS*) 656–657P
——, Patient-controlled anxiolysis with propofol, Ure, R. W., *et al.*, (*ARS*) 657–658P
——, The first year's experience of an acute pain service, Wheatley, R. G., *et al.* 353–359
Analgesia, postoperative, Double-blind comparison of the morphine sparing effect of continuous and intermittent i.m. administration of ketorolac, Burns, J. W., *et al.* 235–238
——, Ketamine for caudal analgesia in children: comparison with caudal bupivacaine, Naguib, M., *et al.* 559–564
——, Patterns of oxygenation after thoracotomy, Entwistle, M. D., *et al.* 704–711
——, Postoperative analgesia by infusion of local anaesthetic into the rectus sheath, Watson, D., *et al.*, (*ARS*) 656P
Analgesic techniques, extradural, The loading dose in continuous infusion extradural analgesia in obstetrics, James, E. F., *et al.* 323–325
Analgesic techniques, infusion, Pain relief and hypoxaemia during administration of extradural fentanyl by three different methods, Kluger, M. T., *et al.*, (*ARS*) 656–657P
Analgesic techniques, regional, i.a., Intra-arterial regional analgesia, Austin, T. R., (*C*) 803
——, Intra-arterial regional analgesia, Gilsanz, F., (*C*) 803–804
——, Intra-arterial regional analgesia, Koscielniak-Nielsen, Z. J., (*C*) 804
Analgesic techniques, subhypnotic dose, Analgesia with subhypnotic doses of thiopentone and propofol, Arendt-Nielsen, L., *et al.*, (*C*) 227
——, Analgesia with subhypnotic doses of thiopentone and propofol, Wilder-Smith, O., *et al.*, (*C*) 226–227
Analgesics non-opioid, diclofenac, Venous sequelae after i.v. diclofenac, Campbell, W., *et al.*, (*C*) 803
——, Venous sequelae after i.v. diclofenac, Gopinath, R., (*C*) 803
Analgesics non-opioid, ketorolac, Double-blind comparison of the morphine sparing effect of continuous and intermittent i.m. administration of ketorolac, Burns, J. W., *et al.* 235–238
——, Gastric emptying and small bowel transit in male volunteers after i.m. ketorolac and morphine, Yee, M. K., *et al.* 426–431
Analgesics opioid, alfentanil, Attenuation of the pressor response to tracheal intubation by magnesium sulphate with and without alfentanil in hypertensive proteinuric

patients undergoing Caesarean section, ASHTON, W. B., *et al.* 741–747
——, Pharmacokinetics of alfentanil in burns patients, MACFIE, A. G., *et al.*, (*ARS*) 657P
——, Relationship between analgesia and respiratory depression for mu opioid receptor agonists in mice, STOTT, D. G., *et al.* 603–607
——, Total i.v. anaesthesia with propofol and alfentanil: influence of age and weight on dose requirements, RAFTERY, S., *et al.*, (*ARS*) 218P
Analgesics opioid, buprenorphine, Effect of sublingual buprenorphine on gastric emptying of a liquid meal, TROTTER, T. N., *et al.* 748–750
Analgesics opioid, diamorphine, Speed of onset of analgesia of diamorphine or morphine, SHELLY, M. P., *et al.*, (*C*) 666
Analgesics opioid, etorphine, Relationship between analgesia and respiratory depression for mu opioid receptor agonists in mice, STOTT, D. G., *et al.* 603–607
Analgesics opioid, fentanyl, Alcohol after sedation with i.v. midazolam–fentanyl: effects on psychomotor functioning, LICHTOR, J. L., *et al.* 579–584
——, Comparison of sufentanil–nitrous oxide anaesthesia with fentanyl–nitrous oxide anaesthesia in geriatric patients undergoing major abdominal surgery, KIETZMANN, D., *et al.* 269–276
——, Does physiotherapy affect the auditory evoked potentials of sedated patients in the intensive care unit? SNEYD, J. R., *et al.*, (*ARS*) 647P
——, Maternal temperature regulation during extradural analgesia for labour, CAMANN, W. R., *et al.* 565–568
——, Pain relief and hypoxaemia during administration of extradural fentanyl by three different methods, KLUGER, M. T., *et al.*, (*ARS*) 656–657P
——, Relationship between analgesia and respiratory depression for mu opioid receptor agonists in mice, STOTT, D. G., *et al.* 603–607
——, Spectral analysis of the electromyogram: effect of fentanyl, SEVERN, A. M., *et al.*, (*ARS*) 650P
——, Spinally mediated antinociceptive effects of xylazine, an alpha-2 adrenoceptor agonist: interaction with spinal cord opioid pathways, GOODCHILD, C. S., *et al.*, (*ARS*) 201P
——, Systemic fentanyl enhances the spread of spinal analgesia produced by lignocaine, FASSOULAKI, A., *et al.* 437–439
Analgesics opioid, morphine, Double-blind comparison of the morphine sparing effect of continuous and intermittent i.m. administration of ketorolac, BURNS, J. W., *et al.* 235–238
——, Effect of cisapride on morphine absorption after oral administration of sustained-release morphine, ROWBOTHAM, D. J., *et al.* 421–425
——, Gastric emptying and small bowel transit in male volunteers after i.m. ketorolac and morphine, YEE, M. K., *et al.* 426–431
——, Modification by drugs used in anaesthesia of CNS stimulation induced in mice by laudanosine and strychnine, AL-MUHANDIS, W. M., *et al.* 608–613
——, Physiological disposition of i.v. morphine in sheep, SLOAN, P. A., *et al.* 378–386
——, Relationship between analgesia and respiratory depression for mu opioid receptor agonists in mice, STOTT, D. G., *et al.* 603–607
——, Speed of onset of analgesia of diamorphine or morphine, SHELLY, M. P., *et al.*, (*C*) 666
——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, DAVIS, C. L., (*C*) 362–363
——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, HANNA, M. H., (*C*) 363
——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, JOEL, P., (*C*) 363
Analgesics opioid, morphine-6-glucuronide, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, DAVIS, C. L., (*C*) 362–363
——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, HANNA, M. H., (*C*) 363
——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, JOEL, P., (*C*) 363
Analgesics opioid, papaveretum, Patterns of oxygenation after thoracotomy, ENTWISTLE, M. D., *et al.* 704–711
Analgesics opioid, pethidine, Modification by drugs used in anaesthesia of CNS stimulation induced in mice by laudanosine and strychnine, AL-MUHANDIS, W. M., *et al.* 608–613
Analgesics opioid, sufentanil, Comparison of sufentanil–nitrous oxide anaesthesia with fentanyl–nitrous oxide anaesthesia in geriatric patients undergoing major abdominal surgery, KIETZMANN, D., *et al.* 269–276
——, Relationship between analgesia and respiratory depression for mu opioid receptor agonists in mice, STOTT, D. G., *et al.* 603–607
Anatomy, chest wall, A rapid method to assess chest wall shape and volume change, DRUMMOND, G. B., *et al.*, (*ARS*) 204P
Antacids, ranitidine, Effect of single doses of cisapride and ranitidine administered simultaneously on plasma concentrations of cisapride and ranitidine, ROWBOTHAM, D. J., *et al.* 302–305
Antagonists benzodiazepine, flumazenil, Antagonism of benzodiazepine sedation with flumazenil, MCCLOY, R., *et al.*, (*C*) 504
——, Antagonism of benzodiazepine sedation with flumazenil, SANDERS, L., *et al.*, (*C*) 504
——, Effects of flumazenil on cerebral blood flow and oxygen consumption after midazolam anaesthesia for craniotomy, KNUDSEN, L., *et al.* 277–280
Antagonists glycine, Modification by drugs used in anaesthesia of CNS stimulation induced in mice by laudanosine and strychnine, AL-MUHANDIS, W. M., *et al.* 608–613
Antagonists neuromuscular block, 4-aminopyridine, Investigation of fade in suxamethonium-induced phase II block in the isolated rat diaphragm, GUPTA, V. L., *et al.*, (*ARS*) 211P
Antagonists neuromuscular block, edrophonium, Antagonism of intense atracurium-induced neuromuscular block in children, GWINNUTT, C. L., *et al.* 13–16
Antagonists neuromuscular block, neostigmine, Antagonism of intense atracurium-induced neuromuscular block in children, GWINNUTT, C. L., *et al.* 13–16
——, Dose requirements of neostigmine for antagonism of vecuronium neuromuscular block in the elderly: comparison with adults, MCCARTHY, G., *et al.*, (*ARS*) 652–653P
——, Investigation of fade in suxamethonium-induced phase II block in the isolated rat diaphragm, GUPTA, V. L., *et al.*, (*ARS*) 211P
Antagonists opioid, naloxone, Systemic fentanyl enhances the spread of spinal analgesia produced by lignocaine, FASSOULAKI, A., *et al.* 437–439
Antibiotics, A23187, *In vitro* contracture with the calcium ionophore A23187 in skeletal muscle from malignant hyperthermia susceptible and normal individuals, HOPKINS, P. M., *et al.*, (*ARS*) 202P
Antibiotics, erythromycin, Midazolam and erythromycin, WOOD, M., (*C*) 131
Arterial pressure, Arterial pressure responses induced by stimuli to the upper airway in anaesthetized patients, READ, J. R. M., *et al.*, (*ARS*) 216P

——, Comparison of invasive and non-invasive measurement of continuous arterial pressure using the Finapres, STOKES, D. N., *et al.* 26–35
——, Comparison of the Finapres and direct arterial pressure monitoring during profound hypotensive anaesthesia, AITKEN, H. A., *et al.* 36–40
——, Systolic arterial pressure as a monitor of depth of anaesthesia, ASBURY, A. J., (*C*) 506
——, Systolic arterial pressure as a monitor of depth of anaesthesia, COUTO DA SILVA, J. M., (*C*) 506
Arterial pressure, drug effects, Attenuation of the pressor response to tracheal intubation by magnesium sulphate with and without alfentanil in hypertensive proteinuric patients undergoing Caesarean section, ASHTON, W. B., *et al.* 741–747
——, Propofol induces the production of endothelium-derived relaxing factor, PETROS, A. J., *et al.*, (*ARS*) 645–646P
Arterial pressure, hypertension, Attenuation of the pressor response to tracheal intubation by magnesium sulphate with and without alfentanil in hypertensive proteinuric patients undergoing Caesarean section, ASHTON, W. B., *et al.* 741–747
——, Effects of adenosine triphosphate on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 410–415
Arterial pressure, measurement, A new optical transducer for arterial pressure measurement, HACKMAN, C. H., *et al.* 346–352
——, Comparison of invasive and non-invasive measurement of continuous arterial pressure using the Finapres, STOKES, D. N., *et al.* 26–35
——, Comparison of the Finapres and direct arterial pressure monitoring during profound hypotensive anaesthesia, AITKEN, H. A., *et al.* 36–40
Arteries, cerebral, aneurysm, Controlled hypotension for cerebral aneurysm surgery in the presence of severe aortic coarctation, GOODIE, D. B., *et al.* 329–331
Arteries, damage, Intra-arterial thiopentone is directly toxic to vascular endothelium, MACPHERSON, R. D., *et al.* 546–552

Basic Physics and Measurement in Anaesthesia, 3rd Edn, PARBROOK, G. D., *et al.*, (editors), (*R*) 230
Biotransformation (drug), Drug biotransformation by the kidney: how important is it, and how much do we really know? SEAR, J. W., (*E*) 369–372
Biotransformation (drug), bupivacaine, First pass lung uptake of bupivacaine: effect of acidosis in an intact rabbit lung model, PALAZZO, M. G. A., *et al.* 759–763
Biotransformation (drug), ketamine, Pharmacokinetics and distribution of ketamine after extradural administration to dogs, PEDRAZ, J. L., *et al.* 310–316
Blood, anaesthetic concentration, Comparison of arterial and arterialized venous concentrations of propofol during infusion of propofol, OKELL, R. W., *et al.* 285–288
——, Hyperventilation and blood concentrations of propofol during total i.v. anaesthesia, ENEVER, G., *et al.*, (*ARS*) 217–218P
——, Inverse correlation between the peak venous serum concentration of bupivacaine and the weight of the patient during interscalene brachial plexus block, PIHLAJAMÄKI, K. K. 621–622
——, Preliminary study to assay plasma amethocaine concentrations after topical application of a new local anaesthetic cream containing amethocaine, MAZUMDAR, B., *et al.* 432–436
Blood, erythrocytes, Malignant hyperthermia: a generalized abnormality of membrane fluidity? COOPER, P., *et al.*, (*ARS*) 201–202P
Blood, flow, feto–uteroplacental, Assessment of the placental circulation, MOORE, J., (*E*) 671–673
——, Effect of adrenaline on extradural anaesthesia, plasma lignocaine concentrations and the feto–placental unit during elective Caesarean section, MCLINTIC, A. J., *et al.* 683–689
——, Effects of extradural anaesthesia on umbilical and uteroplacental arterial flow velocity waveforms, TURNER, G. A., *et al.* 306–309
——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, ALAHUHTA, S., *et al.* 678–682
Blood, flow, umbilical, Effects of extradural anaesthesia on umbilical and uteroplacental arterial flow velocity waveforms, TURNER, G. A., *et al.* 306–309
Blood, haemofiltration, Clearance of atracurium and laudanosine in the urine and by continuous venovenous haemofiltration, SHEARER, E. S., *et al.* 569–573
Blood, loss, Haemodynamic effects and outcome analysis of hypotensive extradural anaesthesia in controlled hypertensive patients undergoing total hip arthroplasty, SHARROCK, N. E., *et al.* 17–25
Blood, lymphocytes, Comparison of the effects of anaesthetic agents on mitogen-induced lymphocyte proliferation *in vitro*, O'DONNELL, C. A., *et al.*, (*ARS*) 658–659P
Blood, neutrophils, Comparison of the effects of propofol, midazolam and thiopentone on neutrophil polarization *in vitro*, O'DONNELL, N. G., *et al.*, (*ARS*) 661P
Blood, transfusion, Inappropriate heparinization with a cell saver, COLUMB, M. O., (*C*) 223
Blood, volume, Fluids for resuscitation, VINCENT, J.-L. 185–193
——, Influence of hypertonic volume replacement on the microcirculation in cardiac surgery, BOLDT, J., *et al.* 595–602
Book Reviews
A Colour Atlas of Dental Analgesia and Sedation, ROBERTS, G. J., *et al.*, (*R*) 364
A Pocket Book of Intensive Care: Data, Drugs and Procedures, 2nd Edn, TINKER, J., *et al.*, (editors), (*R*) 669
Advances in Anesthesia, Vol. 7, STOELTING, R. K., *et al.*, (editors), (*R*) 229
Ambulatory Anaesthesia and Sedation. Impairment and Recovery, KLEPPER, I. D., *et al.*, (editors), (*R*) 668
Anaesthesia, 3rd Edn, MILLER, R. G., (editor), (*R*) 364
Anaesthesia for Ambulatory Surgery, 2nd Edn, WETCHLER, B. V., (editor), (*R*) 229–230
Basic Physics and Measurement in Anaesthesia, 3rd Edn, PARBROOK, G. D., *et al.*, (editors), (*R*) 230
ECG Essentials—A Pocket Reference for Systematic Interpretation, MURPHY, K. R., *et al.*, (*R*) 364–365
Emergency Drug Therapy, 1st Edn, BARSAN, W. G., *et al.*, (editors), (*R*) 508–509
Epidural and Spinal Blockade in Obstetrics, REYNOLDS, F., (editor), (*R*) 229
Gas Monitoring and Pulse Oximetry, GRAVENSTEIN, J. S., (*R*) 230
Goodman & Gilman's The Pharmacological Basis of Therapeutics, 8th Edn, GILMAN, A. G., *et al.*, (editors), (*R*) 133
Handbook of Obstetric Anaesthesia, BUCHAN, A. S., *et al.*, (*R*) 509
Intraoperative Use of Echocardiography (A Society of Cardiovascular Anesthesiologists Monograph), DEBRUIJN, N. P., *et al.*, (editors), (*R*) 668–669
Medical Statistics on Microcomputers, 1st Edn, BROWN, R. A., *et al.*, (*R*) 132–133
Postanaesthetic Care, FROST, E. A. M., *et al.*, (editors), (*R*) 133
Regional Anaesthesia, 2nd Edn, KOERSTER, W., *et al.*, (editors), (*R*) 668

Regional Anaesthesia in Children, 1st Edn, SAINT-MAURICE, C., *et al.*, (editors), (*R*) 132
The Anaesthetic Plan: From Physiologic Principles to Clinical Strategies, MURAVCHICK, S., (*R*) 365
The Lung—Scientific Foundations, CRYSTAL, R. G., *et al.*, (editors), (*R*) 230
Towards a New Pharmacotherapy of Pain, BASBAUM, A. I., *et al.*, (editors), (*R*) 805
Trauma Anesthesia, STERNE, J. K., *et al.*, (editors), (*R*) 508

Brain, blood flow, Effect of Pa_{CO_2} on cerebral blood flow distribution during halothane compared with isoflurane anaesthesia in the rat, YOUNG, W. L., *et al.* 440–446
——, Effects of flumazenil on cerebral blood flow and oxygen consumption after midazolam anaesthesia for craniotomy, KNUDSEN, L., *et al.* 277–280
Brain, evoked potentials, Changes in amplitude and latency of the P300 component of the auditory evoked potential with sedative and anaesthetic concentrations of nitrous oxide, JESSOP, J., *et al.* 524–531
Brain, intracranial neoplasm, Management of labour and delivery in patients with intracranial neoplasms, FINFER, S. R. 784–787
Brain, ischaemia, Transient ischaemic attack after spinal anaesthesia, CHUNG, R. A., *et al.* 635–637
Brain, oxygen consumption, Effects of flumazenil on cerebral blood flow and oxygen consumption after midazolam anaesthesia for craniotomy, KNUDSEN, L., *et al.* 277–280
Brain, saccadic eye movements, Effect of 5% and 10% MAC of cyclopropane and halothane on peak velocity of saccadic eye movements, YOSHIZUMI, J., *et al.*, (*ARS*) 212–213P
——, Effects of low concentrations of cyclopropane and halothane on peak velocity of saccadic eye movements, YOSHIZUMI, J., *et al.* 735–740
Burns, Pharmacokinetics of alfentanil in burns patients, MACFIE, A. G., *et al.*, (*ARS*) 657P

Cancer, Relationship of postoperative and cancer chemotherapy sickness, DUNDEE, J. W., *et al.*, (*ARS*) 214P
——, Resistance to atracurium in a patient with an increase in plasma $alpha_1$ globulins, TATMAN, A. J., *et al.* 623–625
——, Unusual presentation of acute upper airway obstruction caused by an anterior mediastinal mass, AKHTAR, T. M., *et al.* 632–634
Carbon dioxide, exogenous, Inhalation induction of anaesthesia with isoflurane: effect of added carbon dioxide, COLEMAN, S. A., *et al.* 257–261
Carbon dioxide, extracorporeal removal, Femoral arteriovenous extracorporeal removal of carbon dioxide using a hollow fibre membrane lung, YOUNG, J. D., *et al.*, (*ARS*) 209P
——, Pressure–volume hysteresis of the lungs in respiratory distress syndrome, RATCLIFFE, F. M., *et al.*, (*ARS*) 203–204P
Carbon dioxide, hypocapnia, Effect of Pa_{CO_2} on cerebral blood flow distribution during halothane compared with isoflurane anaesthesia in the rat, YOUNG, W. L., *et al.* 440–446
——, Nitrous oxide sedation causes post-hyperventilation apnoea, NORTHWOOD, D., *et al.* 7–12
Carbon dioxide, measurement, Measurement of energy expenditure in critical illness using ^{13}C labelled bicarbonate, DEVLIN, J. C., *et al.*, (*ARS*) 651P
Carbon dioxide, partial pressure, Effect of Pa_{CO_2} on cerebral blood flow distribution during halothane compared with isoflurane anaesthesia in the rat, YOUNG, W. L., *et al.* 440–446
Cardiorespiratory system, effects, Propofol sedation for outpatient upper gastrointestinal endoscopy: comparison with midazolam, PATTERSON, K. W., *et al.* 108–111
Cardiovascular system, effects, Cardiovascular effects and regional clearances of i.v. bupivacaine in sheep: enantiomeric analysis, RUTTEN, A. J., *et al.* 247–256
——, Comparative effects of pipecuronium and tubocurarine on plasma concentrations of histamine in humans, NAGUIB, M., *et al.* 320–322
Cardiovascular system, responses, Comparison of sufentanil–nitrous oxide anaesthesia with fentanyl–nitrous oxide anaesthesia in geriatric patients undergoing major abdominal surgery, KIETZMANN, D., *et al.* 269–276
——, Effects of adenosine triphosphate on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 410–415
——, Effects of pindolol on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 416–420
——, Haemodynamic and oxygen transport effects of isoflurane as sedation in ventilated patients in the intensive care unit, BROWNE, G. P. R., *et al.*, (*ARS*) 652P
——, Haemodynamic effects of periodic ventilation: abolition with supplementary oxygen, REEDER, M. K., *et al.* 326–328
Cerebrospinal fluid, Pharmacokinetics and distribution of ketamine after extradural administration to dogs, PEDRAZ, J. L., *et al.* 310–316
Chemotherapy, cancer, Relationship of postoperative and cancer chemotherapy sickness, DUNDEE, J. W., *et al.*, (*ARS*) 214P
Chick, Pathogenesis of suxamethonium-induced muscle damage in the biventer cervicis muscle in the chick, MCLOUGHLIN, C., *et al.* 764–767
Children, Antagonism of intense atracurium-induced neuromuscular block in children, GWINNUTT, C. L., *et al.* 13–16
——, Comparison between sevoflurane and halothane for paediatric ambulatory anaesthesia, NAITO, Y., *et al.* 387–389
——, Computerized analysis of continuous pulse oximetry in children with nocturnal breathing disorders, WHEATLEY, R. G., *et al.*, (*ARS*) 208P
——, Cuffed tracheal tubes for paediatric cardiac surgery cause a low incidence of postoperative airway problems, MALMROS, C., *et al.*, (*ARS*) 655P
——, Diprivan intensive care sedation in children, RODGERS, E. M., (*C*) 505
——, Dose requirements of atracurium in paediatric intensive care patients, KUSHIMO, O. T., *et al.* 781–783
——, Effect of P6 acupressure on postoperative vomiting in children undergoing outpatient strabismus correction, LEWIS, I. H., *et al.* 73–78
——, Fresh gas requirement of the Bain system, MEAKIN, G., (*C*) 663–664
——, Fresh gas requirement of the Bain system, MILLER, D., (*C*) 664
——, Inhalation induction of anaesthesia with isoflurane: effect of added carbon dioxide, COLEMAN, S. A., *et al.* 257–261
——, Inhalation induction of anaesthesia with isoflurane in children, LEWIS, I. H., (*C*) 500
——, Inhalation induction of anaesthesia with isoflurane in children, WARDE, D. J., *et al.*, (*C*) 500–501
——, Ketamine for caudal analgesia in children: comparison with caudal bupivacaine, NAGUIB, M., *et al.* 559–564
——, P6 acupuncture and postoperative vomiting after tonsillectomy in children, YENTIS, S. M., *et al.* 779–780
——, Pharmacokinetic model driven infusion of propofol in children, MARSH, B., *et al.* 41–48
——, Potency and ease of antagonism of pipecuronium in children, LEUWER, M., *et al.*, (*ARS*) 206–207P

——, Renal function after cardiopulmonary bypass in children: comparison of dopamine with dobutamine, WENSTONE, R., *et al.* 591–594
——, Resting energy expenditure in children with liver disease, WILSON, S. R., *et al.*, (*ARS*) 216–217P
Complications, anaphylaxis, General anaesthetics induce only histamine release selectively from human mast cells, STELLATO, C., *et al.* 751–758
Complications, anephric patient, Use of mivacurium chloride by constant infusion in the anephric patient, PHILLIPS, B. J., *et al.*, (*ARS*) 653–654P
Complications, aneurysm, Backache after extradural anaesthesia in the postpartum period: dissection of thoracic aneurysm, KAO, Y. J., *et al.* 335–338
Complications, aortic coarctation, Controlled hypotension for cerebral aneurysm surgery in the presence of severe aortic coarctation, GOODIE, D. B., *et al.* 329–331
Complications, aortic valve disease, Controlled hypotension for cerebral aneurysm surgery in the presence of severe aortic coarctation, GOODIE, D. B., *et al.* 329–331
Complications, apnoea, Computerized analysis of continuous pulse oximetry in children with nocturnal breathing disorders, WHEATLEY, R. G., *et al.*, (*ARS*) 208P
——, Nitrous oxide sedation causes post-hyperventilation apnoea, NORTHWOOD, D., *et al.* 7–12
——, Pressure–volume hysteresis of the lungs in respiratory distress syndrome, RATCLIFFE, F. M., *et al.*, (*ARS*) 203–204P
Complications, arthritis, Inverse correlation between the peak venous serum concentration of bupivacaine and the weight of the patient during interscalene brachial plexus block, PIHLAJAMÄKI, K. K. 621–622
Complications, backache, Backache after extradural anaesthesia in the postpartum period: dissection of thoracic aneurysm, KAO, Y. J., *et al.* 335–338
Complications, cancer, Resistance to atracurium in a patient with an increase in plasma alpha$_1$ globulins, TATMAN, A. J., *et al.* 623–625
——, Unusual presentation of acute upper airway obstruction caused by an anterior mediastinal mass, AKHTAR, T. M., *et al.* 632–634
Complications, cardiac arrest, Calcium for resuscitation? ERDMANN, E., *et al.* 178–184
——, Indications for use of bicarbonate in patients with metabolic acidosis, ARIEFF, A. I. 165–177
——, Resuscitation training for the operating department, BROWN, R. W., *et al.*, (*ARS*) 219–220P
Complications, catheter misplacement, Unsuspected extradural catheterization in an interscalene block, COOK, L. B. 473–475
Complications, cerebral ischaemia, Transient ischaemic attack after spinal anaesthesia, CHUNG, R. A., *et al.* 635–637
Complications, compartment syndrome, Compartment syndrome after pressurized infusion, TOBIAS, M. D., *et al.* 332–334
Complications, congenital agranulocytosis, Anaesthesia and bone marrow aplasia, FENNER, S. G., *et al.*, (*C*) 665
——, Anaesthesia and bone marrow aplasia, HAMILTON, W. K., (*C*) 665
Complications, convulsions, Modification by drugs used in anaesthesia of CNS stimulation induced in mice by laudanosine and strychnine, AL-MUHANDIS, W. M., *et al.* 608–613
Complications, death, Reporting of deaths, LUNN, J., (*C*) 503
Complications, drug resistance, Resistance to atracurium in a patient with an increase in plasma alpha$_1$ globulins, TATMAN, A. J., *et al.* 623–625
——, Resistance to non-depolarizing neuromuscular blocking agents, HUNTER, J. M., (*E*) 511–514
Complications, eclampsia, Attenuation of the pressor response to tracheal intubation by magnesium sulphate with and without alfentanil in hypertensive proteinuric patients undergoing Caesarean section, ASHTON, W. B., *et al.* 741–747
Complications, haematoma, Extradural haematoma after continuous extradural anaesthesia, TEKKOK, I. H., *et al.* 112–115
——, Headache after spinal anaesthesia, REID, J. A., *et al.*, (*E*) 674–677
Complications, haemorrhage, Cardiac function in aneurysmal subarachnoid haemorrhage: a study of electrocardiographic and echocardiographic abnormalities, DAVIES, K. R., *et al.* 58–63
Complications, head injury, Comparison of thiopentone and propofol at two rates of administration in patients with severe head injury, ANDREWS, P. J. D., *et al.*, (*ARS*) 212P
——, Jugular bulb cannulation: description of a cannulation technique and validation of a new continuous monitor, ANDREWS, P. J. D., *et al.* 553–558
Complications, headache, 29-Gauge spinal needles, LYONS, G., *et al.*, (*C*) 222
——, Headache after continuous spinal anaesthesia, KESTIN, I. G., (*C*) 131
——, Headache after continuous spinal anaesthesia, MILLIGAN, H. R., *et al.*, (*C*) 131
——, Headache after spinal anaesthesia, REID, J. A., *et al.*, (*E*) 674–677
——, Use of a 25-gauge Whitacre needle to reduce the incidence of postdural puncture headache, LYNCH, J., *et al.* 690–693
Complications, hepatic, Halothane hepatitis, RAY, D. C., *et al.* 84–99
——, Screening for antibodies associated with halothane hepatitis, HASTINGS, K. L., *et al.* 722–728
Complications, hypertension, Attenuation of the pressor response to tracheal intubation by magnesium sulphate with and without alfentanil in hypertensive proteinuric patients undergoing Caesarean section, ASHTON, W. B., *et al.* 741–747
——, Effects of adenosine triphosphate on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 410–415
——, Effects of pindolol on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 416–420
——, Haemodynamic effects and outcome analysis of hypotensive extradural anaesthesia in controlled hypertensive patients undergoing total hip arthroplasty, SHARROCK, N. E., *et al.* 17–25
Complications, hyponatraemia, Dilutional hyponatraemia following transurethral operation for clot retention, HAHN, R. G. 339–340
——, Management of hyponatraemia, SWALES, J. D. 146–153
Complications, hypotension, Can glycopyrrolate attenuate propofol-induced hypotension in elderly patients? SNEYD, J. R., *et al.*, (*ARS*) 661–662P
——, Preanaesthetic medication with clonidine: a dose–response study, CARABINE, U. A., *et al.* 79–83
Complications, hypoxia, Nitrous oxide sedation causes post-hyperventilation apnoea, NORTHWOOD, D., *et al.* 7–12
Complications, intra-arterial injection, Intra-arterial thiopentone is directly toxic to vascular endothelium, MACPHERSON, R. D., *et al.* 546–552
Complications, liver disease, Resting energy expenditure in children with liver disease, WILSON, S. R., *et al.*, (*ARS*) 216–217P
Complications, masseter spasm, Jaw stiffness—an ill understood condition, SADDLER, J. M., (*E*) 515–516

Complications, morbidity, Morbidity following day-case procedures, SMITH, S. O., *et al.*, (*ARS*) 644–645P
Complications, myocardial infarction, Haemodynamic effects and outcome analysis of hypotensive extradural anaesthesia in controlled hypertensive patients undergoing total hip arthroplasty, SHARROCK, N. E., *et al.* 17–25
——, Postoperative myocardial ischaemia in patients with recent myocardial infarction, METZLER, H., *et al.* 317–319
——, Preoperative silent myocardial ischaemia: incidence and predictors in a general surgical population, MUIR, A. D., *et al.* 373–377
——, Silent myocardial ischaemia in preoperative patients: what does it mean, and what should be done about it? DE BONO, D. P., *et al.*, (*E*) 367–368
Complications, myolysis, Relationship between exercise-induced myolysis and malignant hyperthermia, HACKL, W., *et al.*, (*C*) 221
——, Relationship between exercise-induced myolysis and malignant hyperthermia, KRIVOSIC-HORBER, R., *et al.*, (*C*) 221
Complications, myotonic dystrophy, Myotonias and susceptibility to malignant hyperthermia, GRONERT, G. A., (*C*) 221
——, Myotonias and susceptibility to malignant hyperthermia, LEHMANN-HORN, F., *et al.*, (*C*) 221–222
Complications, neoplasm, Management of labour and delivery in patients with intracranial neoplasms, FINFER, S. R. 784–787
Complications, obesity, Change in end-expiratory respiratory volume with thiopentone or propofol induction of anaesthesia, RUTHERFORD, J. S., *et al.*, (*ARS*) 647P
——, Effectiveness of preoxygenation in morbidly obese patients, BERTHOUD, M. C., *et al.* 464–466
Complications, oedema, Fluids for resuscitation, VINCENT, J.-L. 185–193
——, Non-cardiogenic pulmonary oedema after transfusion with granulocyte antibody containing blood: treatment with extracorporeal membrane oxygenation, WORSLEY, M. H., *et al.* 116–119
Complications, oliguria, Is postoperative oliguria avoidable? SWENY, P. 137–145
Complications, pacemaker failure, Interference with pacemaker function, FINFER, S. R., (*C*) 664–665
——, Interference with pacemaker function, SIDHU, V. S., (*C*) 664
Complications, pneumothorax, Delayed pneumothorax after subclavian vein catheterization and positive pressure ventilation, CRONEN, M. C., *et al.* 480–482
——, Identification of the interpleural space, LEE, E., *et al.*, (*C*) 130
——, Identification of the interpleural space, SCOTT, P. V., (*C*) 130
——, Tension pneumothorax—wrong tube? KNEESHAW, J. D., (*C*) 222–223
Complications, positional, The prone position for the surgical patient: a historical review of the principles and hazards, ANDERTON, J. M. 452–463
Complications, regurgitation, Gastro-oesophageal reflux and tracheobronchial contamination in the intensive care unit, KIRBY, F., *et al.*, (*ARS*) 655P
——, Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway, BARKER, P., *et al.*, (*ARS*) 660P
Complications, respiratory depression, Relationship between analgesia and respiratory depression for mu opioid receptor agonists in mice, STOTT, D. G., *et al.* 603–607
Complications, thrombosis, Deep venous thrombosis and anaesthesia, JØRGENSEN, L. N., (*C*) 128
——, Deep venous thrombosis and anaesthesia, MCKENZIE, P. J., (*C*) 128
——, Deep venous thrombosis and anaesthesia, MODIG, J., (*C*) 127–128
——, Deep venous thrombosis and anaesthesia, MODIG, J., (*C*) 128
——, Superior sagittal sinus thrombosis after internal jugular vein cannulation, STEPHENS, P. H., *et al.* 476–479
——, Venous sequelae after i.v. diclofenac, CAMPBELL, W., *et al.*, (*C*) 803
——, Venous sequelae after i.v. diclofenac, GOPINATH, R., (*C*) 803
Complications, transplants, Anaesthesia for patients with transplanted hearts and lungs undergoing non-cardiac surgery, SHAW, I. H., *et al.* 772–778

Developing country, Anaesthetic equipment for a developing country, PEDERSEN, J., (*C*) 360
——, Anaesthetic equipment for a developing country, TIGHE, S. Q. M., (*C*) 360
Dog, Pharmacokinetics and distribution of ketamine after extradural administration to dogs, PEDRAZ, J. L., *et al.* 310–316
Drug delivery, buccal, Use of buccal prochlorperazine in the prevention of postoperative sickness, PATTERSON, K. W., *et al.*, (*ARS*) 213–214P
Drug delivery, computerized, Pharmacokinetic model driven infusion of propofol in children, MARSH, B., *et al.* 41–48
——, Sedation with propofol during surgery under regional block: evaluation of a computer controlled infusion system, SKIPSEY, I. G., *et al.*, (*ARS*) 218–219P
Drug delivery, oral, Effect of cisapride on morphine absorption after oral administration of sustained-release morphine, ROWBOTHAM, D. J., *et al.* 421–425
——, Investigation of the effect of oral diazepam on upper airway reactivity, MURPHY, P. J., *et al.*, (*ARS*) 660–661P
Drug delivery, sublingual, Effect of sublingual buprenorphine on gastric emptying of a liquid meal, TROTTER, T. N., *et al.* 748–750

ECG Essentials—A Pocket Reference for Systematic Interpretation, MURPHY, K. R., *et al.*, (*R*) 364–365
Education, medical students, Resuscitation training for the operating department, BROWN, R. W., *et al.*, (*ARS*) 219–220P
Emergency Drug Therapy, 1st Edn, BARSAN, W. G., *et al.*, (editors), (*R*) 508–509
Enzymes, creatine kinase, Pathogenesis of suxamethonium-induced muscle damage in the biventer cervicis muscle in the chick, MCLOUGHLIN, C., *et al.* 764–767
Epidural and Spinal Blockade in Obstetrics, REYNOLDS, F., (editor), (*R*) 229
Equipment, alarms, AURA: a new respiratory monitor and apnoea alarm for spontaneously breathing patients, CYNA, A. M., *et al.* 341–345
Equipment, anaesthesia machines, Anaesthetic equipment for a developing country, PEDERSEN, J., (*C*) 360
——, Anaesthetic equipment for a developing country, TIGHE, S. Q. M., (*C*) 360
Equipment, breathing systems, Fresh gas requirement of the Bain system, MEAKIN, G., (*C*) 663–664
——, Fresh gas requirement of the Bain system, MILLER, D., (*C*) 664
——, Fresh gas utilization of eight circle systems, ZBINDEN, A. M., *et al.* 492–499
——, Preoxygenation: use of a high flow delivery system, OOI, R., *et al.*, (*ARS*) 208P

Equipment, computers, A system for automatic feedback control of plasma potassium concentration, HEINING, M. P. D., *et al.* 120–126
——, Pharmacokinetic model driven infusion of propofol in children, MARSH, B., *et al.* 41–48
Equipment, cuffs tracheal, Cuffed tracheal tubes for paediatric cardiac surgery cause a low incidence of postoperative airway problems, MALMROS, C., *et al.*, (*ARS*) 655P
——, Gastro-oesophageal reflux and tracheobronchial contamination in the intensive care unit, KIRBY, F., *et al.*, (*ARS*) 655P
Equipment, Finapres, Comparison of invasive and non-invasive measurement of continuous arterial pressure using the Finapres, STOKES, D. N., *et al.* 26–35
——, Comparison of the Finapres and direct arterial pressure monitoring during profound hypotensive anaesthesia, AITKEN, H. A., *et al.* 36–40
Equipment, gas analysers, Jugular bulb cannulation: description of a cannulation technique and validation of a new continuous monitor, ANDREWS, P. J. D., *et al.* 553–558
Equipment, Guedel airway, Airway obstruction associated with the use of the Guedel airway, MARSH, A. M., *et al.* 517–523
——, Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway, BARKER, P., *et al.*, (*ARS*) 660P
Equipment, heat–moisture exchangers, Work of ventilating heat and moisture exchangers, CHUNG, R., *et al.*, (*ARS*) 647–648P
Equipment, helicopters, Transfer of patients by helicopter, BRISTOW, A., (*C*) 127
——, Transfer of patients by helicopter, DEMELLO, W. F., (*C*) 127
Equipment, laryngoscopes, Analysis of the shape of the laryngoscope blade, MARKS, R. R. D., *et al.*, (*ARS*) 654P
Equipment, masks anaesthesia, Comparison of laryngeal mask airway with tracheal intubation for intraocular surgery, AKHTAR, T. M., *et al.*, (*ARS*) 215P
——, Desaturation and induction characteristics: comparison of propofol and thiopentone during mask anaesthesia with isoflurane, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 203P
——, Failed tracheal intubation, KING, T. A., *et al.*, (*C*) 225
——, Failed tracheal intubation, O'SULLIVAN, G., *et al.*, (*C*) 225
——, Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway, BARKER, P., *et al.*, (*ARS*) 660P
——, Video surveillance of oxygen administration by mask in postoperative patients, NOLAN, K. M., *et al.*, (*ARS*) 650–651P
Equipment, masks surgical, Regional anaesthesia requires attention to detail, WILDSMITH, J. A. W., (*C*) 224–225
Equipment, monitors, AURA: a new respiratory monitor and apnoea alarm for spontaneously breathing patients, CYNA, A. M., *et al.* 341–345
Equipment, needles, 29-Gauge spinal needles, LYONS, G., *et al.*, (*C*) 222
——, Headache after continuous spinal anaesthesia, KESTIN, I. G., (*C*) 131
——, Headache after continuous spinal anaesthesia, MILLIGAN, H. R., *et al.*, (*C*) 131
——, Headache after spinal anaesthesia, REID, J. A., *et al.*, (*E*) 674–677
——, Spinal needles, COONEY, C., *et al.*, (*C*) 360–361
——, Use of a 25-gauge Whitacre needle to reduce the incidence of postdural puncture headache, LYNCH, J., *et al.* 690–693
Equipment, pacemakers, Interference with pacemaker function, **Finfer, S. R.**, (*C*) 664–665
——, Interference with pacemaker function, SIDHU, V. S., (*C*) 664
Equipment, pulse oximeters, Response time of finger and ear pulse oximeter probes during hypoxaemic events occurring during anaesthesia, BROOME, I. J., *et al.*, (*ARS*) 207P
——, Temperature dependence of LED and its theoretical effect on pulse oximetry, REYNOLDS, K. J., *et al.* 638–643
Equipment, scavenging devices, Determination of contamination of a chemical warfare-proof operating theatre with volatile anaesthetic agents and assessment of anaesthetic gas scavenging systems, YOGANATHAN, S., *et al.* 614–617
Equipment, sensors fibreoptic, Fibreoptic sensors in clinical measurement, YELLOWLEES, I. H. 100–105
Equipment, silica gel, Absorption of isoflurane by silica gel, LUMB, A. B., *et al.* 106–107
Equipment, transducers, A new optical transducer for arterial pressure measurement, HACKMAN, C. H., *et al.* 346–352
Equipment, tubes tracheal, Cuffed tracheal tubes for paediatric cardiac surgery cause a low incidence of postoperative airway problems, MALMROS, C., *et al.*, (*ARS*) 655P
Equipment, tubes tracheal, gas injection, Pressure support ventilation using a new tracheal gas injection tube, BEYDON, L., *et al.* 795–800
Equipment, ventilators, Pressure support ventilation using a new tracheal gas injection tube, BEYDON, L., *et al.* 795–800
——, The pneuPAC hyperbaric variant HB: a ventilator suitable for use within a one-man hyperbaric chamber, SPITTAL, M. J., *et al.* 488–491
——, Work of ventilating heat and moisture exchangers, CHUNG, R., *et al.*, (*ARS*) 647–648P
Equipment, videos, Video surveillance of oxygen administration by mask in postoperative patients, NOLAN, K. M., *et al.*, (*ARS*) 650–651P

Fetus, Assessment of the placental circulation, MOORE, J., (*E*) 671–673
——, Effect of adrenaline on extradural anaesthesia, plasma lignocaine concentrations and the feto–placental unit during elective Caesarean section, MCLINTIC, A. J., *et al.* 683–689
——, Effects of extradural anaesthesia on umbilical and uteroplacental arterial flow velocity waveforms, TURNER, G. A., *et al.* 306–309
——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, ALAHUHTA, S., *et al.* 678–682
Fluid balance, Fluid and electrolytes revisited, WILLATTS, S. M., (*E*) 135–136
——, Fluids for resuscitation, VINCENT, J.-L. 185–193
——, Influence of hypertonic volume replacement on the microcirculation in cardiac surgery, BOLDT, J., *et al.* 595–602
——, Is postoperative oliguria avoidable? SWENY, P. 137–145
——, Management of hyponatraemia, SWALES, J. D. 146–153
——, Picolax bowel preparation, DODSON, M. E., (*C*) 664
Fluids, i.v., Compartment syndrome after pressurized infusion, TOBIAS, M. D., *et al.* 332–334
Formulations, pH, Comparison of plain and alkalinized local anaesthetic mixtures of lignocaine and bupivacaine for elective extradural Caesarean section, FERNANDO, R., *et al.* 699–703

Gas Monitoring and Pulse Oximetry, GRAVENSTEIN, J. S., (*R*) 230

Gastrointestinal tract, bowel function, Gastric emptying and small bowel transit in male volunteers after i.m. ketorolac and morphine, YEE, M. K., *et al.* 426–431
——, Picolax bowel preparation, DODSON, M. E., (*C*) 664
Gastrointestinal tract, emptying, Effect of single doses of cisapride and ranitidine administered simultaneously on plasma concentrations of cisapride and ranitidine, ROWBOTHAM, D. J., *et al.* 302–305
——, Effect of sublingual buprenorphine on gastric emptying of a liquid meal, TROTTER, T. N., *et al.* 748–750
——, Gastric emptying and small bowel transit in male volunteers after i.m. ketorolac and morphine, YEE, M. K., *et al.* 426–431
——, Gastric emptying in pregnancy, MACFIE, A. G., *et al.* 54–57
——, Peripartum changes in gastric emptying, SANDHAR, B. K., *et al.*, (*ARS*) 213P
Gastrointestinal tract, endoscopy, Propofol sedation for outpatient upper gastrointestinal endoscopy: comparison with midazolam, PATTERSON, K. W., *et al.* 108–111
Gastrointestinal tract, pH, Gastro-oesophageal reflux and tracheobronchial contamination in the intensive care unit, KIRBY, F., *et al.*, (*ARS*) 655P
Gastrointestinal tract, prokinesis, cisapride, Effect of cisapride on morphine absorption after oral administration of sustained-release morphine, ROWBOTHAM, D. J., *et al.* 421–425
Gastrointestinal tract, reflux, Gastro-oesophageal reflux and tracheobronchial contamination in the intensive care unit, KIRBY, F., *et al.*, (*ARS*) 655P
——, Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway, BARKER, P., *et al.*, (*ARS*) 660P
Gastrointestinal tract, stomach antacids, Effect of single doses of cisapride and ranitidine administered simultaneously on plasma concentrations of cisapride and ranitidine, ROWBOTHAM, D. J., *et al.* 302–305
Goodman & Gilman's The Pharmacological Basis of Therapeutics, 8th Edn, GILMAN, A. G., *et al.*, (editors), (*R*) 133

Handbook of Obstetric Anaesthesia, BUCHAN, A. S., *et al.*, (*R*) 509
Head, injury, Jugular bulb cannulation: description of a cannulation technique and validation of a new continuous monitor, ANDREWS, P. J. D., *et al.* 553–558
Heart, cardiac massage, Resuscitation training for the operating department, BROWN, R. W., *et al.*, (*ARS*) 219–220P
Heart, cardiac output, Clinical and haemodynamic effects of milrinone in the treatment of low cardiac output after cardiac surgery, WRIGHT, E. M., *et al.* 585–590
——, Effect of i.v. low-dose adrenaline and phenylephrine infusions on plasma concentrations of bupivacaine after lumbar extradural anaesthesia in elderly patients, SHARROCK, N. E., *et al.* 694–698
——, Enoximone during coronary bypass surgery, RAFTERY, S., *et al.*, (*ARS*) 651–652P
——, Non-invasive measurement of cardiac output by thoracic electrical bioimpedance: a study of reproducibility and comparison with thermodilution, JEWKES, C., *et al.* 788–794
——, Non-invasive measurement of cardiac output during induction of anaesthesia and tracheal intubation: thiopentone and propofol compared, VOHRA, A., *et al.* 64–68
Heart, cardiopulmonary bypass, Effect of thiopentone, etomidate and propofol on systemic vascular resistance during cardiopulmonary bypass, BOER, F., *et al.* 69–72
——, Enoximone during coronary bypass surgery, RAFTERY, S., *et al.*, (*ARS*) 651–652P
——, Renal function after cardiopulmonary bypass in children: comparison of dopamine with dobutamine, WENSTONE, R., *et al.* 591–594
Heart, coronary artery bypass, Enoximone during coronary bypass surgery, RAFTERY, S., *et al.*, (*ARS*) 651–652P
——, Influence of hypertonic volume replacement on the microcirculation in cardiac surgery, BOLDT, J., *et al.* 595–602
Heart, coronary occlusion, Postoperative myocardial ischaemia in patients with recent myocardial infarction, METZLER, H., *et al.* 317–319
Heart, enoximone, Enoximone during coronary bypass surgery, RAFTERY, S., *et al.*, (*ARS*) 651–652P
Heart, esmolol, Repair of traumatic transection of the thoracic aorta: esmolol for intraoperative control of arterial pressure, FENNER, S. G., *et al.* 483–487
Heart, ischaemia, Postoperative myocardial ischaemia in patients with recent myocardial infarction, METZLER, H., *et al.* 317–319
——, Postoperative myocardial ischaemia: temporal association with nocturnal hypoxaemia, REEDER, M. K., *et al.* 626–631
——, Preoperative silent myocardial ischaemia: incidence and predictors in a general surgical population, MUIR, A. D., *et al.* 373–377
——, Relationship between perioperative ischaemic and hypoxic events in patients with cardiovascular disease, GILL, N., *et al.*, (*ARS*) 649P
——, Silent myocardial ischaemia in preoperative patients: what does it mean, and what should be done about it? DE BONO, D. P., *et al.*, (*E*) 367–368
Heart, milrinone, Clinical and haemodynamic effects of milrinone in the treatment of low cardiac output after cardiac surgery, WRIGHT, E. M., *et al.* 585–590
Heart, myocardial function, Cardiac function in aneurysmal subarachnoid haemorrhage: a study of electrocardiographic and echocardiographic abnormalities, DAVIES, K. R., *et al.* 58–63
Heart, pacemakers artificial, Interference with pacemaker function, FINFER, S. R., (*C*) 664–665
——, Interference with pacemaker function, SIDHU, V. S., (*C*) 664
Heart, pindolol, Effects of pindolol on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 416–420
Heart, resuscitation, Calcium for resuscitation? ERDMANN, E., *et al.* 178–184
——, Fluids for resuscitation, VINCENT, J.-L. 185–193
——, Resuscitation training for the operating department, BROWN, R. W., *et al.*, (*ARS*) 219–220P
Heart, sodium nitroprusside, Repair of traumatic transection of the thoracic aorta: esmolol for intraoperative control of arterial pressure, FENNER, S. G., *et al.* 483–487
Heart, transplantation, Anaesthesia for patients with transplanted hearts and lungs undergoing non-cardiac surgery, SHAW, I. H., *et al.* 772–778
Heart, vascular pressures, Effect of thiopentone, etomidate and propofol on systemic vascular resistance during cardiopulmonary bypass, BOER, F., *et al.* 69–72
——, Enoximone during coronary bypass surgery, RAFTERY, S., *et al.*, (*ARS*) 651–652P
Heart, ventricles, Left ventricular function during transoesophageal echocardiographic assessment of abdominal aortic aneurysm resection, RYAN, T., *et al.*, (*ARS*) 204–205P
Histamine, Comparative effects of pipecuronium and tubocurarine on plasma concentrations of histamine in humans, NAGUIB, M., *et al.* 320–322

——, General anaesthetics induce only histamine release selectively from human mast cells, STELLATO, C., *et al.* 751–758
History, anaesthesia local, Intra-arterial regional analgesia, AUSTIN, T. R., (*C*) 803
——, Intra-arterial regional analgesia, GILSANZ, F., (*C*) 803–804
——, Intra-arterial regional analgesia, KOSCIELNIAK-NIELSEN, Z. J., (*C*) 804
History, halothane, Halothane hepatitis, RAY, D. C., *et al.* 84–99
History, prone position, The prone position for the surgical patient: a historical review of the principles and hazards, ANDERTON, J. M. 452–463
Hormones, aldosterone, Is postoperative oliguria avoidable? SWENY, P. 137–145
Hormones, antidiuretic, Is postoperative oliguria avoidable? SWENY, P. 137–145
Hormones, cortisol, Midazolam modifies pancreatic and anterior pituitary hormone secretion during upper abdominal surgery, DESBOROUGH, J. P., *et al.* 390–396
Hormones, growth, Midazolam modifies pancreatic and anterior pituitary hormone secretion during upper abdominal surgery, DESBOROUGH, J. P., *et al.* 390–396
Hormones, insulin, Midazolam modifies pancreatic and anterior pituitary hormone secretion during upper abdominal surgery, DESBOROUGH, J. P., *et al.* 390–396
Hormones, responses, Effects of labetalol on perioperative stress markers and isoflurane requirements, AMAR, D., *et al.* 296–301
——, Protein metabolism after abdominal surgery: effect of 24-h extradural block with local anaesthetic, CARLI, F., *et al.* 729–734
Hyperbaria, chamber, The pneuPAC hyperbaric variant HB: a ventilator suitable for use within a one-man hyperbaric chamber, SPITTAL, M. J., *et al.* 488–491
Hypnotics benzodiazepine, midazolam, A comparison of dexmedetomidine, an alpha$_2$-adrenoceptor agonist, and midazolam as i.m. premedication for minor gynaecological surgery, AANTAA, R., *et al.* 402–409
——, Alcohol after sedation with i.v. midazolam–fentanyl: effects on psychomotor functioning, LICHTOR, J. L., *et al.* 579–584
——, Comparison of the effects of anaesthetic agents on mitogen-induced lymphocyte proliferation *in vitro*, O'DONNELL, C. A., *et al.*, (*ARS*) 658–659P
——, Comparison of the effects of propofol, midazolam and thiopentone on neutrophil polarization *in vitro*, O'DONNELL, N. G., *et al.*, (*ARS*) 661P
——, Effects of flumazenil on cerebral blood flow and oxygen consumption after midazolam anaesthesia for craniotomy, KNUDSEN, L., *et al.* 277–280
——, Midazolam and erythromycin, WOOD, M., (*C*) 131
——, Midazolam and propofol for induction of anaesthesia, MCCLUNE, S., *et al.*, (*ARS*) 215–216P
——, Midazolam modifies pancreatic and anterior pituitary hormone secretion during upper abdominal surgery, DESBOROUGH, J. P., *et al.* 390–396
——, Propofol and midazolam act synergistically in combination, SHORT, T. G., *et al.* 539–545
——, Propofol sedation for outpatient upper gastrointestinal endoscopy: comparison with midazolam, PATTERSON, K. W., *et al.* 108–111
Hypoxaemia, Computerized analysis of continuous pulse oximetry in children with nocturnal breathing disorders, WHEATLEY, R. G., *et al.*, (*ARS*) 208P
——, Nitrous oxide sedation causes post-hyperventilation apnoea, NORTHWOOD, D., *et al.* 7–12
——, Pain relief and hypoxaemia during administration of extradural fentanyl by three different methods, KLUGER, M. T., *et al.*, (*ARS*) 656–657P
——, Patterns of oxygenation after thoracotomy, ENTWISTLE, M. D., *et al.* 704–711
——, Postoperative myocardial ischaemia: temporal association with nocturnal hypoxaemia, REEDER, M. K., *et al.* 626–631
——, Response time of finger and ear pulse oximeter probes during hypoxaemic events occurring during anaesthesia, BROOME, I. J., *et al.*, (*ARS*) 207P
——, Uncertainties about the ventilatory response to hypoxaemia, KNILL, R. L., (*C*) 223–224
——, Uncertainties about the ventilatory response to hypoxaemia, NUNN, J. F., (*C*) 224
Hypoxia, Indications for use of bicarbonate in patients with metabolic acidosis, ARIEFF, A. I. 165–177
——, Relationship between perioperative ischaemic and hypoxic events in patients with cardiovascular disease, GILL, N., *et al.*, (*ARS*) 649P

Immune response, anti-TFA antibodies, Screening for antibodies associated with halothane hepatitis, HASTINGS, K. L., *et al.* 722–728
Induction, anaesthesia, Desaturation and induction characteristics: comparison of propofol and thiopentone during mask anaesthesia with isoflurane, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 203P
——, Midazolam and propofol for induction of anaesthesia, MCCLUNE, S., *et al.*, (*ARS*) 215–216P
——, Non-invasive measurement of cardiac output during induction of anaesthesia and tracheal intubation: thiopentone and propofol compared, VOHRA, A., *et al.* 64–68
——, Propofol and midazolam act synergistically in combination, SHORT, T. G., *et al.* 539–545
Induction, anaesthesia, rapid sequence, Rapid inhalation induction with isoflurane in humidified carrier gas, VAN HEERDEN, P. V., *et al.* 470–472
Infants, Potency and ease of antagonism of pipecuronium in children, LEUWER, M., *et al.*, (*ARS*) 206–207P
——, Resting energy expenditure in children with liver disease, WILSON, S. R., *et al.*, (*ARS*) 216–217P
Infections, bacteria, Bacterial growth in propofol, MCLEOD, G. A., *et al.*, (*C*) 665–666
Intensive care, Clearance of atracurium and laudanosine in the urine and by continuous venovenous haemofiltration, SHEARER, E. S., *et al.* 569–573
——, Dose requirements of atracurium in paediatric intensive care patients, KUSHIMO, O. T., *et al.* 781–783
——, Gastro-oesophageal reflux and tracheobronchial contamination in the intensive care unit, KIRBY, F., *et al.*, (*ARS*) 655P
Intensive care, sedation, Does physiotherapy affect the auditory evoked potentials of sedated patients in the intensive care unit? SNEYD, J. R., *et al.*, (*ARS*) 647P
——, Haemodynamic and oxygen transport effects of isoflurane as sedation in ventilated patients in the intensive care unit, BROWNE, G. P. R., *et al.*, (*ARS*) 652P
Interactions (drug), Alcohol after sedation with i.v. midazolam–fentanyl: effects on psychomotor functioning, LICHTOR, J. L., *et al.* 579–584
——, Atracurium and suxamethonium, DONATI, F., (*C*) 502
——, Atracurium and suxamethonium, FAUVEL, N. J., *et al.*, (*C*) 502
——, Determinants of antagonism of non-depolarizing neuromuscular block, BEEMER, G. H., *et al.*, (*C*) 362
——, Determinants of antagonism of non-depolarizing neuromuscular block, CAMPBELL, J. R., (*C*) 362
——, Effect of single doses of cisapride and ranitidine administered simultaneously on plasma concentrations of cisapride and ranitidine, ROWBOTHAM, D. J., *et al.* 302–305
——, Interaction between betamethasone and vecuronium, PARR, S. M., *et al.* 447–451
——, Midazolam and erythromycin, WOOD, M., (*C*) 131

——, Midazolam and propofol for induction of anaesthesia, McCLUNE, S., *et al.*, (*ARS*) 215–216P
——, Pathogenesis of suxamethonium-induced muscle damage in the biventer cervicis muscle in the chick, McLOUGHLIN, C., *et al.* 764–767
——, Propofol and midazolam act synergistically in combination, SHORT, T. G., *et al.* 539–545
——, Synergism among i.v. anaesthetics, McKAY, A. C., (*E*) 1–3
——, Thiopentone–propofol hypnotic synergism in patients, NAGUIB, M., *et al.* 4–6
Intraoperative Use of Echocardiography (A Society of Cardiovascular Anesthesiologists Monograph), DEBRUIJN, N. P., *et al.*, (editors), (*R*) 668–669
Intubation tracheal, Comparison of laryngeal mask airway with tracheal intubation for intraocular surgery, AKHTAR, T. M., *et al.*, (*ARS*) 215P
——, Gastro-oesophageal reflux and tracheobronchial contamination in the intensive care unit, KIRBY, F., *et al.*, (*ARS*) 655P
Intubation tracheal, complications, Failed tracheal intubation, KING, T. A., *et al.*, (*C*) 225
——, Failed tracheal intubation, O'SULLIVAN, G., *et al.*, (*C*) 225
Intubation tracheal, difficult, Predicting difficult intubation, BELLHOUSE, P., (*C*) 505
——, Predicting difficult intubation, OATES, J. D. L., *et al.*, (*C*) 505
——, Tracheal intubation with the patient in a sitting position, BROCK-UTNE, J. G., *et al.*, (*C*) 225–226
——, Unexpected, difficult laryngoscopy, BELLHOUSE, P., (*C*) 501
——, Unexpected, difficult laryngoscopy, CORMACK, R. R., *et al.*, (*C*) 501–502
Intubation tracheal, responses, Arterial pressure responses induced by stimuli to the upper airway in anaesthetized patients, READ, J. R. M., *et al.*, (*ARS*) 216P
——, Attenuation of the pressor response to tracheal intubation by magnesium sulphate with and without alfentanil in hypertensive proteinuric patients undergoing Caesarean section, ASHTON, W. B., *et al.* 741–747
——, Effects of adenosine triphosphate on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 410–415
——, Effects of pindolol on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 416–420
——, Non-invasive measurement of cardiac output during induction of anaesthesia and tracheal intubation: thiopentone and propofol compared, VOHRA, A., *et al.* 64–68
Intubation tracheal, techniques, Tracheal intubation with the patient in a sitting position, BROCK-UTNE, J. G., *et al.*, (*C*) 225–226
——, Tracheal intubation with the patient in the sitting position, ADAMS, A. K., (*C*) 804
Intubation tracheal, training, Training in fibreoptic laryngoscopy, BRIMACOMBE, J., (*C*) 503
——, Training in fibreoptic laryngoscopy, TELFORD, R. J., *et al.*, (*C*) 503
Ions, calcium, Calcium for resuscitation? ERDMANN, E., *et al.* 178–184
Ions, chloride, Is postoperative oliguria avoidable? SWENY, P. 137–145
Ions, potassium, A system for automatic feedback control of plasma potassium concentration, HEINING, M. P. D., *et al.* 120–126
——, Potassium in the perioperative period, VAUGHAN, R. S. 194–200
Ions, sodium, Is postoperative oliguria avoidable? SWENY, P. 137–145
——, Management of hyponatraemia, SWALES, J. D. 146–153

Kidney, anephric patient, Use of mivacurium chloride by constant infusion in the anephric patient, PHILLIPS, B. J., *et al.*, (*ARS*) 653–654P
Kidney, failure, Clearance of atracurium and laudanosine in the urine and by continuous venovenous haemofiltration, SHEARER, E. S., *et al.* 569–573
Kidney, function, Clearance of atracurium and laudanosine in the urine and by continuous venovenous haemofiltration, SHEARER, E. S., *et al.* 569–573
——, Is postoperative oliguria avoidable? SWENY, P. 137–145
——, Renal function after cardiopulmonary bypass in children: comparison of dopamine with dobutamine, WENSTONE, R., *et al.* 591–594
——, Roles of the liver and kidney in acid–base regulation and its disorders, COHEN, R. D. 154–164
Kidney, metabolism, Drug biotransformation by the kidney: how important is it, and how much do we really know? SEAR, J. W., (*E*) 369–372
——, Physiological disposition of i.v. morphine in sheep, SLOAN, P. A., *et al.* 378–386
Kidney, urine, Clearance of atracurium and laudanosine in the urine and by continuous venovenous haemofiltration, SHEARER, E. S., *et al.* 569–573
——, Is postoperative oliguria avoidable? SWENY, P. 137–145
——, Roles of the liver and kidney in acid–base regulation and its disorders, COHEN, R. D. 154–164

Larynx, laryngoscopy, Training in fibreoptic laryngoscopy, BRIMACOMBE, J., (*C*) 503
——, Training in fibreoptic laryngoscopy, TELFORD, R. J., *et al.*, (*C*) 503
——, Unexpected, difficult laryngoscopy, BELLHOUSE, P., (*C*) 501
——, Unexpected, difficult laryngoscopy, CORMACK, R. R., *et al.*, (*C*) 501–502
Liver, hepatitis, Halothane hepatitis, RAY, D. C., *et al.* 84–99
——, Screening for antibodies associated with halothane hepatitis, HASTINGS, K. L., *et al.* 722–728
Liver, hepatotoxicity, Halothane hepatitis, RAY, D. C., *et al.* 84–99
Liver, metabolism, Physiological disposition of i.v. morphine in sheep, SLOAN, P. A., *et al.* 378–386
——, Roles of the liver and kidney in acid–base regulation and its disorders, COHEN, R. D. 154–164
Lung, damage, Direct evidence for free radical generation in experimental lung injury, MURPHY, P. G., *et al.*, (*ARS*) 649–650P
Lung, interpleural space, Identification of the interpleural space, LEE, E., *et al.*, (*C*) 130
——, Identification of the interpleural space, SCOTT, P. V., (*C*) 130
Lung, model, Femoral arteriovenous extracorporeal removal of carbon dioxide using a hollow fibre membrane lung, YOUNG, J. D., *et al.*, (*ARS*) 209P
——, First pass lung uptake of bupivacaine: effect of acidosis in an intact rabbit lung model, PALAZZO, M. G. A., *et al.* 759–763
Lung, pneumothorax, Identification of the interpleural space, LEE, E., *et al.*, (*C*) 130
——, Identification of the interpleural space, SCOTT, P. V., (*C*) 130
Lung, respiratory distress syndrome, Pressure–volume hysteresis of the lungs in respiratory distress syndrome, RATCLIFFE, F. M., *et al.*, (*ARS*) 203–204P
Lung, transplantation, Anaesthesia for patients with

transplanted hearts and lungs undergoing non-cardiac surgery, SHAW, I. H., *et al.* 772–778

Lung, volume, Change in end-expiratory respiratory volume with thiopentone or propofol induction of anaesthesia, RUTHERFORD, J. S., *et al.*, (*ARS*) 647P

——, Pressure–volume hysteresis of the lungs in respiratory distress syndrome, RATCLIFFE, F. M., *et al.*, (*ARS*) 203–204P

Malignant hyperthermia, *In vitro* contracture with the calcium ionophore A23187 in skeletal muscle from malignant hyperthermia susceptible and normal individuals, HOPKINS, P. M., *et al.*, (*ARS*) 202P

——, Malignant hyperthermia: a generalized abnormality of membrane fluidity? COOPER, P., *et al.*, (*ARS*) 201–202P

——, Myotonias and susceptibility to malignant hyperthermia, GRONERT, G. A., (*C*) 221

——, Myotonias and susceptibility to malignant hyperthermia, LEHMANN-HORN, F., *et al.*, (*C*) 221–222

——, Relationship between exercise-induced myolysis and malignant hyperthermia, HACKL, W., *et al.*, (*C*) 221

——, Relationship between exercise-induced myolysis and malignant hyperthermia, KRIVOSIC-HORBER, R., *et al.*, (*C*) 221

Measurement techniques, acoustic reflection, Improved method of acoustic reflection technique for upper airway measurements, MARAN, N. J., *et al.*, (*ARS*) 648P

Measurement techniques, airway reactivity, A portable method to assess upper airway reactivity, LANGTON, J., *et al.*, (*ARS*) 648–649P

Measurement techniques, applied potential tomography, Effect of sublingual buprenorphine on gastric emptying of a liquid meal, TROTTER, T. N., *et al.* 748–750

——, Peripartum changes in gastric emptying, SANDHAR, B. K., *et al.*, (*ARS*) 213P

Measurement techniques, arterial pressure, A new optical transducer for arterial pressure measurement, HACKMAN, C. H., *et al.* 346–352

——, Comparison of invasive and non-invasive measurement of continuous arterial pressure using the Finapres, STOKES, D. N., *et al.* 26–35

——, Comparison of the Finapres and direct arterial pressure monitoring during profound hypotensive anaesthesia, AITKEN, H. A., *et al.* 36–40

Measurement techniques, blood flow, placenta, Assessment of the placental circulation, MOORE, J., (*E*) 671–673

——, Effects of extradural anaesthesia on umbilical and uteroplacental arterial flow velocity waveforms, TURNER, G. A., *et al.* 306–309

——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, ALAHUHTA, S., *et al.* 678–682

Measurement techniques, contracture test for MH, *In vitro* contracture with the calcium ionophore A23187 in skeletal muscle from malignant hyperthermia susceptible and normal individuals, HOPKINS, P. M., *et al.*, (*ARS*) 202P

Measurement techniques, Doppler ultrasound, Assessment of the placental circulation, MOORE, J., (*E*) 671–673

——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, ALAHUHTA, S., *et al.* 678–682

——, Haemodynamic effects of propofol: induction with 2.5 mg kg^{-1}, FAIRFIELD, J. E., *et al.* 618–620

Measurement techniques, drug concentration, Comparison of arterial and arterialized venous concentrations of propofol during infusion of propofol, OKELL, R. W., *et al.* 285–288

Measurement techniques, electromyography, Spectral analysis of the electromyogram: effect of fentanyl, SEVERN, A. M., *et al.*, (*ARS*) 650P

Measurement techniques, electron spin resonance, Direct evidence for free radical generation in experimental lung injury, MURPHY, P. G., *et al.*, (*ARS*) 649–650P

Measurement techniques, energy expenditure, Measurement of energy expenditure in critical illness using ^{13}C labelled bicarbonate, DEVLIN, J. C., *et al.*, (*ARS*) 651P

Measurement techniques, fibreoptic, Fibreoptic sensors in clinical measurement, YELLOWLEES, I. H. 100–105

Measurement techniques, flow velocity waveform analysis, Effects of extradural anaesthesia on umbilical and uteroplacental arterial flow velocity waveforms, TURNER, G. A., *et al.* 306–309

Measurement techniques, MUGA scan, Preoperative silent myocardial ischaemia: incidence and predictors in a general surgical population, MUIR, A. D., *et al.* 373–377

Measurement techniques, neuromuscular block, Intraoperative assessment of atracurium-induced neuromuscular block using double burst stimulation, BRAUDE, N., *et al.* 574–578

Measurement techniques, nuclear magnetic resonance, Anaesthetic–plasma interactions: a study using nuclear magnetic resonance spectroscopy (MRS), EVANS, R. D., *et al.*, (*ARS*) 217P

——, Extradural haematoma after continuous extradural anaesthesia, TEKKOK, I. H., *et al.* 112–115

——, Measurement of propofol metabolites in human urine using nuclear magnetic resonance, SNEYD, J. R., *et al.*, (*ARS*) 659–660P

Measurement techniques, oximeters, Computerized analysis of continuous pulse oximetry in children with nocturnal breathing disorders, WHEATLEY, R. G., *et al.*, (*ARS*) 208P

——, Jugular bulb cannulation: description of a cannulation technique and validation of a new continuous monitor, ANDREWS, P. J. D., *et al.* 553–558

——, Patterns of oxygenation after thoracotomy, ENTWISTLE, M. D., *et al.* 704–711

——, Temperature dependence of LED and its theoretical effect on pulse oximetry, REYNOLDS, K. J., *et al.* 638–643

Measurement techniques, plethysmography, Rib cage contribution to resting and carbon dioxide stimulated ventilation during 1 MAC isoflurane anaesthesia, LUMB, A. B., *et al.* 712–721

Measurement techniques, spectral analysis, A new perspective on intraoperative monitoring of EEG, SNEYD, J. R., *et al.*, (*ARS*) 658P

——, Spectral analysis of the electromyogram: effect of fentanyl, SEVERN, A. M., *et al.*, (*ARS*) 650P

Measurement techniques, thoracic impedance cardiography, Non-invasive measurement of cardiac output by thoracic electrical bioimpedance: a study of reproducibility and comparison with thermodilution, JEWKES, C., *et al.* 788–794

——, Non-invasive measurement of cardiac output during induction of anaesthesia and tracheal intubation: thiopentone and propofol compared, VOHRA, A., *et al.* 64–68

Measurement techniques, visual analogue scale, Comparison of contemporaneous and retrospective assessment of postoperative pain using the visual analogue scale, LIU, W. H. D., *et al.* 768–771

Medical Statistics on Microcomputers, 1st Edn, BROWN, R. A., *et al.*, (*R*) 132–133

Memory, Changes in amplitude and latency of the P300 component of the auditory evoked potential with sedative and anaesthetic concentrations of nitrous oxide, JESSOP, J., *et al.* 524–531
——, Propofol sedation for outpatient upper gastrointestinal endoscopy: comparison with midazolam, PATTERSON, K. W., *et al.* 108–111
Metabolism, endocrine, Protein metabolism after abdominal surgery: effect of 24-h extradural block with local anaesthetic, CARLI, F., *et al.* 729–734
Metabolism, energy expenditure, Measurement of energy expenditure in critical illness using ^{13}C labelled bicarbonate, DEVLIN, J. C., *et al.*, (*ARS*) 651P
Metabolism, free radicals, Direct evidence for free radical generation in experimental lung injury, MURPHY, P. G., *et al.*, (*ARS*) 649–650P
——, The anti-oxidant potential of propofol, MURPHY, P. G., *et al.*, (*ARS*) 209–210P
Metabolism, lipid, Anaesthetic–plasma interactions: a study using nuclear magnetic resonance spectroscopy (MRS), EVANS, R. D., *et al.*, (*ARS*) 217P
Metabolism, metabolites, Measurement of propofol metabolites in human urine using nuclear magnetic resonance, SNEYD, J. R., *et al.*, (*ARS*) 659–660P
Metabolism, midazolam, Midazolam and erythromycin, WOOD, M., (*C*) 131
Metabolism, oxygen consumption, Effect of inhaled salbutamol on resting oxygen consumption, AMOROSO, P., *et al.*, (*ARS*) 210P
——, Resting energy expenditure in children with liver disease, WILSON, S. R., *et al.*, (*ARS*) 216–217P
Metabolism, protein, Anaesthetic–plasma interactions: a study using nuclear magnetic resonance spectroscopy (MRS), EVANS, R. D., *et al.*, (*ARS*) 217P
——, Protein metabolism after abdominal surgery: effect of 24-h extradural block with local anaesthetic, CARLI, F., *et al.* 729–734
Metabolism, urinary conjugates, Measurement of propofol metabolites in human urine using nuclear magnetic resonance, SNEYD, J. R., *et al.*, (*ARS*) 659–660P
Microcirculation, Influence of hypertonic volume replacement on the microcirculation in cardiac surgery, BOLDT, J., *et al.* 595–602
Model, lung, First pass lung uptake of bupivacaine: effect of acidosis in an intact rabbit lung model, PALAZZO, M. G. A., *et al.* 759–763
Monitoring, apnoea, AURA: a new respiratory monitor and apnoea alarm for spontaneously breathing patients, CYNA, A. M., *et al.* 341–345
Monitoring, arterial pressure, Comparison of invasive and non-invasive measurement of continuous arterial pressure using the Finapres, STOKES, D. N., *et al.* 26–35
——, Comparison of the Finapres and direct arterial pressure monitoring during profound hypotensive anaesthesia, AITKEN, H. A., *et al.* 36–40
Monitoring, computerized, A system for automatic feedback control of plasma potassium concentration, HEINING, M. P. D., *et al.* 120–126
——, Computerized analysis of continuous pulse oximetry in children with nocturnal breathing disorders, WHEATLEY, R. G., *et al.*, (*ARS*) 208P
Monitoring, depth of anaesthesia, A new perspective on intraoperative monitoring of EEG, SNEYD, J. R., *et al.*, (*ARS*) 658P
——, Systolic arterial pressure as a monitor of depth of anaesthesia, ASBURY, A. J., (*C*) 506
——, Systolic arterial pressure as a monitor of depth of anaesthesia, COUTO DA SILVA, J. M., (*C*) 506
——, Variations in respiratory sinus arrhythmia may reflect levels of anaesthesia, POMFRETT, C. J. D., *et al.*, (*ARS*) 646–647P
Monitoring, echocardiography, Cardiac function in aneurysmal subarachnoid haemorrhage: a study of electrocardiographic and echocardiographic abnormalities, DAVIES, K. R., *et al.* 58–63
——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, ALAHUHTA, S., *et al.* 678–682
——, Haemodynamic effects of propofol: induction with 2.5 mg kg^{-1}, FAIRFIELD, J. E., *et al.* 618–620
——, Left ventricular function during transoesophageal echocardiographic assessment of abdominal aortic aneurysm resection, RYAN, T., *et al.*, (*ARS*) 204–205P
Monitoring, electrocardiography, Cardiac function in aneurysmal subarachnoid haemorrhage: a study of electrocardiographic and echocardiographic abnormalities, DAVIES, K. R., *et al.* 58–63
——, Postoperative myocardial ischaemia in patients with recent myocardial infarction, METZLER, H., *et al.* 317–319
——, Preoperative silent myocardial ischaemia: incidence and predictors in a general surgical population, MUIR, A. D., *et al.* 373–377
Monitoring, electroencephalography, A new perspective on intraoperative monitoring of EEG, SNEYD, J. R., *et al.*, (*ARS*) 658P
Monitoring, electro-oculogram, Effect of 5% and 10% MAC of cyclopropane and halothane on peak velocity of saccadic eye movements, YOSHIZUMI, J., *et al.*, (*ARS*) 212–213P
——, Effects of low concentrations of cyclopropane and halothane on peak velocity of saccadic eye movements, YOSHIZUMI, J., *et al.* 735–740
Monitoring, evoked potentials, Changes in amplitude and latency of the P300 component of the auditory evoked potential with sedative and anaesthetic concentrations of nitrous oxide, JESSOP, J., *et al.* 524–531
——, Does physiotherapy affect the auditory evoked potentials of sedated patients in the intensive care unit? SNEYD, J. R., *et al.*, (*ARS*) 647P
Monitoring, interstitial perfusion pressure, Compartment syndrome after pressurized infusion, TOBIAS, M. D., *et al.* 332–334
Monitoring, oxygen, Computerized analysis of continuous pulse oximetry in children with nocturnal breathing disorders, WHEATLEY, R. G., *et al.*, (*ARS*) 208P
——, Jugular bulb cannulation: description of a cannulation technique and validation of a new continuous monitor, ANDREWS, P. J. D., *et al.* 553–558
——, Patterns of oxygenation after thoracotomy, ENTWISTLE, M. D., *et al.* 704–711
——, Response time of finger and ear pulse oximeter probes during hypoxaemic events occurring during anaesthesia, BROOME, I. J., *et al.*, (*ARS*) 207P
——, Temperature dependence of LED and its theoretical effect on pulse oximetry, REYNOLDS, K. J., *et al.* 638–643
——, Video surveillance of oxygen administration by mask in postoperative patients, NOLAN, K. M., *et al.*, (*ARS*) 650–651P
Monitoring, respiratory sinus arrhythmia, Variations in respiratory sinus arrhythmia may reflect levels of anaesthesia, POMFRETT, C. J. D., *et al.*, (*ARS*) 646–647P
Monitoring, ventilation, AURA: a new respiratory monitor and apnoea alarm for spontaneously breathing patients, CYNA, A. M., *et al.* 341–345
Mouse, Modification by drugs used in anaesthesia of CNS stimulation induced in mice by laudanosine and strychnine, AL-MUHANDIS, W. M., *et al.* 608–613

——, Relationship between analgesia and respiratory depression for mu opioid receptor agonists in mice, STOTT, D. G., *et al.* 603–607
Muscle skeletal, Jaw stiffness—an ill understood condition, SADDLER, J. M., (*E*) 515–516
Muscle skeletal, damage, Pathogenesis of suxamethonium-induced muscle damage in the biventer cervicis muscle in the chick, MCLOUGHLIN, C., *et al.* 764–767
Muscle skeletal, diaphragm, Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, MEAKIN, G., *et al.*, (*ARS*) 205–206P
——, Investigation of fade in suxamethonium-induced phase II block in the isolated rat diaphragm, GUPTA, V. L., *et al.*, (*ARS*) 211P
Neonates, Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, MEAKIN, G., *et al.*, (*ARS*) 205–206P
——, Potency and ease of antagonism of pipecuronium in children, LEUWER, M., *et al.*, (*ARS*) 206–207P
Nerve–muscle preparations, Investigation of fade in suxamethonium-induced phase II block in the isolated rat diaphragm, GUPTA, V. L., *et al.*, (*ARS*) 211P
Neuromuscular block, alcuronium, Determinants of antagonism of non-depolarizing neuromuscular block, BEEMER, G. H., *et al.*, (*C*) 362
——, Determinants of antagonism of non-depolarizing neuromuscular block, CAMPBELL, J. R., (*C*) 362
Neuromuscular block, antagonism, Antagonism of intense atracurium-induced neuromuscular block in children, GWINNUTT, C. L., *et al.* 13–16
——, Determinants of antagonism of non-depolarizing neuromuscular block, BEEMER, G. H., *et al.*, (*C*) 362
——, Determinants of antagonism of non-depolarizing neuromuscular block, CAMPBELL, J. R., (*C*) 362
——, Dose requirements of neostigmine for antagonism of vecuronium neuromuscular block in the elderly: comparison with adults, MCCARTHY, G., *et al.*, (*ARS*) 652–653P
——, Potency and ease of antagonism of pipecuronium in children, LEUWER, M., *et al.*, (*ARS*) 206–207P
——, Potentiation and antagonism of vecuronium by decamethonium in man, FELDMAN, S. A., *et al.*, (*ARS*) 206P
Neuromuscular block, atracurium, Antagonism of intense atracurium-induced neuromuscular block in children, GWINNUTT, C. L., *et al.* 13–16
——, Atracurium and suxamethonium, DONATI, F., (*C*) 502
——, Atracurium and suxamethonium, FAUVEL, N. J., *et al.*, (*C*) 502
——, Clearance of atracurium and laudanosine in the urine and by continuous venovenous haemofiltration, SHEARER, E. S., *et al.* 569–573
——, Determinants of antagonism of non-depolarizing neuromuscular block, BEEMER, G. H., *et al.*, (*C*) 362
——, Determinants of antagonism of non-depolarizing neuromuscular block, CAMPBELL, J. R., (*C*) 362
——, Dose requirements of atracurium in paediatric intensive care patients, KUSHIMO, O. T., *et al.* 781–783
——, Intraoperative assessment of atracurium-induced neuromuscular block using double burst stimulation, BRAUDE, N., *et al.* 574–578
——, Pharmacokinetics of atracurium, BEEMER, G. H., *et al.*, (*C*) 129–130
——, Pharmacokinetics of atracurium, PARKER, C. J. R., *et al.*, (*C*) 129
——, Resistance to atracurium in a patient with an increase in plasma alpha$_1$ globulins, TATMAN, A. J., *et al.* 623–625
Neuromuscular block, dantrolene, Serum concentrations of dantrolene following i.v. administration, LAURENCE, A. S., *et al.*, (*ARS*) 202–203P
Neuromuscular block, decamethonium, Potentiation and antagonism of vecuronium by decamethonium in man, FELDMAN, S. A., *et al.*, (*ARS*) 206P
Neuromuscular block, laudanosine, Clearance of atracurium and laudanosine in the urine and by continuous venovenous haemofiltration, SHEARER, E. S., *et al.* 569–573
——, Modification by drugs used in anaesthesia of CNS stimulation induced in mice by laudanosine and strychnine, AL-MUHANDIS, W. M., *et al.* 608–613
Neuromuscular block, measurement of response, Antagonism of intense atracurium-induced neuromuscular block in children, GWINNUTT, C. L., *et al.* 13–16
——, Intraoperative assessment of atracurium-induced neuromuscular block using double burst stimulation, BRAUDE, N., *et al.* 574–578
Neuromuscular block, mivacurium, Neuromuscular and clinical effects of mivacurium chloride in healthy adult patients during nitrous oxide–enflurane anaesthesia, GOLDHILL, D. R., *et al.* 289–295
——, Use of mivacurium chloride by constant infusion in the anephric patient, PHILLIPS, B. J., *et al.*, (*ARS*) 653–654P
Neuromuscular block, pipecuronium, Comparative effects of pipecuronium and tubocurarine on plasma concentrations of histamine in humans, NAGUIB, M., *et al.* 320–322
——, Potency and ease of antagonism of pipecuronium in children, LEUWER, M., *et al.*, (*ARS*) 206–207P
Neuromuscular block, potentiation, Potentiation and antagonism of vecuronium by decamethonium in man, FELDMAN, S. A., *et al.*, (*ARS*) 206P
Neuromuscular block, recovery, Investigation of fade in suxamethonium-induced phase II block in the isolated rat diaphragm, GUPTA, V. L., *et al.*, (*ARS*) 211P
——, Neuromuscular and clinical effects of mivacurium chloride in healthy adult patients during nitrous oxide–enflurane anaesthesia, GOLDHILL, D. R., *et al.* 289–295
——, Post-Post-Tetanic Facilitation Fade (PPTFF), BLACK, A. M. S., *et al.*, (*ARS*) 220P
Neuromuscular block, resistance, Resistance to atracurium in a patient with an increase in plasma alpha$_1$ globulins, TATMAN, A. J., *et al.* 623–625
——, Resistance to non-depolarizing neuromuscular blocking agents, HUNTER, J. M., (*E*) 511–514
Neuromuscular block, suxamethonium, Atracurium and suxamethonium, DONATI, F., (*C*) 502
——, Atracurium and suxamethonium, FAUVEL, N. J., *et al.*, (*C*) 502
——, Interference with pacemaker function, FINFER, S. R., (*C*) 664–665
——, Interference with pacemaker function, SIDHU, V. S., (*C*) 664
——, Investigation of fade in suxamethonium-induced phase II block in the isolated rat diaphragm, GUPTA, V. L., *et al.*, (*ARS*) 211P
——, Morbidity following day-case procedures, SMITH, S. O., *et al.*, (*ARS*) 644–645P
——, Pathogenesis of suxamethonium-induced muscle damage in the biventer cervicis muscle in the chick, MCLOUGHLIN, C., *et al.* 764–767
——, Serum concentrations of dantrolene following i.v. administration, LAURENCE, A. S., *et al.*, (*ARS*) 202–203P
Neuromuscular block, tubocurarine, Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, MEAKIN, G., *et al.*, (*ARS*) 205–206P
——, Comparative effects of pipecuronium and tubocurarine on plasma concentrations of histamine in humans, NAGUIB, M., *et al.* 320–322
——, Investigation of fade in suxamethonium-induced

phase II block in the isolated rat diaphragm, GUPTA, V. L., *et al.*, (*ARS*) 211P

Neuromuscular block, vecuronium, Dose requirements of neostigmine for antagonism of vecuronium neuromuscular block in the elderly: comparison with adults, MCCARTHY, G., *et al.*, (*ARS*) 652–653P

——, Interaction between betamethasone and vecuronium, PARR, S. M., *et al.* 447–451

——, Potentiation and antagonism of vecuronium by decamethonium in man, FELDMAN, S. A., *et al.*, (*ARS*) 206P

Operating rooms, contamination, Determination of contamination of a chemical warfare-proof operating theatre with volatile anaesthetic agents and assessment of anaesthetic gas scavenging systems, YOGANATHAN, S., *et al.* 614–617

Operating rooms, exhaust systems, Determination of contamination of a chemical warfare-proof operating theatre with volatile anaesthetic agents and assessment of anaesthetic gas scavenging systems, YOGANATHAN, S., *et al.* 614–617

Oxygen, consumption, Clonidine decreases postoperative oxygen consumption in patients recovering from general anaesthesia, DELAUNAY, L., *et al.* 397–401

Oxygen, delivery systems, Non-cardiogenic pulmonary oedema after transfusion with granulocyte antibody containing blood: treatment with extracorporeal membrane oxygenation, WORSLEY, M. H., *et al.* 116–119

——, Preoxygenation: use of a high flow delivery system, OOI, R., *et al.*, (*ARS*) 208P

——, The pneuPAC hyperbaric variant HB: a ventilator suitable for use within a one-man hyperbaric chamber, SPITTAL, M. J., *et al.* 488–491

——, Video surveillance of oxygen administration by mask in postoperative patients, NOLAN, K. M., *et al.*, (*ARS*) 650–651P

Oxygen, saturation, Desaturation and induction characteristics: comparison of propofol and thiopentone during mask anaesthesia with isoflurane, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 203P

——, Desaturation during total knee replacement, AL-SHAIKH, B., (*C*) 502

——, Haemodynamic effects of periodic ventilation: abolition with supplementary oxygen, REEDER, M. K., *et al.* 326–328

——, Nitrous oxide sedation causes post-hyperventilation apnoea, NORTHWOOD, D., *et al.* 7–12

——, Patterns of oxygenation after thoracotomy, ENTWISTLE, M. D., *et al.* 704–711

Oxygen, therapy, AURA: a new respiratory monitor and apnoea alarm for spontaneously breathing patients, CYNA, A. M., *et al.* 341–345

——, Haemodynamic effects of periodic ventilation: abolition with supplementary oxygen, REEDER, M. K., *et al.* 326–328

——, The pneuPAC hyperbaric variant HB: a ventilator suitable for use within a one-man hyperbaric chamber, SPITTAL, M. J., *et al.* 488–491

Oxygen, transport, Haemodynamic and oxygen transport effects of isoflurane as sedation in ventilated patients in the intensive care unit, BROWNE, G. P. R., *et al.*, (*ARS*) 652P

Pain, acute, The first year's experience of an acute pain service, WHEATLEY, R. G., *et al.* 353–359

Pain, injection, Pain on injection of propofol: effects of concentration and diluent, KLEMENT, W., *et al.* 281–284

——, Pain on i.v. injection, KHUENL-BRADY, K. S., *et al.*, (*C*) 506–507

——, Pain on i.v. injection, KLEMENT, W., *et al.*, (*C*) 507

Pain, postoperative, Comparison of contemporaneous and retrospective assessment of postoperative pain using the visual analogue scale, LIU, W. H. D., *et al.* 768–771

——, Pain after surgery, SMITH, G., (*E*) 233–234

——, The first year's experience of an acute pain service, WHEATLEY, R. G., *et al.* 353–359

Partial pressure, carbon dioxide, Effect of Pa_{CO_2} on cerebral blood flow distribution during halothane compared with isoflurane anaesthesia in the rat, YOUNG, W. L., *et al.* 440–446

Pharmacokinetics, alfentanil, Pharmacokinetics of alfentanil in burns patients, MACFIE, A. G., *et al.*, (*ARS*) 657P

Pharmacokinetics, atracurium, Atracurium and suxamethonium, DONATI, F., (*C*) 502

——, Atracurium and suxamethonium, FAUVEL, N. J., *et al.*, (*C*) 502

——, Pharmacokinetics of atracurium, BEEMER, G. H., *et al.*, (*C*) 129–130

——, Pharmacokinetics of atracurium, PARKER, C. J. R., *et al.*, (*C*) 129

Pharmacokinetics, bupivacaine, Cardiovascular effects and regional clearances of i.v. bupivacaine in sheep: enantiomeric analysis, RUTTEN, A. J., *et al.* 247–256

——, Disposition of mepivacaine and bupivacaine enantiomers in sheep, MATHER, L. E. 239–246

——, Inverse correlation between the peak venous serum concentration of bupivacaine and the weight of the patient during interscalene brachial plexus block, PIHLAJAMÄKI, K. K. 621–622

Pharmacokinetics, cisapride, Effect of single doses of cisapride and ranitidine administered simultaneously on plasma concentrations of cisapride and ranitidine, ROWBOTHAM, D. J., *et al.* 302–305

Pharmacokinetics, ketamine, Pharmacokinetics and distribution of ketamine after extradural administration to dogs, PEDRAZ, J. L., *et al.* 310–316

Pharmacokinetics, mepivacaine, Disposition of mepivacaine and bupivacaine enantiomers in sheep, MATHER, L. E. 239–246

Pharmacokinetics, mivacurium, Use of mivacurium chloride by constant infusion in the anephric patient, PHILLIPS, B. J., *et al.*, (*ARS*) 653–654P

Pharmacokinetics, models, Pharmacokinetic model driven infusion of propofol in children, MARSH, B., *et al.* 41–48

Pharmacokinetics, morphine, Effect of cisapride on morphine absorption after oral administration of sustained-release morphine, ROWBOTHAM, D. J., *et al.* 421–425

——, Physiological disposition of i.v. morphine in sheep, SLOAN, P. A., *et al.* 378–386

——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, DAVIS, C. L., (*C*) 362–363

——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, HANNA, M. H., (*C*) 363

——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, JOEL, P., (*C*) 363

Pharmacokinetics, morphine-6-glucuronide, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, DAVIS, C. L., (*C*) 362–363

——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, HANNA, M. H., (*C*) 363

——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, JOEL, P., (*C*) 363

Pharmacokinetics, propofol, Disposition of propofol at Caesarean section and in the postpartum period, GIN, T., *et al.* 49–53

Pharmacokinetics, ranitidine, Effect of single doses of cisapride and ranitidine administered simultaneously on plasma concentrations of cisapride and ranitidine, ROWBOTHAM, D. J., *et al.* 302–305

Pharmacokinetics, stereoisomers, Cardiovascular effects

and regional clearances of i.v. bupivacaine in sheep: enantiomeric analysis, RUTTEN, A. J., *et al.* 247–256
——, Disposition of mepivacaine and bupivacaine enantiomers in sheep, MATHER, L. E. 239–246
Pharmacokinetics, uptake, Change in end-expiratory respiratory volume with thiopentone or propofol induction of anaesthesia, RUTHERFORD, J. S., *et al.*, (*ARS*) 647P
——, First pass lung uptake of bupivacaine: effect of acidosis in an intact rabbit lung model, PALAZZO, M. G. A., *et al.* 759–763
——, Inverse correlation between the peak venous serum concentration of bupivacaine and the weight of the patient during interscalene brachial plexus block, PIHLAJAMÄKI, K. K. 621–622
——, Total i.v. anaesthesia with propofol and alfentanil: influence of age and weight on dose requirements, RAFTERY, S., *et al.*, (*ARS*) 218P
Pharmacology, betamethasone, Interaction between betamethasone and vecuronium, PARR, S. M., *et al.* 447–451
Pharmacology, clonidine, Preanaesthetic medication with clonidine: a dose–response study, CARABINE, U. A., *et al.* 79–83
Pharmacology, diamorphine, Speed of onset of analgesia of diamorphine or morphine, SHELLY, M. P., *et al.*, (*C*) 666
Pharmacology, dobutamine, Renal function after cardiopulmonary bypass in children: comparison of dopamine with dobutamine, WENSTONE, R., *et al.* 591–594
Pharmacology, dopamine, Renal function after cardiopulmonary bypass in children: comparison of dopamine with dobutamine, WENSTONE, R., *et al.* 591–594
Pharmacology, dose–response, Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, MEAKIN, G., *et al.*, (*ARS*) 205–206P
——, Dose requirements of neostigmine for antagonism of vecuronium neuromuscular block in the elderly: comparison with adults, MCCARTHY, G., *et al.*, (*ARS*) 652–653P
——, Dose requirements to suppress consciousness by continuous infusion of propofol in young adults, DUNNET, J. M., *et al.*, (*ARS*) 214–215P
——, Preanaesthetic medication with clonidine: a dose–response study, CARABINE, U. A., *et al.* 79–83
——, Propofol and midazolam act synergistically in combination, SHORT, T. G., *et al.* 539–545
——, Thiopentone–propofol hypnotic synergism in patients, NAGUIB, M., *et al.* 4–6
Pharmacology, milrinone, Clinical and haemodynamic effects of milrinone in the treatment of low cardiac output after cardiac surgery, WRIGHT, E. M., *et al.* 585–590
Pharmacology, mivacurium, Neuromuscular and clinical effects of mivacurium chloride in healthy adult patients during nitrous oxide–enflurane anaesthesia, GOLDHILL, D. R., *et al.* 289–295
Pharmacology, morphine, Speed of onset of analgesia of diamorphine or morphine, SHELLY, M. P., *et al.*, (*C*) 666
Pharmacology, Picolax, Picolax bowel preparation, DODSON, M. E., (*C*) 664
Pharmacology, salbutamol, Effect of inhaled salbutamol on resting oxygen consumption, AMOROSO, P., *et al.*, (*ARS*) 210P
Pharmacology, synergism, Potentiation and antagonism of vecuronium by decamethonium in man, FELDMAN, S. A., *et al.*, (*ARS*) 206P
——, Propofol and midazolam act synergistically in combination, SHORT, T. G., *et al.* 539–545
——, Synergism among i.v. anaesthetics, MCKAY, A. C., (*E*) 1–3
——, Thiopentone–propofol hypnotic synergism in patients, NAGUIB, M., *et al.* 4–6
Physiotherapy, Does physiotherapy affect the auditory evoked potentials of sedated patients in the intensive care unit? SNEYD, J. R., *et al.*, (*ARS*) 647P
Placenta, blood flow, Assessment of the placental circulation, MOORE, J., (*E*) 671–673
——, Effect of adrenaline on extradural anaesthesia, plasma lignocaine concentrations and the feto–placental unit during elective Caesarean section, MCLINTIC, A. J., *et al.* 683–689
——, Effects of extradural anaesthesia on umbilical and uteroplacental arterial flow velocity waveforms, TURNER, G. A., *et al.* 306–309
——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, ALAHUHTA, S., *et al.* 678–682
Position, effects, Effect of supine and lateral positions on airway patency in anaesthetized patients, SWANN, D. G., *et al.*, (*ARS*) 644P
Position, prone, The prone position for the surgical patient: a historical review of the principles and hazards, ANDERTON, J. M. 452–463
Position, sitting, Tracheal intubation with the patient in a sitting position, BROCK-UTNE, J. G., *et al.*, (*C*) 225–226
——, Tracheal intubation with the patient in the sitting position, ADAMS, A. K., (*C*) 804
Postanaesthetic Care, FROST, E. A. M., *et al.*, (editors), (*R*) 133
Potency, anaesthetic, age factors, Total i.v. anaesthesia with propofol and alfentanil: influence of age and weight on dose requirements, RAFTERY, S., *et al.*, (*ARS*) 218P
Potency, anaesthetic, ED_{50}, Dose requirements to suppress consciousness by continuous infusion of propofol in young adults, DUNNET, J. M., *et al.*, (*ARS*) 214–215P
——, Thiopentone–propofol hypnotic synergism in patients, NAGUIB, M., *et al.* 4–6
Potency, drug, Potency and ease of antagonism of pipecuronium in children, LEUWER, M., *et al.*, (*ARS*) 206–207P
Potency, drug, age factors, Dose requirements of atracurium in paediatric intensive care patients, KUSHIMO, O. T., *et al.* 781–783
Potency, drug, tolerance, Dose requirements of atracurium in paediatric intensive care patients, KUSHIMO, O. T., *et al.* 781–783
——, Resistance to atracurium in a patient with an increase in plasma alpha$_1$ globulins, TATMAN, A. J., *et al.* 623–625
——, Resistance to non-depolarizing neuromuscular blocking agents, HUNTER, J. M., (*E*) 511–514
Pregnancy, Disposition of propofol at Caesarean section and in the postpartum period, GIN, T., *et al.* 49–53
——, Gastric emptying in pregnancy, MACFIE, A. G., *et al.* 54–57
——, Management of labour and delivery in patients with intracranial neoplasms, FINFER, S.R. 784–787
Premedication, clonidine, Preanaesthetic medication: comparison of three drug groups, CARABINE, U. A., *et al.*, (*ARS*) 659P
——, Preanaesthetic medication with clonidine: a dose–response study, CARABINE, U. A., *et al.* 79–83
Premedication, dexmedetomidine, A comparison of dexmedetomidine, an alpha$_2$-adrenoceptor agonist, and midazolam as i.m. premedication for minor gynaecological surgery, AANTAA, R., *et al.* 402–409
Premedication, diazepam, Investigation of the effect of

oral diazepam on upper airway reactivity, MURPHY, P. J., *et al.*, (*ARS*) 660–661P
Premedication, glycopyrronium, Can glycopyrrolate attenuate propofol-induced hypotension in elderly patients? SNEYD, J. R., *et al.*, (*ARS*) 661–662P
Premedication, midazolam, A comparison of dexmedetomidine, an alpha$_2$-adrenoceptor agonist, and midazolam as i.m. premedication for minor gynaecological surgery, AANTAA, R., *et al.* 402–409
Premedication, temazepam, Preanaesthetic medication: comparison of three drug groups, CARABINE, U. A., *et al.*, (*ARS*) 659P
——, Preanaesthetic medication with clonidine: a dose–response study, CARABINE, U. A., *et al.* 79–83
Premedication, timolol, Preanaesthetic medication: comparison of three drug groups, CARABINE, U. A., *et al.*, (*ARS*) 659P
Protein, binding, Resistance to atracurium in a patient with an increase in plasma alpha$_1$ globulins, TATMAN, A. J., *et al.* 623–625
Protein, globulin, Resistance to atracurium in a patient with an increase in plasma alpha$_1$ globulins, TATMAN, A. J., *et al.* 623–625
Protein, metabolism, Protein metabolism after abdominal surgery: effect of 24-h extradural block with local anaesthetic, CARLI, F., *et al.* 729–734
Protein, plasma, Anaesthetic–plasma interactions: a study using nuclear magnetic resonance spectroscopy (MRS), EVANS, R. D., *et al.*, (*ARS*) 217P
Psychological responses, Effects of i.v. lignocaine on psychological performance and subjective state in healthy volunteers, ARMSTRONG, P. J., *et al.* 532–538
Psychological responses, postoperative, Mental function after general anaesthesia for transurethral procedures, SMITH, C., *et al.* 262–268

Rabbit, Anaesthetic–plasma interactions: a study using nuclear magnetic resonance spectroscopy (MRS), EVANS, R. D., *et al.*, (*ARS*) 217P
——, First pass lung uptake of bupivacaine: effect of acidosis in an intact rabbit lung model, PALAZZO, M. G. A., *et al.* 759–763
——, Intra-arterial thiopentone is directly toxic to vascular endothelium, MACPHERSON, R. D., *et al.* 546–552
——, Pressure–volume hysteresis of the lungs in respiratory distress syndrome, RATCLIFFE, F. M., *et al.*, (*ARS*) 203–204P
Rat, Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, MEAKIN, G., *et al.*, (*ARS*) 205–206P
——, Effect of Pa_{CO_2} on cerebral blood flow distribution during halothane compared with isoflurane anaesthesia in the rat, YOUNG, W. L., *et al.* 440–446
——, Interaction between betamethasone and vecuronium, PARR, S. M., *et al.* 447–451
Receptors, opioid, Opioid receptors—the role of the sigma receptor? CHURCH, J., (*C*) 361–362
——, Relationship between analgesia and respiratory depression for mu opioid receptor agonists in mice, STOTT, D. G., *et al.* 603–607
Records, anaesthesia, Reporting of deaths, LUNN, J., (*C*) 503
Recovery, Clonidine decreases postoperative oxygen consumption in patients recovering from general anaesthesia, DELAUNAY, L., *et al.* 397–401
——, Comparison between sevoflurane and halothane for paediatric ambulatory anaesthesia, NAITO, Y., *et al.* 387–389
Recovery, postoperative, Influence of therapeutic suggestions during general anaesthesia on recovery in patients undergoing hysterectomy, LIU, D. W. H., *et al.*, (*ARS*) 208–209P
Recovery, psychomotor, Alcohol after sedation with i.v. midazolam–fentanyl: effects on psychomotor functioning, LICHTOR, J. L., *et al.* 579–584
——, Propofol sedation for outpatient upper gastrointestinal endoscopy: comparison with midazolam, PATTERSON, K. W., *et al.* 108–111
Reflexes, laryngeal, A portable method to assess upper airway reactivity, LANGTON, J., *et al.*, (*ARS*) 648–649P
——, Investigation of the effect of oral diazepam on upper airway reactivity, MURPHY, P. J., *et al.*, (*ARS*) 660–661P
Regional Anaesthesia, 2nd Edn, KOERSTER, W., *et al.*, (editors), (*R*) 668
Regional Anaesthesia in Children, 1st Edn, SAINT-MAURICE, C., *et al.*, (editors), (*R*) 132

Safety, drug, Bacterial growth in propofol, MCLEOD, G. A., *et al.*, (*C*) 665–666
Screening, Screening for antibodies associated with halothane hepatitis, HASTINGS, K. L., *et al.* 722–728
Sedation, Antagonism of benzodiazepine sedation with flumazenil, MCCLOY, R., *et al.*, (*C*) 504
——, Antagonism of benzodiazepine sedation with flumazenil, SANDERS, L., *et al.*, (*C*) 504
——, Diprivan intensive care sedation in children, RODGERS, E. M., (*C*) 505
——, Does physiotherapy affect the auditory evoked potentials of sedated patients in the intensive care unit? SNEYD, J. R., *et al.*, (*ARS*) 647P
——, Effects of low concentrations of cyclopropane and halothane on peak velocity of saccadic eye movements, YOSHIZUMI, J., *et al.* 735–740
——, Haemodynamic and oxygen transport effects of isoflurane as sedation in ventilated patients in the intensive care unit, BROWNE, G. P. R., *et al.*, (*ARS*) 652P
——, Nitrous oxide sedation causes post-hyperventilation apnoea, NORTHWOOD, D., *et al.* 7–12
——, Patient-controlled anxiolysis with propofol, URE, R. W., *et al.*, (*ARS*) 657–658P
——, Propofol sedation for outpatient upper gastrointestinal endoscopy: comparison with midazolam, PATTERSON, K. W., *et al.* 108–111
——, Sedation with propofol during surgery under regional block: evaluation of a computer controlled infusion system, SKIPSEY, I. G., *et al.*, (*ARS*) 218–219P
Sheep, Cardiovascular effects and regional clearances of i.v. bupivacaine in sheep: enantiomeric analysis, RUTTEN, A. J., *et al.* 247–256
——, Disposition of mepivacaine and bupivacaine enantiomers in sheep, MATHER, L. E. 239–246
——, Femoral arteriovenous extracorporeal removal of carbon dioxide using a hollow fibre membrane lung, YOUNG, J. D., *et al.*, (*ARS*) 209P
——, Physiological disposition of i.v. morphine in sheep, SLOAN, P. A., *et al.* 378–386
Sleep apnoea, Computerized analysis of continuous pulse oximetry in children with nocturnal breathing disorders, WHEATLEY, R. G., *et al.*, (*ARS*) 208P
——, Haemodynamic effects of periodic ventilation: abolition with supplementary oxygen, REEDER, M. K., *et al.* 326–328
Spinal cord, sensory block, Spinally mediated antinociceptive effects of xylazine, an alpha-2 adrenoceptor agonist: interaction with spinal cord opioid pathways, GOODCHILD, C. S., *et al.*, (*ARS*) 201P
Spinal cord, vertebral interspace, Regional anaesthesia requires attention to detail, IEVINS, F. A., (*C*) 225
——, Regional anaesthesia requires attention to detail, WILDSMITH, J. A. W., (*C*) 224–225
Stress, Comparison of sufentanil–nitrous oxide anaesthesia

with fentanyl–nitrous oxide anaesthesia in geriatric patients undergoing major abdominal surgery, KIETZMANN, D., *et al.* 269–276
——, Effects of labetalol on perioperative stress markers and isoflurane requirements, AMAR, D., *et al.* 296–301
——, Relationship between exercise-induced myolysis and malignant hyperthermia, HACKL, W., *et al.*, (*C*) 221
——, Relationship between exercise-induced myolysis and malignant hyperthermia, KRIVOSIC-HORBER, R., *et al.*, (*C*) 221
Stress, metabolic response, Metabolic response to colonic surgery: extradural *vs* continuous spinal, WEBSTER, J., *et al.* 467–469
Surgery, Potassium in the perioperative period, VAUGHAN, R. S. 194–200
Surgery, abdominal, Comparison of sufentanil–nitrous oxide anaesthesia with fentanyl–nitrous oxide anaesthesia in geriatric patients undergoing major abdominal surgery, KIETZMANN, D., *et al.* 269–276
——, Double-blind comparison of the morphine sparing effect of continuous and intermittent i.m. administration of ketorolac, BURNS, J. W., *et al.* 235–238
——, Ketamine for caudal analgesia in children: comparison with caudal bupivacaine, NAGUIB, M., *et al.* 559–564
——, Midazolam modifies pancreatic and anterior pituitary hormone secretion during upper abdominal surgery, DESBOROUGH, J. P., *et al.* 390–396
——, Pain relief and hypoxaemia during administration of extradural fentanyl by three different methods, KLUGER, M. T., *et al.*, (*ARS*) 656–657P
——, Picolax bowel preparation, DODSON, M. E., (*C*) 664
——, Postoperative analgesia by infusion of local anaesthetic into the rectus sheath, WATSON, D., *et al.*, (*ARS*) 656P
——, Protein metabolism after abdominal surgery: effect of 24-h extradural block with local anaesthetic, CARLI, F., *et al.* 729–734
——, Resistance to atracurium in a patient with an increase in plasma alpha$_1$ globulins, TATMAN, A. J., *et al.* 623–625
Surgery, aneurysm, Controlled hypotension for cerebral aneurysm surgery in the presence of severe aortic coarctation, GOODIE, D. B., *et al.* 329–331
Surgery, brain, Controlled hypotension for cerebral aneurysm surgery in the presence of severe aortic coarctation, GOODIE, D. B., *et al.* 329–331
——, Effects of flumazenil on cerebral blood flow and oxygen consumption after midazolam anaesthesia for craniotomy, KNUDSEN, L., *et al.* 277–280
Surgery, cardiovascular, Clinical and haemodynamic effects of milrinone in the treatment of low cardiac output after cardiac surgery, WRIGHT, E. M., *et al.* 585–590
——, Cuffed tracheal tubes for paediatric cardiac surgery cause a low incidence of postoperative airway problems, MALMROS, C., *et al.*, (*ARS*) 655P
——, Effect of thiopentone, etomidate and propofol on systemic vascular resistance during cardiopulmonary bypass, BOER, F., *et al.* 69–72
——, Enoximone during coronary bypass surgery, RAFTERY, S., *et al.*, (*ARS*) 651–652P
——, Haemodynamic effects of periodic ventilation: abolition with supplementary oxygen, REEDER, M. K., *et al.* 326–328
——, Influence of hypertonic volume replacement on the microcirculation in cardiac surgery, BOLDT, J., *et al.* 595–602
——, Left ventricular function during transoesophageal echocardiographic assessment of abdominal aortic aneurysm resection, RYAN, T., *et al.*, (*ARS*) 204–205P
——, Non-cardiogenic pulmonary oedema after transfusion with granulocyte antibody containing blood: treatment with extracorporeal membrane oxygenation, WORSLEY, M. H., *et al.* 116–119
——, Postoperative myocardial ischaemia: temporal association with nocturnal hypoxaemia, REEDER, M. K., *et al.* 626–631
——, Relationship between perioperative ischaemic and hypoxic events in patients with cardiovascular disease, GILL, N., *et al.*, (*ARS*) 649P
——, Renal function after cardiopulmonary bypass in children: comparison of dopamine with dobutamine, WENSTONE, R., *et al.* 591–594
Surgery, colon, Metabolic response to colonic surgery: extradural *vs* continuous spinal, WEBSTER, J., *et al.* 467–469
Surgery, day-case, Patient-controlled anxiolysis with propofol, URE, R. W., *et al.*, (*ARS*) 657–658P
——, Serum concentrations of dantrolene following i.v. administration, LAURENCE, A. S., *et al.*, (*ARS*) 202–203P
Surgery, gynaecological, A comparison of dexmedetomidine, an alpha$_2$-adrenoceptor agonist, and midazolam as i.m. premedication for minor gynaecological surgery, AANTAA, R., *et al.* 402–409
——, Influence of therapeutic suggestions during general anaesthesia on recovery in patients undergoing hysterectomy, LIU, D. W. H., *et al.*, (*ARS*) 208–209P
——, Morbidity following day-case procedures, SMITH, S. O., *et al.*, (*ARS*) 644–645P
Surgery, non-cardiac, Postoperative myocardial ischaemia in patients with recent myocardial infarction, METZLER, H., *et al.* 317–319
Surgery, ophthalmological, Comparison of laryngeal mask airway with tracheal intubation for intraocular surgery, AKHTAR, T. M., *et al.*, (*ARS*) 215P
——, Effect of P6 acupressure on postoperative vomiting in children undergoing outpatient strabismus correction, LEWIS, I. H., *et al.* 73–78
Surgery, oral, Serum concentrations of dantrolene following i.v. administration, LAURENCE, A. S., *et al.*, (*ARS*) 202–203P
Surgery, orthopaedic, Desaturation during total knee replacement, AL-SHAIKH, B., (*C*) 502
——, Effect of i.v. low-dose adrenaline and phenylephrine infusions on plasma concentrations of bupivacaine after lumbar extradural anaesthesia in elderly patients, SHARROCK, N. E., *et al.* 694–698
——, Haemodynamic effects and outcome analysis of hypotensive extradural anaesthesia in controlled hypertensive patients undergoing total hip arthroplasty, SHARROCK, N. E., *et al.* 17–25
——, Inverse correlation between the peak venous serum concentration of bupivacaine and the weight of the patient during interscalene brachial plexus block, PIHLAJAMÄKI, K. K. 621–622
Surgery, otolaryngological, P6 acupuncture and postoperative vomiting after tonsillectomy in children, YENTIS, S. M., *et al.* 779–780
Surgery, paediatric, Renal function after cardiopulmonary bypass in children: comparison of dopamine with dobutamine, WENSTONE, R., *et al.* 591–594
Surgery, post-transplantation, Anaesthesia for patients with transplanted hearts and lungs undergoing non-cardiac surgery, SHAW, I. H., *et al.* 772–778
Surgery, preoperative period, Preoperative silent myocardial ischaemia: incidence and predictors in a general surgical population, MUIR, A. D., *et al.* 373–377
——, Silent myocardial ischaemia in preoperative patients:

what does it mean, and what should be done about it? De Bono, D. P., *et al.*, (*E*) 367–368
Surgery, spinal, The prone position for the surgical patient: a historical review of the principles and hazards, Anderton, J. M. 452–463
Surgery, thoracic, Patterns of oxygenation after thoracotomy, Entwistle, M. D., *et al.* 704–711
Surgery, urological, Dilutional hyponatraemia following transurethral operation for clot retention, Hahn, R. G. 339–340
——, Mental function after general anaesthesia for transurethral procedures, Smith, C., *et al.* 262–268
Surgery, vascular, Repair of traumatic transection of the thoracic aorta: esmolol for intraoperative control of arterial pressure, Fenner, S. G., *et al.* 483–487
Sympathetic nervous system, adrenaline, Effect of i.v. low-dose adrenaline and phenylephrine infusions on plasma concentrations of bupivacaine after lumbar extradural anaesthesia in elderly patients, Sharrock, N. E., *et al.* 694–698
——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, Alahuhta, S., *et al.* 678–682
Sympathetic nervous system, adrenergic block, Spinally mediated antinociceptive effects of xylazine, an alpha-2 adrenoceptor agonist: interaction with spinal cord opioid pathways, Goodchild, C. S., *et al.*, (*ARS*) 201P
Sympathetic nervous system, clonidine, Clonidine decreases postoperative oxygen consumption in patients recovering from general anaesthesia, Delaunay, L., *et al.* 397–401
——, Preanaesthetic medication with clonidine: a dose–response study, Carabine, U. A., *et al.* 79–83
——, Spinally mediated antinociceptive effects of xylazine, an alpha-2 adrenoceptor agonist: interaction with spinal cord opioid pathways, Goodchild, C. S., *et al.*, (*ARS*) 201P
Sympathetic nervous system, labetalol, Effects of labetalol on perioperative stress markers and isoflurane requirements, Amar, D., *et al.* 296–301
Sympathetic nervous system, magnesium sulphate, Attenuation of the pressor response to tracheal intubation by magnesium sulphate with and without alfentanil in hypertensive proteinuric patients undergoing Caesarean section, Ashton, W. B., *et al.* 741–747
Sympathetic nervous system, phenylephrine, Effect of i.v. low-dose adrenaline and phenylephrine infusions on plasma concentrations of bupivacaine after lumbar extradural anaesthesia in elderly patients, Sharrock, N. E., *et al.* 694–698
Sympathetic nervous system, pindolol, Effects of pindolol on the cardiovascular response to tracheal intubation, Mikawa, K., *et al.* 416–420
Sympathetic nervous system, sympathoadrenal responses, A comparison of dexmedetomidine, an alpha$_2$-adrenoceptor agonist, and midazolam as i.m. premedication for minor gynaecological surgery, Aantaa, R., *et al.* 402–409
——, Attenuation of the pressor response to tracheal intubation by magnesium sulphate with and without alfentanil in hypertensive proteinuric patients undergoing Caesarean section, Ashton, W. B., *et al.* 741–747
——, Comparison of sufentanil–nitrous oxide anaesthesia with fentanyl–nitrous oxide anaesthesia in geriatric patients undergoing major abdominal surgery, Kietzmann, D., *et al.* 269–276
——, Effects of labetalol on perioperative stress markers and isoflurane requirements, Amar, D., *et al.* 296–301
Sympathetic nervous system, xylazine, Spinally mediated antinociceptive effects of xylazine, an alpha-2 adrenoceptor agonist: interaction with spinal cord opioid pathways, Goodchild, C. S., *et al.*, (*ARS*) 201P

Temperature, regulation, Maternal temperature regulation during extradural analgesia for labour, Camann, W. R., *et al.* 565–568
The Anaesthetic Plan: From Physiologic Principles to Clinical Strategies, Muravchick, S., (*R*) 365
The Lung—Scientific Foundations, Crystal, R. G., *et al.*, (editors), (*R*) 230
Towards a New Pharmacotherapy of Pain, Basbaum, A. I., *et al.*, (editors), (*R*) 805
Toxicity, Anaesthesia and bone marrow aplasia, Fenner, S. G., *et al.*, (*C*) 665
——, Anaesthesia and bone marrow aplasia, Hamilton, W. K., (*C*) 665
——, Intra-arterial thiopentone is directly toxic to vascular endothelium, MacPherson, R. D., *et al.* 546–552
——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, Davis, C. L., (*C*) 362–363
——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, Hanna, M. H., (*C*) 363
——, Toxicity and pharmacokinetics of morphine and morphine-6-glucuronide, Joel, P., (*C*) 363
Transfusion, autotransfusion, Inappropriate heparinization with a cell saver, Columb, M. O., (*C*) 223
Transfusion, complications, Inappropriate heparinization with a cell saver, Columb, M. O., (*C*) 223
Transfusion, stored blood, Non-cardiogenic pulmonary oedema after transfusion with granulocyte antibody containing blood: treatment with extracorporeal membrane oxygenation, Worsley, M. H., *et al.* 116–119
Trauma Anesthesia, Sterne, J. K., *et al.*, (editors), (*R*) 508

Uterus, adrenaline, Effect of adrenaline on extradural anaesthesia, plasma lignocaine concentrations and the feto–placental unit during elective Caesarean section, McLintic, A. J., *et al.* 683–689
——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, Alahuhta, S., *et al.* 678–682
Uterus, blood flow, Assessment of the placental circulation, Moore, J., (*E*) 671–673
——, Effect of adrenaline on extradural anaesthesia, plasma lignocaine concentrations and the feto–placental unit during elective Caesarean section, McLintic, A. J., *et al.* 683–689
——, Effects of extradural bupivacaine with adrenaline for Caesarean section on uteroplacental and fetal circulation, Alahuhta, S., *et al.* 678–682

Veins, complications, Deep venous thrombosis and anaesthesia, Jørgensen, L. N., (*C*) 128
——, Deep venous thrombosis and anaesthesia, McKenzie, P. J., (*C*) 128
——, Deep venous thrombosis and anaesthesia, Modig, J., (*C*) 127–128
——, Deep venous thrombosis and anaesthesia, Modig, J., (*C*) 128
——, Superior sagittal sinus thrombosis after internal jugular vein cannulation, Stephens, P. H., *et al.* 476–479
——, Venous sequelae after i.v. diclofenac, Campbell, W., *et al.*, (*C*) 803
——, Venous sequelae after i.v. diclofenac, Gopinath, R., (*C*) 803
Veins, jugular, cannulation, Jugular bulb cannulation: description of a cannulation technique and validation of

a new continuous monitor, ANDREWS, P. J. D., *et al.* 553–558
——, Superior sagittal sinus thrombosis after internal jugular vein cannulation, STEPHENS, P. H., *et al.* 476–479
Veins, subclavian, cannulation, Delayed pneumothorax after subclavian vein catheterization and positive pressure ventilation, CRONEN, M. C., *et al.* 480–482
Veins, vasodilatation, Propofol induces the production of endothelium-derived relaxing factor, PETROS, A. J., *et al.*, (*ARS*) 645–646P
Ventilation, eucapnic response, Hyperventilation and blood concentrations of propofol during total i.v. anaesthesia, ENEVER, G., *et al.*, (*ARS*) 217–218P
Ventilation, high frequency, Pressure–volume hysteresis of the lungs in respiratory distress syndrome, RATCLIFFE, F. M., *et al.*, (*ARS*) 203–204P
Ventilation, high frequency jet, Pressure support ventilation using a new tracheal gas injection tube, BEYDON, L., *et al.* 795–800
Ventilation, hyperventilation, Hyperventilation and blood concentrations of propofol during total i.v. anaesthesia, ENEVER, G., *et al.*, (*ARS*) 217–218P
——, Nitrous oxide sedation causes post-hyperventilation apnoea, NORTHWOOD, D., *et al.* 7–12
Ventilation, hypocapnic response, Hyperventilation and blood concentrations of propofol during total i.v. anaesthesia, ENEVER, G., *et al.*, (*ARS*) 217–218P
Ventilation, mechanical, Dose requirements of atracurium in paediatric intensive care patients, KUSHIMO, O. T., *et al.* 781–783
——, Tension pneumothorax—wrong tube? KNEESHAW, J. D., (*C*) 222–223
Ventilation, obstruction, Computerized analysis of continuous pulse oximetry in children with nocturnal breathing disorders, WHEATLEY, R. G., *et al.*, (*ARS*) 208P
Ventilation, pattern, Haemodynamic effects of periodic ventilation: abolition with supplementary oxygen, REEDER, M. K., *et al.* 326–328
——, Nitrous oxide sedation causes post-hyperventilation apnoea, NORTHWOOD, D., *et al.* 7–12
Ventilation, pressure support, Pressure support ventilation using a new tracheal gas injection tube, BEYDON, L., *et al.* 795–800
Ventilation, rib cage, A rapid method to assess chest wall shape and volume change, DRUMMOND, G. B., *et al.*, (*ARS*) 204P
——, Rib cage contribution to resting and carbon dioxide stimulated ventilation during 1 MAC isoflurane anaesthesia, LUMB, A. B., *et al.* 712–721
Vomiting, antiemetics, Effect of P6 acupressure on postoperative vomiting in children undergoing outpatient strabismus correction, LEWIS, I. H., *et al.* 73–78
——, Use of buccal prochlorperazine in the prevention of postoperative sickness, PATTERSON, K. W., *et al.*, (*ARS*) 213–214P
Vomiting, incidence, Effect of P6 acupressure on postoperative vomiting in children undergoing outpatient strabismus correction, LEWIS, I. H., *et al.*, 73–78
——, Effect of thiopentone, etomidate and propofol on systemic vascular resistance during cardiopulmonary bypass, BOER, F., *et al.* 69–72
——, P6 acupuncture and postoperative vomiting after tonsillectomy in children, YENTIS, S. M., *et al.* 779–780
——, Relationship of postoperative and cancer chemotherapy sickness, DUNDEE, J. W., *et al.*, (*ARS*) 214P
Vomiting, nausea, Relationship of postoperative and cancer chemotherapy sickness, DUNDEE, J. W., *et al.*, (*ARS*) 214P